



GO PREPARED™

2012-13 PRODUCT AND APPLICATION GUIDE



TRUCK, SUV, AND JEEP • POWERSPORTS • INDUSTRIAL AND COMMERCIAL



THREE BIG WORDS: COUNT ON WARN

HOW MANY TIMES have you been four-wheeling and something goes wrong? A part fails. Terrain gets tougher. Mother Nature unleashes weather. And you have to count on one thing. Your WARN winch. Year after year (more than 60, actually), the best of the best rely on WARN products. Such dependability doesn't come easy. This year, the people at Warn Industries continue to pour all they've got into bringing you products worthy of the WARN name. Like the XT17 Portable Winch. And the new Spydura™ synthetic winch rope, now available on a full range of popular winch models. Plus, we're introducing rugged new bumpers for the Jeep JK and TJ. And now, for the first time, every inch of WARN reliability has been crammed into an entry-level winch...the much-anticipated WARN VR. Whether your passion in life is off-roading, or simply heading out to hunt, play, or work, the original badge of honor—the WARN red logo—belongs on your rig. So go ahead—put our stuff to work. Go Prepared. Nothing we make will let you down.



Industrial, Severe Duty,
and Commercial: 91-112



Truck, SUV, and Jeep: 4-67
Applications by vehicle platform: 113-130



Powersports: 68-74
Applications by vehicle platform: 131-141

MOAB: Devil's Crack on the Moab Rim Trail. It's called Devil's Crack for good reason. Better bring your lockers, your WARN Rock Crawler Bumper and winch, and leave the fear of heights at home.

STEENS MTN., ROAD TO MICKEY BASIN. When you play where there's no mobile service, no 911, no tow trucks, and no pavement, you better Go Prepared.

OFF-ROAD PRODUCTS

WARN TRUCK, JEEP & SUV: TRUSTED OFF-ROAD COMPANIONS

Reliability meets durability head on with every WARN off-road product. Our authentic products bear the red “W” that says you’re a true enthusiast. You’ll find we have smart new products, like the VR winches at entry-level prices. And an ever-growing winch line-up – many winches now have synthetic rope options. Plus enough hubs, lights, body armor and bumpers to supply the world of adventure.

Winches.....	4-27
Mounting Systems, Bumpers, and Armor	28-51
Accessories.....	52-59
Lights, Flares, and Hubs	60-67
Applications by Vehicle Platform	113-130

WARN POWERSPORTS: GEARED UP FOR GOOD TIMES

This year, it’s WARN to the rescue with an ever-expanding line of portable winches. Small powerhouses meant to go with you anywhere – whether you have a quad, side-by-side, motorcycle, or snowmobile. We’ve also got all the powersports lights, bumpers, plow systems and accessory gear you need, to help you tackle the biggest jobs, or rescue yourself from the toughest situations.

Winches.....	69-74
Accessories.....	75-76
Mounting Systems and Bumpers	77-79
Body Armor	80
Lights.....	81-83
Plows and Plow Accessories	84-89
Applications by Vehicle Platform	131-141



SWEET HOME, OR. Yeah, it's Mud Fest for a reason. It's hard-core through and through. So are we. If you bury a Dodge Ram this far, you better bring your WARN winch.

SELF-RECOVERY WINCHES FOR TRUCKS AND SUVS

Powerful Torque. Legendary Reliability.

Every winch in the WARN® lineup is designed and built to meet the demanding standards set by the WARN name.

At Warn Industries, the people who design and engineer your winches are enthusiasts at heart. They hear what off-roaders want in a winch. This year, that means a new winch lineup packed with innovations, like durable contactor controls and a new generation of extra-rugged remotes. Plus, we're introducing the new WARN® VR Series – a line of entry-level winches that make WARN dependability accessible to everyone.



HEAVY WEIGHT SERIES
BIG WINCHES FOR BIG TRUCKS.

The brute strength that heavier trucks and SUVs need. Featuring pulling capacities of up to 16,500 lbs. and higher strength carrier plates to handle heavy geartrain stresses, these winches are the most powerful in the WARN line-up.

16.5ti	Page 6
All backed by the WARN M15000.....	Page 8
Limited Lifetime Warranty. M12000.....	Page 9

* For warranty information on products sold outside of North America, see your in-country Authorized WARN Distributor. Go to www.warn.com for the latest listing of Authorized WARN Distributors.



ULTIMATE PERFORMANCE SERIES
FOR THOSE WHO EAT, SLEEP AND DREAM OFF-ROADING

Ambitious. Advanced. Tough-as-nails. Revolutionary technology fuels the best winches on the market today. No-compromise construction, extreme sealing and the highest in performance and reliability make them a perfect match for the serious off-roader. All deliver superior duty cycle with improved motor life. Backed by the WARN Limited Lifetime Warranty.

PowerPlant	Page 10
Endurance 12.0 ...	Page 12
9.5xp	Page 13
9.5cti.....	Page 14
9.0Rc.....	Page 16



PREMIUM SERIES
CLASSIC DESIGN. PROVEN PERFORMANCE.

These popular winches have been chewing up the competition for years. Pulling capacities of up to 9,000 lbs. and compact, efficient, and effective designs have made these cult favorites. Includes the WARN Limited Lifetime Warranty.

XD9000	Page 18
XD9000i	Page 19
M8274-50	Page 21
M8000.....	Page 22
M6000.....	Page 23



ENTRY LEVEL SERIES
WORLD-CLASS WARN PERFORMANCE AT A VERY COMPETITIVE PRICE.

Don't let the phrase "Entry Level" fool you: These are dependable WARN winches through and through. With 8,000, 10,000, and 12,000 lb. capacities, the WARN Entry Level Series gives you everything you need in a winch, and nothing you don't. Includes the WARN Limited Lifetime Warranty.

VR12000	Page 25
VR10000	Page 26
VR8000	Page 27

WARN Spydura™ Synthetic Rope **NEW**

New this year – a series of popular winches equipped with high performance synthetic rope. WARN Spydura™ rope is constructed of a unique ultra high molecular weight polyethylene material. It offers high abrasion resistance and excellent tensile strength. Coated with urethane for increased UV and chemical resistance, WARN Spydura™ rope includes a high-temperature-resistant sleeve on the first layer, and a unique self-tightening rope attachment designed to hold the rope secure on the winch drum. A ballistic nylon sliding sleeve provides extra protection against abrasion and wear. Now available on the WARN 9.5cti-s, 9.5xp-s, M8000-s, VR8000-s, and VR10000-s winch models.



HEAVY WEIGHT
WINCH SERIES



WARN 16.5ti Highest capacity, most technologically advanced winch for big trucks

The 16.5ti features the full diagnostic ability of WARN thermometric technology, plus the extreme sealing, durability, and reliability that the WARN ti-series of winches are known for. Series-wound motor combined with a 3-stage planetary geartrain delivers 16,500 lbs. of pulling power. Thermometric indicator LED provides operator feedback on motor temperature.

- Extreme-duty sealing helps protect the winch from the outside elements
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Exclusive brake design provides superior control while winching
- Aluminum control box cover for added protection of the electronics
- Durable 3-stage planetary geartrain for smooth, reliable, operation

- Remote control with 12' (3.7m) lead and thermometric LED indicator for operator feedback
- Chip-resistant powder-coated finish with primer undercoating for superior corrosion protection
- 90' of 7/16" (27m of 11mm) diameter wire rope


PN 68801

SPECIFICATIONS:

Winch model: 16.5ti
Part number: 68801
Rated line pull: 16,500 lbs. (7484 kgs) single-line
Motor: 12V 4.6 hp, series wound
Electrical controls: Contactor
Remote control: Remote switch, with LED indicator 12' (3.7m) lead
Geartrain: 3-stage planetary
Gear ratio: 315:1
Clutch (freespooling): Rotating ring gear
Brake: Automatic direct drive cone
Wire rope: 90', 7/16" diameter (27m, 11mm diam.)
Fairlead: Roller
Recommended battery: 650 CCA minimum for winching
Battery leads: 2 gauge, 72" (1.83m)
Finish: High-gloss powder coat over primer undercoating
Drum diameter/length: 3.5"/8.2" (9cm/21cm)
Weight: 138 lbs. (63 kgs)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	23.6 (7.20)	68 amps	1/16500 (7484)
2000 (907)	12.07 (3.68)	138 amps	2/15279 (6930)
4000 (1814)	9.22 (2.81)	189 amps	3/12672 (5748)
6000 (2721)	7.37 (2.25)	240 amps	4/10824 (4910)
8000 (3628)	6.08 (1.85)	291 amps	
10000 (4536)	5.12 (1.56)	342 amps	
12000 (5443)	4.40 (1.34)	393 amps	
14000 (6350)	3.86 (1.18)	444 amps	
16000 (7257)	3.38 (1.03)	494 amps	
16500 (7484)	3.24 (0.99)	507 amps	



Winch dimensions:
24.2" L. x 8.5" D. x 9.7" H.
(628mm L. x 216mm D. x 247mm H.)

Mounting bolt pattern:
10.0" x 4.5" (254mm x 114.3mm)

MOJAVE DESERT. What do you get when you mix a Ford Super Duty with a WARN Gen II Transamer® W-Series lights, and a WARN 16.5ti winch? A tireless King of the Hammers support vehicle.





WARN M15000 Enough capacity for the heaviest loads

- A heavy-duty 15,000 lb. capacity winch with a 4.6hp series-wound motor. Direct drive cone braking system. Control pack is designed for clearance and ease of access. Large-frame architecture means this winch will stand up to the stresses of heavy winching.
- High strength carrier plates are designed to handle heavy geartrain stresses
 - Series-wound, high-speed motor provides fast line speed and strong pulls
 - Brake provides superior control while winching
 - Remote-mount control box allows for various mounting options
- Durable 3-stage planetary geartrain for smooth, reliable, operation
 - Remote control with 12' (3.7m) lead
 - Chip-resistant powder-coated finish
 - 90' of 7/16" (27m of 11mm) diameter wire rope

PN 47801

SPECIFICATIONS:

- Winch model:** M15000

Part numbers: 47801 (12V), 478022 (24V)

Rated line pull: 15000 lbs., (6804 kgs) single-line

Motor: Series wound, 12V 4.6 hp, 24V 2.5 hp

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 315:1

Clutch (freespooling): Rotating Ring Gear
- Brake:** Automatic direct drive cone

Drum diameter/Length: 3.5"/8.2" (9cm/21cm)

Weight: 136 lbs. (62 kgs)


Wire rope: 90', 7/16" (27m, 11mm) diameter

Fairlead: Roller

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat



Winch Dimensions:
25.2" L. x 8.5" D. x 11" H.
(556mm L. x 215mm D. x 279mm H.)

Mounting Bolt Pattern:
10.0" x 4.5"
(254mm x 114.3mm)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	22.2 (6.77)	67 amps	1/15000 (6804)
2000 (910)	7.27 (2.22)	135 amps	2/13890 (6300)
4000 (1810)	5.41 (1.65)	185 amps	3/11520 (5225)
6000 (2720)	4.43 (1.35)	235 amps	4/9840 (4463)
8000 (3630)	3.79 (1.16)	285 amps	
10000 (4540)	3.31 (1.01)	335 amps	
12000 (5440)	2.93 (.893)	385 amps	
14000 (6350)	2.61 (.796)	435 amps	
15000 (6800)	2.48 (.756)	460 amps	

24V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	28 (8.6)	24 amps	1/15000 (6800)
2200 (1000)	10.2 (3.1)	85 amps	2/13900 (6300)
4400 (2000)	7.5 (2.3)	115 amps	3/11400 (5200)
6600 (3000)	6.9 (2.1)	142 amps	4/9700 (4400)
8800 (4000)	6.6 (2.0)	170 amps	
11000 (5000)	6.2 (1.9)	190 amps	
13200 (6000)	5.2 (1.6)	210 amps	
15000 (6800)	4.3 (1.3)	235 amps	



WARN M12000 A reliable workhorse to meet heavy winching needs

- Big torque, power, and fast no-load retrieval speed. 3-stage planetary geartrain combined with a 4.6hp series wound motor produce 12,000 lbs. of pulling power. Low profile design so it fits where you want it.
- Large frame winch design to handle heavier winch loads
 - Series wound, high-speed motor provides fast line speed and strong pulls
 - Brake provides superior control while winching
 - Remote-mount control box allows for various mounting options
- Durable 3-stage planetary geartrain for smooth, reliable, operation
 - Remote control with 12' (3.7m) lead
 - Chip-resistant powder-coated finish
 - 125' of 3/8" (38m of 9.5mm) diameter wire rope

PN 17801 (12V), PN 265072 (24V),
PN 87801 (CE, International sales only, 12V)

SPECIFICATIONS:

- Winch model:** M12000

Part numbers: 17801 (12V), 265072 (24V), 87801(CE)

Rated line pull: 12000 lbs., (5440 kgs) single-line

Motor: Series wound, 12V 4.6 hp, 24V 2.5 hp

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-Stage planetary

Gear ratio: 261:1

Clutch (freespooling): Rotating ring gear
- Brake:** Automatic direct drive cone

Drum diameter/Length: 3.5"/8.2" (9cm/21cm)

Weight: 136 lbs. (62kgs)


Wire rope: 125', 3/8" diameter (38m, 9.5mm diam.)

Fairlead: Roller

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat



Winch Dimensions:
24.37" L. x 8.45" D. x 11" H.
(619mm L. x 214.63mm D. x 279mm H.)

Mounting Bolt Pattern:
10.0" x 4.5"
(254mm x 114.3mm)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	30 (9.14)	67 amps	1/12000 (5443)
2000 (910)	14 (4.27)	140 amps	2/11120 (5044)
4000 (1810)	8.62 (2.63)	210 amps	3/10340 (4690)
6000 (2720)	6.92 (2.11)	250 amps	4/9770 (4432)
8000 (3630)	5.80 (1.77)	320 amps	5/9250 (4196)
10000 (4540)	4.39 (1.34)	370 amps	
12000 (5440)	3.86 (1.18)	440 amps	

24V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	31.94 (9.57)	24 amps	1/12000 (5443)
2000 (910)	11.7 (3.57)	105 amps	2/11120 (5044)
4000 (1810)	9.5 (2.90)	129 amps	3/10340 (4690)
6000 (2720)	8.5 (2.59)	152 amps	4/9770 (4432)
8000 (3630)	7.5 (2.29)	175 amps	5/9250 (4196)
10000 (4540)	6.5 (1.98)	198 amps	
12000 (5440)	6.0 (1.83)	221 amps	





PowerPlant™ Dual Force
Winch and compressor in one compact unit

Versatility times two. A best-in-class air compressor and a powerful WARN winch in one versatile unit. Whether you’re winching and airing up while off-roading; inflating a raft or air mattress; or running a nail gun or impact wrench; the PowerPlant is the way to get things done.



- Winch features a 3-stage planetary gear train, series wound motor with thermal protection switch, free-spooling clutch, integrated direct-drive cone brake
- Available in two configurations: PowerPlant HP: 9,500 lbs. pulling capacity, 125' of 5/16" (38m of 8mm) wire rope, fast line speeds; PowerPlant HD: 12,000 lbs. pulling capacity, 80' of 3/8" (24m of 9.5mm) wire rope, long duty cycle
- Air compressor delivers enough air to operate a variety of air tools or quickly inflate a raft. Max air pressure: 100 PSI, CFM rating: 12 CFM @ 0 PSI, 5 CFM @ 90 PSI. Onboard features include: integrated intercooler, pressure switch, thermal protection shutoff switch and air hose quick disconnect
- Includes next-generation remote control, hose, and basic air fittings and couplings

PN 71800 (PowerPlant HP)
PN 71801 (PowerPlant HD)

SPECIFICATIONS:

Part numbers: PowerPlant HD -- 71801 (12V)
PowerPlant HP -- 71800 (12V)

Rated line pull: PowerPlant HD --12,000 lbs., (5440 kgs)
PowerPlant HP -- 9,500 lbs., (4310 kgs)

Motor: Gen II Series wound 4.6 hp 12V, with thermal protection shutoff switch

Electrical controls: Contactor

Remote control: Remote switch with thermometric LED and 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: PowerPlant HD --216:1,
PowerPlant HP -- 156:1

Clutch (freespooling): Sliding ring gear

Brake: Integrated direct-drive cone brake

Wire rope:
PowerPlant HD -- 80' of 3/8" (24m of 9.5mm diam.)
PowerPlant HP -- 125' of 5/16" (38m of 8mm diam.)

Fairlead: Roller

Recommended battery: 650 CCA minimum

Battery leads: 2 gauge, 72" (1.83m)

Finish: High-gloss black powdercoat

Drum diameter/Length: 2.5"/9" (6.4cm/23cm)

Weight: PowerPlant HD --115 lbs (52 kgs)
PowerPlant HP -- 100 lbs (45 kgs)

Compressor

Air Reservoir:
1/2 gallon with Integrated
Air Intercooler

High Air Flow Rating:
12 CFM @ 0 psi, 5 CFM
@ 90 psi

Max Air Pressure: 100 psi

Air Pressure Switch: Yes

Air Hose: 12' nylon, with
quick-disconnect.
Brass air fittings and
couplings

Dimensions:
24.31" L. x 6.7" D. x 13.46" H.
(617mm L. x 170mm D. x 342mm H.)

Mounting bolt pattern:
10.0" x 4.5"
(254mm x 114.3mm)

See warn.com for
drawing showing
winch dimensions

12V DC performance specs (PowerPlant HD, first layer)			
Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	20.5 (6.25)	89 amps	1/12,000 (5440)
2000 (910)	11.7 (3.57)	153 amps	2/9517 (4317)
4000 (1810)	8.6 (2.61)	207 amps	3/7886 (3577)
6000 (2720)	6.7 (2.04)	265 amps	4/6732 (3054)
8000 (3630)	5.4 (1.65)	318 amps	
9500 (4310)	4.4 (1.34)	370 amps	
12000 (5440)	3.6 (1.10)	416 amps	

12V DC performance specs (PowerPlant HP first layer)			
Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	26.9 (8.2)	88 amps	1/9500 (4313)
2000 (910)	14.6 (4.45)	195 amps	2/8650 (4927)
4000 (1810)	10.3 (3.14)	262 amps	3/7920 (3595)
6000 (2720)	7.8 (2.38)	345 amps	4/7400 (3359)
8000 (3630)	6.1 (1.86)	420 amps	5/6940 (3150)
9500 (4310)	5.2 (1.58)	454 amps	

Note: Auxiliary air tank required to operate some types of air tools



MOAB: BEHIND THE ROCKS TRAIL. Air up and air down
as much as you want when you're running with a WARN
PowerPlant. It's the easy way to carry air on-board.



ULTIMATE
PERFORMANCE
WINCH SERIES



WARN Endurance 12.0
More power. More speed. More endurance.

The WARN Endurance 12.0 gives you 12,000 lbs. of pulling capacity with the longest duty cycle of any electric winch on the market today. The specially designed cooling fan automatically turns on when the winch’s motor reaches a certain temperature.

- Remote-mount fan: Cools winch motor for longer duty cycle. Fan has automatic or manual activation
- Contactor: Sealed and water resistant. Highly reliable; handles high current and allows for long duty cycle
- Remote control: Weather-resistant remote with 12’ (3.7m) lead and fan activation switch
- Stainless-steel clutch lever/hardware: Superior corrosion resistance
- 3-Stage planetary geartrain: Most reliable and efficient gear reduction system available
- Mechanical brake: Industry-leading patented brake design
- Long wire rope: 80’ of 3/8” (24m of 9.5mm) durable, easy-to-wind wire rope



PN 73010 (12V)

SPECIFICATIONS:

Winch model: Endurance 12.0

Part numbers: 73010 (12V)

Rated line pull: 12,000 lbs., (5440 kgs) single-line

Motor: Series wound 4.6 hp 12V

Electrical controls: Contactor

Remote control: Remote switch, 12’ (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 216:1

Clutch (freespooling): Sliding ring gear

Brake: Mechanical cone brake

Wire rope: 80’ of 3/8” (24m of 9.5mm diam.)

Fairlead: Roller

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72” (1.83m)


Finish: High-gloss powder coat over primer undercoating

Drum diameter/Length: 2.5”/9.0” (6.4cm/23cm)

Weight: 100 lbs. (45 kgs)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (Kgs.)
0	39.5 (12.0)	47.8 amps	1/12,000 (5440)
2000 (910)	15.1 (4.60)	127.0 amps	2/9517 (4317)
4000 (1810)	10.4 (3.17)	192.0 amps	3/7886 (3577)
6000 (2720)	7.7 (2.35)	257.0 amps	4/6732 (3054)
8000 (3630)	6.1 (1.86)	316.0 amps	
9500 (4310)	4.8 (1.46)	358.0 amps	
12000 (5440)	3.4 (1.04)	429.0 amps	



Winch dimensions:
23.4” L. x 6.3” D. x 7.0” H.
(594mm L. x 162.5mm D. x 178mm H.)

Mounting bolt pattern:
10.0” x 4.5” (254mm x 114.3mm)

ULTIMATE
PERFORMANCE
WINCH SERIES

NEW



The 9.5xp-s winch features WARN Spydura™ rope. Includes a ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear, and a polished aluminum hawse fairlead.

WARN 9.5xp Fast, powerful and reliable – for extreme conditions

The fast, powerful 9.5xp Extreme Performance winch is designed for the serious off-roader who demands a winch that will perform under the most extreme conditions in the world. With 9,500 lbs. of pulling power and the fastest line speed of any WARN winch under load, the 9.5xp delivers extreme performance that eats up the competition—even in competition.

- Now available in two versions: wire rope with roller fairlead, or WARN Spydura™ synthetic rope with polished aluminum hawse fairlead
- High-output parallel series wound winch motor is the strongest and most durable in the industry
- Extreme-duty winch sealing. Enables superior water resistance
- Exclusive brake design. Provides superior operator control when winching
- Extended-duty control pack delivers long duty cycle to help you tackle the most demanding pulls
- 3-Stage planetary geartrain. Proven to be the most reliable efficient and durable design
- Remote-mount, next-generation control box allows for various mounting options
- Remote control with 12’ (3.7m) lead
- High gloss, chip-resistant powder coat finish. Provides superior corrosion resistance
- 100’ of steel or synthetic winch rope

PN 68500 (9.5xp, wire rope, roller fairlead, 12V)
PN 87310 (9.5xp-s, synthetic rope, hawse fairlead, 12V)

SPECIFICATIONS:

Winch model: 9.5xp, 9.5xp-s

Part numbers: 68500 (wire rope, 12V), 86500 (wire rope, CE, International sales only), 87310 (9.5xp-s, synthetic rope, 12V)

Rated line pull: 9,500 lbs., (4310 kgs.) single-line

Motor: 12V 6 hp (4.48kw), High output parallel series wound

Electrical controls: Contactor

Remote control: Remote switch, 12’ (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic direct drive cone

Rope: Steel -- 100’, 5/16” diameter (30m, 8mm diam.)
Spydura™ synthetic -- 100’, 3/8” diameter (30m, 9.5mm diam.)

Fairlead: PN 68500/86500, roller fairlead
PN 87310, polished aluminum hawse fairlead

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72” (1.83m)


Finish: High-gloss powder coat over primer undercoating

Drum diameter/Length: 2.5”/9.0” (6.4cm/23cm)

Weight: PN 68500/86500 – 87 lbs. (39.5 kgs)
PN 87310 – 68 lbs. (30.8 kgs)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	38 (11.6)	70 amps	1/9500 (4313)
2000 (910)	16.8 (5.1)	175 amps	2/8650 (4927)
4000 (1810)	12.8 (3.9)	262 amps	3/7920 (3595)
6000 (2720)	10.1 (3.1)	335 amps	4/7400 (3359)
8000 (3630)	8.8 (2.7)	425 amps	5/6940 (3150)
9500 (4310)	7.6 (2.3)	480 amps	



Winch dimensions:
22.7” L. x 6.3” D. x 7.7” H.
(577mm L. x 160mm D. x 196mm H.)

Mounting bolt pattern:
10.0” x 4.5” (254mm x 114.3mm)

ULTIMATE
PERFORMANCE
WINCH SERIES



The 9.5cti-s winch features WARN Spydura™ rope. Includes a ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear, and a polished aluminum hawse fairlead.

WARN 9.5cti Contactor equipped, thermometric winch

The 9.5cti is the newest addition to the WARN Ultimate Performance winch lineup. A massive protective structure combined with sophisticated operator feedback delivers fast line speeds, and long duty cycles. The perfect winch for the serious off-roader.

- Now available in two versions: wire rope with roller fairlead, or WARN Spydura™ synthetic rope with polished aluminum hawse fairlead
- New contactor control features exceptional durability, extra long life, and superior weather sealing
- Motor-mounted thermal sensor relays temperature information to winch operator by way of the hand-held remote control with LED indicator
- Redesigned remote control with thermometric indicator light
- Series-wound motor and 3-stage planetary geartrain deliver 9,500 lbs. of pulling capacity
- Extreme-duty winch sealing system
- High gloss, chip-resistant black powder coat finish over a massive cast-aluminum alloy housing
- Comes with steel or synthetic winch rope, hook, remote control on 12' (3.7m) lead, and roller or hawse fairlead



PORTABLE OPTION. Also available in the Multi-Mount portable winch configuration – wire rope and steel hawse fairlead with quick connect wiring and carrier

PN 97550 (9.5cti, with wire rope and roller fairlead), **PN 85760** (9.5cti Multi-Mount, with wire rope, steel hawse fairlead, and quick-connect wiring), **PN 85757** (9.5cti Multi-Mount for the H2 Hummer, wire rope), **PN 97600** (9.5cti-s, with synthetic rope and aluminum hawse fairlead)

SPECIFICATIONS:

Winch model: 9.5cti, 9.5cti-s

Part numbers: 97550 (9.5cti, wire rope), 85760 (9.5cti Multi-Mount with wire rope), 97600 (9.5cti, Spydura™ synthetic rope)

Rated line pull: 9,500 lbs., (4310 kgs) single-line

Motor: Series wound

Electrical controls: Contactor

Remote Control: Remote switch, LED indicator, 12' (3.7m) lead

Geartrain: 3-Stage planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic direct drive cone

Drum diameter/Length: 2.5"/9.0" (6.4 cm/23 cm)

Weight: PN 97550/85760, 89 lbs. (36.3 kgs); PN 97600, 66 lbs. (30.0 kgs)

Rope: Steel -- 125', 5/16" diameter (38m, 8mm diam.)
Synthetic -- 100', 3/8" diameter (30m, 9.5mm diam.)

Fairlead: 97550 (roller), 85760 (cast steel hawse), 97600 (polished aluminum hawse)

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)


Finish: High-gloss powder coat over primer undercoating

Mounting bolt pattern: 10.0" x 4.5" (254mm x 114.3mm)

Winch dimensions: 23.1" L. x 6.3" D. x 10.4" H. (587mm L. x 160mm D. x 264mm H.)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	62 (18.9)	47 amps	1/9500 (4313)
2000 (910)	16.3 (4.97)	160 amps	2/8650 (3927)
4000 (1810)	11.8 (3.60)	230 amps	3/7920 (3595)
6000 (2720)	9.31 (2.84)	305 amps	4/7400 (3359)
8000 (3630)	7.59 (2.31)	370 amps	5/6940 (3150)
9500 (4310)	6.67 (2.03)	425 amps	



MOAB. Descent on some of these Moab trails causes some to burn up their brakes, and others to cry for help. But it's old hat to our international customer service rep. He eats tight turns and steep ledges for lunch.





EAST OF TWENTYNINE PALMS, CA. The rig is built to do one thing: rock racing. With a WARN 9.0Rc winch leading the way, it's a big-time competitor at the King of the Hammers.



WARN 9.0Rc A compact, lightweight winch for rock sports


- Competitive rock sports means tackling tough climbs, intense approach angles, tight turns, and high speeds. That's why rock rigs need a low-profile, lightweight winch like the WARN 9.0Rc that delivers maximum power in a compact, 54-lb. unit. The 9.0Rc is a winch built for competitors looking for efficiency, reliability and legendary WARN performance.
- 4.8 hp series wound motor delivers 9,000 lbs. of pulling capacity, and fast line speed under load
 - Next-generation contactor control pack delivers long duty cycles and exceptional durability
 - New-style remote control
 - 50' of 3/8" (15m of 9.5mm) diameter WARN Spydura™ rope combined with a rugged, 360-degree swivel hook and thimble
- Ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear
 - Aluminum hawse fairlead
 - Exclusive multi-segment cam actuated brake for positive operator control during winching
 - Gloss red paint with primer undercoat gives superior corrosion resistance
- PN 71550**

SPECIFICATIONS:

- Winch model:** WARN 9.0Rc
Part numbers: 71550
Rated line pull: 9,000 lbs., (4080 kgs) single-line
Motor: Series wound, 12V 4.8 hp
Electrical controls: Contactor
Remote control: Remote switch, 12' (3.7m) lead
Geartrain: 3-Stage planetary
Gear ratio: 216:1
Clutch (freespooling): Sliding ring gear
Brake: Automatic direct drive cone
Drum diameter/Length: 2.75"/4.75" (7.0cm/12cm)
Weight: 54 lbs. (24.8kgs.)
Rope: 50', 3/8" (15m, 9.5mm) Spydura™ synthetic rope
Fairlead: Polished aluminum hawse
Recommended battery: 650 CCA minimum for winching
Battery leads: 2 gauge, 72" (1.83m)
Finish: Gloss red paint over primer undercoating

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	42 (12.8)	80 amps	1/9000 (4082)
2000	16 (4.88)	200 amps	2/7280 (3302)
4000	11.9 (3.63)	285 amps	3/6670 (3026)
6000	9.79 (2.98)	350 amps	4/6230 (2826)
8000	8.01 (2.44)	435 amps	
9000	6.4 (1.94)	465 amps	



Winch dimensions:
16.8" L. x 6.3" D. x 7.6" H.
(427mm L. x 160mm D. x 194mm H.)

Mounting bolt pattern:
6" x 4.5" (151mm x 114.3mm)





WARN XD9000 Long time best selling winch

The XD9000 is fast and reliable in real trail conditions. The compact body and separate control pack lets it work effectively in very tight spaces. It uses the 4.6-hp series-wound motor and three-stage planetary gearing offered on most of our winches, so torque and line speed are outstanding.

- Next-generation contactor control pack delivers long duty cycles and exceptional durability
- New design hand-held remote control
- Low-profile design and separate control box allows for a wide range of mounting options
- Exclusive brake design provides superior control while winching

- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Chip-resistant, powder-coated finish
- 100' of 5/16" (30m of 8mm) diameter wire rope

PN 28500 (12V)
PN 88500 (12V, CE, International sales only)
PN 265012 (24V)

SPECIFICATIONS:

Winch model: XD9000

Part numbers: 28500 (12V), 88500 (12V, CE, International sales only), 265012 (24V)

Rated line pull: 9,000 lbs., (4080 kgs) single-line

Motor: Series wound: 12V 4.6 hp, 24V 2.5 hp

Electrical controls: Contactor

Remote control: Remote switch, 12' (3.7m) lead

Geartrain: 3-Stage Planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic Direct Drive Cone

Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)

Weight: 78 lbs. (35kgs)

Wire rope: 100', 5/16" dia. (30m, 8mm)

Fairlead: Roller


Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent Gray Powder Coat

Winch Dimensions:
21.8" L. x 6.3" D. x 7.6" H. (555mm L. x 160mm D. x 193mm H.)

Mounting Bolt Pattern:
10.0" x 4.5" (254mm x 114.3mm)



12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	38 (11.6)	70 amps	1/9000 (4082)
2000 (910)	14.4 (4.39)	180 amps	2/8190 (3715)
4000 (1810)	11 (3.35)	255 amps	3/7500 (3402)
6000 (2720)	8.67 (2.64)	330 amps	4/7010 (3180)
8000 (3630)	6.88 (2.10)	415 amps	
9000 (4080)	6.38 (1.94)	460 amps	

24V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	22.5 (6.86)	46 amps	1/9000 (4082)
2000 (910)	14.5 (4.42)	93 amps	2/8190 (3715)
4000 (1810)	11 (3.35)	131 amps	3/7500 (3402)
6000 (2720)	9.1 (2.77)	169 amps	4/7010 (3180)
8000 (3630)	7.9 (2.41)	207 amps	5/6570 (2980)
9000 (4080)	7.4 (2.26)	226 amps	



WARN XD9000i Fast and reliable in real trail conditions

The XD9000i features an integrated control pack and all-metal housing, which protects the winch's electrical components the way a roll cage protects you. No-load line speed is 38-feet per minute. An efficient 3-stage planetary gear train and series-wound motor allow this winch to run cool with low amp draw for long duty cycles.

- Integrated control box provides excellent protection to electronics
- Exclusive brake design provides superior control while winching
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Next-generation remote control with 12' (3.7m) lead
- 125' of 5/16" (38m of 8mm) diameter wire rope

PN 27550 (12V)
PN 37441 (Multi-Mount)



PORTABLE OPTION
Available in the Multi-Mount portable winch configuration. Includes winch, carrier, remote, and quick-connect wiring.

SPECIFICATIONS:

Winch model: XD9000i

Part numbers: 27550, 37441 (Multi-Mount)

Rated line pull: 9,000 lbs., (4080 kgs) single-line

Motor: Series-wound 12V 4.6 hp, 24V 2.5 hp

Electrical controls: Solenoid

Remote control: Remote switch, 12' (3.7m) lead

Geartrain: 3-Stage planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding Ring Gear

Brake: Automatic Direct Drive Cone

Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)

Weight: 85 lbs. (38.5 kgs)

Wire rope: 125', 5/16" dia. (38m, 8mm)

Fairlead: Roller (Multi-Mount kit includes hawse fairlead)

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)


Finish: Argent gray powder coat

Winch dimensions:
23.1" L. x 6.3" D. x 10.0" H. (587mm L. x 160mm D. x 254mm H.)

Mounting bolt pattern:
10.0" x 4.5" (254mm x 114.3mm)

12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	38 (11.6)	70 amps	1/9000 (4082)
2000 (910)	14.4 (4.39)	180 amps	2/8190 (3715)
4000 (1810)	11 (3.35)	255 amps	3/7500 (3402)
6000 (2720)	8.67 (2.64)	330 amps	4/7010 (3180)
8000 (3630)	6.88 (2.10)	415 amps	
9000 (4080)	6.38 (1.94)	460 amps	



INDONESIA: BORNEO EQUATOR EXPEDITION. How can a vehicle get through this kind of unforgiving jungle? The WARN M8274-50 winch makes it possible. (Photo: Fred Kringsman).



WARN M8274-50 Fastest line speed, longest wire rope, legendary performance

Loved by off-roaders who compete, it’s our fastest winch. No load retrieval speed for the M8274-50 is 73.4 feet per minute, and that’s not all. At 150 ft. of 5/16” cable, it also has a very long line capacity. Its unique spur-gear drivetrain and upright design are totally rugged. Its braking system delivers smooth operation with superior heat dissipation. Roller fairlead, remote control on 12-ft. lead, free spool clutch and battery cables are included.

PN 38631 (12V), **PN 88631** (12V, CE, International sales only), **PN 375832** (24V)

- Rugged spur-gear drivetrain and unique upright design
- Automatic disc braking system delivers smooth operation with superior heat dissipation
- Roller fairlead, new-design remote control, free spool clutch, and battery cables are included

SPECIFICATIONS:

Winch model: M8274-50

Part numbers: 38631 (12V), 88631 (12V, CE, International sales only), 375832 (24V)

Rated line pull: 8,000 lbs., (3628 kgs.) single-line

Motor: Series Wound, 12V 4.6 hp/3.43kw, 24V 2.5 hp/3.43kw

Electrical controls: Solenoid

Remote control: Remote switch, 12’ (3.7m) lead

Geartrain: Spur gear

Gear ratio: 134:1

Clutch (freespooling): Sliding motor pinion gear

Brake: Automatic disc type

Drum diameter/Length: 3.5”/8.5” (9cm/22cm)

Weight: 110 lbs. (50 kgs)


Wire rope: 150’, 5/16” diameter (46m, 8mm diam.)

Fairlead: Roller

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72” (1.83m)

Finish: Powder coat with clear coat



12V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	73.4 (22.4)	55 amps	1/8000 (3629)
2000 (910)	22 (6.71)	190 amps	2/7460 (3384)
4000 (1810)	12 (3.66)	275 amps	3/6980 (3166)
6000 (2720)	9.50 (2.90)	350 amps	4/6620 (3003)
8000 (3630)	6.10 (1.86)	450 amps	5/6290 (2853)

24V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	65 (19.8)	24 amps	1/8000 (3629)
2000 (910)	23 (7.01)	96 amps	2/7460 (3384)
4000 (1810)	17 (5.18)	149 amps	3/6980 (3168)
6000 (2720)	13 (3.96)	203 amps	4/6620 (3005)
8000 (3630)	7.9 (2.41)	273 amps	5/6290 (2855)

Winch Dimensions: 16.5” L x 8.5” D x 15” H. (420mm L x 220mm D x 381mm H.)

Mounting Bolt Pattern: 10.0” x 4.5” (254mm x 114.3mm)





The M8000-s winch features Spydura™ synthetic rope. Includes a ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear, and a polished aluminum hawse fairlead.

WARN M8000 Compact, tough and reliable

The M8000 winch has been trusted by off-roaders for over twenty years. This 8,000 lb. capacity winch offers outstanding reliability and value. Its low-profile design allows for a variety of mounting options, making it perfect for most trucks, Jeeps and SUVs.

- Now available in two versions: wire rope with roller fairlead, or WARN Spydura™ synthetic rope with polished aluminum hawse fairlead
- Premium Series winch that delivers classic design, proven performance, and legendary WARN reliability
- New, next-generation electrical control box and hand-held remote control
- Low-profile design and separate control box allows for a wide range of mounting options
- Exclusive brake design provides superior control while winching

- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Chip-resistant powder-coated finish
- 100' of steel or synthetic rope

PN 26502 (wire rope, 12V)
PN 88502 (wire rope, 12V, CE, International sales only)
PN 265032 (wire rope, 24V)
PN 87800 (synthetic rope, 12V)

SPECIFICATIONS:

Winch model: M8000, M8000-s

Part numbers: 26502 (wire rope, 12V), 88502 (wire rope, 12V, CE, International sales only), 265032 (wire rope, 24V), 87800 (synthetic rope, 12V)

Rated line pull: 8,000 lbs., (3630 kgs) single-line

Motor: Series wound, 12V 4.8 hp, 24V 2.1 hp,

Electrical controls: Solenoid

Remote control: Remote switch, 12' (3.7m) lead

Geartrain: 3-Stage Planetary

Gear ratio: 216:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic direct drive cone

Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)

Weight: 26502, 88502, 265032: 74 lbs. (34 kgs)
87800: 55 lbs. (25 kgs)

Rope: Steel -- 100', 5/16" diam. (30m, 8mm diam.)
Spydura™ synthetic -- 100', 3/8" diam. (30m, 9.5mm diam.)

Fairlead: Roller

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat

12V DC performance specs (first layer of drum)


Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	42 (12.8)	80 amps	1/8000 (3629)
2000 (910)	16 (4.88)	200 amps	2/7280 (3302)
4000 (1810)	11.9 (3.63)	285 amps	3/6670 (3026)
6000 (2720)	9.79 (2.98)	350 amps	4/6230 (2826)
8000 (3630)	8.01 (2.44)	435 amps	

24V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	27.3 (8.32)	46 amps	1/8000 (3629)
2000 (910)	17.1 (5.21)	99 amps	2/7460 (3384)
4000 (1810)	12.6 (3.84)	145 amps	3/3980 (3166)
6000 (2720)	10.3 (3.14)	190 amps	4/6620 (3003)
8000 (3630)	8.8 (2.68)	235 amps	

Winch Dimensions:
21.04" L. x 6.3" D. x 7.6" H.
(534mm L. x 160m D. x 193mm H.)

Mounting Bolt Pattern:
10.0" x 4.5" (254mm x 114.3mm)



WARN M6000 The perfect winch for light sport utility vehicles

Medium-to-light-duty winch with big ideas. A compact 6,000 lb. winch with a fast line speed of 10 ft. per minute full-load pull rate. 4.8 hp series-wound motor delivers big torque and power.

- Premium Series winch that delivers classic design, proven performance, and legendary WARN reliability
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design provides superior control while winching

- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Remote control with 12" (3.7m) lead
- 80' of 5/16" (24m of 8mm) diameter wire rope

PN 45880 (12V)
PN 465052 (24V)
PN 39116 (Short Drum Portable)

SPECIFICATIONS:

Winch model: M6000, M6000-SDP

Part numbers: 45880 (12V), 465052 (24V), 39116 (Short Drum Portable)

Rated line pull: 6000 lbs. (2720 kgs) single-line

Motor: Series Wound, 12V 4.8 hp, 24V 2.1 hp

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-Stage planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic direct drive cone

Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)

Weight: 74 lbs. (34 kgs)
Short drum: 72 lbs. (31 kgs)

Wire rope: 80', 5/16" (24m, 8mm)
Short drum: 50', 5/16" (15m, 8mm)

Fairlead: Roller
Short drum: Hawse

Recommended battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat

12V DC performance specs (first layer of drum)


Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	48.5 (14.8)	85 amps	1/6000 (2722)
2000 (910)	23.7 (7.22)	175 amps	2/5460 (2477)
4000 (1810)	12.9 (3.93)	360 amps	3/5000 (2268)
6000 (2720)	10.0 (3.05)	465 amps	4/4670 (2118)

24V DC performance specs (first layer of drum)

Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	37.1 (11.31)	46 amps	1/6000 (2722)
2000 (910)	20.3 (6.19)	121 amps	2/5460 (2477)
4000 (1810)	14.4 (4.39)	185 amps	3/5000 (2268)
6000 (2720)	11.2 (3.41)	249 amps	4/4670 (2118)

Winch Dimensions:
21.04" L. x 6.3" D. x 7.6" H.
(534mm L. x 160mm D. x 193mm H.)

Mounting Bolt Pattern:
10.0" x 4.5" (254mm x 114.3mm)





CASCADE MOUNTAIN FOOTHILLS. Uh, ok, this was a challenge. Mud in front. Mud in back. Mud that gets in places you don't want to hear about. Short work for a WARN VR10000 though.



WARN VR12000 Big power, big torque, not-so-big price


- If you've got a big, heavy truck and want to save some cash in the winch department, the WARN VR12000 is the perfect winch. With a stout 12,000 lb. pulling capacity and plenty of performance, this winch is big on power and big on value.
- Legendary WARN reliability and performance; 12,000 lb. (5440 kg) capacity
 - Low-profile design will fit most trucks and SUVs
 - Separate control pack for various mounting options
 - Exclusive brake design for superior winching control
 - Durable, smooth, and reliable three-stage planetary geartrain
- Series-wound motor for power and fast line speed
 - Remote control with 12' (3.7m) lead
 - 94' of 3/8" (28.6m of 9.5mm) diameter wire rope
 - Backed by the full WARN Limited Lifetime Warranty

PN 86260

SPECIFICATIONS:

- Winch model:** VR12000
- Part numbers:** PN 86260 (12V)
- Rated line pull:** 12,000 lbs., (5443 kg) single-line
- Motor:** 12V DC series wound
- Electrical controls:** Solenoid
- Remote Control:** Remote switch, 12' (3.7m) lead
- Geartrain:** 3-Stage planetary
- Gear ratio:** 216:1
- Clutch (freespooling):** Sliding ring gear
- Brake:** Automatic direct drive cone
- Drum diameter/Length:** 2.5"/9.0" (6.4cm/23cm)
- Weight:** 89 lbs. (40.4 kg)
- Wire rope:** 94', 3/8" diameter (28.6m, 9.5mm diam.)
- Fairlead:** Roller
- Recommended battery:** 650 CCA minimum for winching
- Battery leads:** 2 gauge, 72" (1.83m)
- Finish:** Powder coat over primer undercoating

12V DC performance specs (first layer of drum)			
Line Pull Lbs. (kgs)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (kgs)
0	28.4 (8.6)	65 amps	1/12,000 (5443)
2000 (910)	12.6 (3.8)	144 amps	2/11120 (5044)
4000 (1810)	9.5 (2.8)	215 amps	3/10340 (4690)
6000 (2720)	7.5 (2.2)	281 amps	4/9770 (4432)
8000 (3630)	5.8 (1.7)	349 amps	5/9250 (4196)
10000 (4540)	4.4 (1.3)	415 amps	
12000 (5440)	3.6 (1.0)	457 amps	



Winch dimensions:
21.83" L. x 6.3" D. x 6.97" H.
(554mm L. x 160mm D. x 177mm H.)

Mounting bolt pattern:
10.0" x 4.5" (254mm x 114.3mm)





The VR10000-s winch features Spydura™ rope, a ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear, and a polished aluminum hawse fairlead

WARN VR10000 Big on power and big on value

For those looking for more pulling power without having to break the bank, there's the WARN VR10000. With a 10,000 lb. capacity, this winch is ideal for heavier trucks, SUVs, and Jeeps. Big power, big torque, not-so-big price.

- Available in two versions: wire rope with roller fairlead, or WARN Spydura™ synthetic rope with polished aluminum hawse fairlead
- Legendary WARN reliability and performance; 10,000 lb. (4536 kg) capacity
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design for superior winching control
- Durable, smooth, and reliable three-stage planetary geartrain
- Series-wound motor for plenty of power and fast line speed
- Remote control with 12' (3.7m) lead
- 94' (28.6m) of wire rope, or 100' (30m) of synthetic rope
- Backed by the full WARN Limited Lifetime Warranty

PN 86255
(VR10000, with wire rope and roller fairlead)


PN 87840 (VR10000-s, with synthetic rope and aluminum hawse fairlead)

SPECIFICATIONS:

Winch model: VR10000, VR10000-s
Part numbers: PN 86255 (steel rope), PN 87840 (synthetic rope)
Rated line pull: 10,000 lbs., (4536 kgs.) single-line
Motor: 12V DC, Series Wound
Electrical controls: Solenoid
Remote Control: Remote switch, 12' (3.7m) lead
Geartrain: 3-Stage Planetary
Gear ratio: 261:1
Clutch (freespooling): Sliding Ring Gear
Brake: Automatic Direct Drive Cone
Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)
Weight: PN 86255 – 89 lbs. (40.4 kg), PN 87840 – 64 lbs. (29.02 kgs)
Rope: Wire – 94', 3/8" diameter (28.6m, 9.5mm diam.)
Synthetic – 100', 3/8" diameter (30m, 9.5mm diam.)
Fairlead: PN 86255 – Roller, PN 87840 – polished aluminum hawse
Recommended Battery: 650 CCA minimum for winching
Battery leads: 2 gauge, 72" (1.83m)
Finish: High-gloss powder coat over primer undercoating

12V DC performance specs (first layer of drum)

Line Pull Lbs. (Kg)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (Kg)
0	25.9 (7.8)	66 amps	1/10000 (4536)
2000 (910)	13.0 (3.9)	160 amps	2/8000 (3629)
4000 (1810)	9.6 (2.9)	247 amps	3/7280 (3302)
6000 (2720)	7.1 (2.1)	332 amps	4/6670 (3026)
8000 (3630)	5.0 (1.5)	417 amps	5/6230 (2826)
10000 (4536)	2.3 (0.7)	502 amps	



Winch dimensions:
20.8" L x 6.3" D x 6.97" H.
(528mm L x 160mm D x 177mm H.)

Mounting bolt pattern:
10.0" x 4.5" (254mm x 114.3mm)



The VR8000-s winch features Spydura™ rope. Includes a ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear, and a polished aluminum hawse fairlead

WARN VR8000 Great for lighter trucks, Jeeps and SUVs

A full 8,000 lb. pulling capacity makes this winch great for lighter trucks, Jeeps, and SUVs. Quick line speed, durable construction, and WARN dependability ensure this winch will come through time and time again.

- Now available in two versions: wire rope with roller fairlead, or WARN Spydura™ synthetic rope with polished aluminum hawse fairlead
- Legendary WARN reliability and performance; 8,000 lb. (3630 kg) capacity
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design for superior winching control
- Durable, smooth, and reliable three-stage planetary geartrain
- Series-wound motor for plenty of power and fast line speed
- Remote control with 12' (3.7m) lead
- 94' (28.6m) of wire rope, or 100' (30m) of synthetic rope
- Backed by the full WARN Limited Lifetime Warranty

PN 86245 (VR8000, with wire rope and roller fairlead)


PN 87835 (VR8000-s, with synthetic rope and aluminum hawse fairlead)

SPECIFICATIONS:

Winch model: VR8000, VR8000-s
Part numbers: PN 86245 (steel rope), PN 87835 (synthetic rope)
Rated line pull: 8,000 lbs., (3629 kg) single-line
Motor: 12V DC Series Wound
Electrical controls: Solenoid
Remote control: Remote switch, 12' (3.7m) lead
Geartrain: 3-Stage Planetary
Gear ratio: 216:1
Clutch (freespooling): Sliding Ring Gear
Brake: Automatic Direct Drive Cone
Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)
Weight: PN 86245 – 80 lbs. (36.3 kgs), PN 87835 – 62 lbs. (28.12 kgs)
Rope: Wire – 94', 5/16" diameter (28.6m, 8mm diam.)
Spydura™ synthetic – 100', 3/8" diameter (30m, 9.5mm diam.)
Fairlead: PN 86245 – Roller, PN 87835 – polished aluminum hawse
Recommended Battery: 650 CCA minimum for winching
Battery leads: 2 gauge, 72" (1.83m)
Finish: Powder coat over primer undercoating

12V DC performance specs (first layer of drum)

Line Pull Lbs. (Kg)	Line Speed Ft./min. (M/min.)	Motor Current	Pull by layer: layer/Lbs (Kg)
0	29 (8.8)	69.2 amps	1/8000 (3629)
2000 (910)	14.2 (4.3)	179.2 amps	2/7280 (3302)
4000 (1810)	9.9 (3)	281 amps	3/6670 (3026)
6000 (2720)	7.3 (2.2)	381 amps	4/6230 (2826)
8000 (3630)	4.8 (1.4)	457 amps	



Winch dimensions:
20.8" L x 6.3" D x 6.97" H.
(528mm L x 160mm D x 177mm H.)

Mounting bolt pattern:
10.0" x 4.5" (254mm x 114.3mm)



MOUNTING SYSTEMS/BUMPERS/BODY ARMOR: MOUNT UP, TAKE OFF WITH CONFIDENCE.

Warn Industries means more than just winches. We manufacture a full line of mounting systems and specialty bumpers engineered specifically to withstand the particular stresses encountered in winching operations.

The WARN line also includes products that wrap your vehicle in rugged protection. Heavy gauge, steel body armor and accessories in the form of rock sliders, bumpers, and skid plates all follow Warn Industries' legacy of durability and functionality.

WARN GEN II TRANS4MER® MOUNTING SYSTEM

The WARN Gen II Trans4mer winch tray attaches directly to your vehicle's frame, making it easier than ever to mount a winch to a vehicle. Now, whether you simply need a strong, durable place to mount your WARN winch, or you want the top-of-the line system with headlamp guards, grille guard, light bar, and front receiver, the WARN Gen II Trans4mer system is more accessible, durable, and versatile than ever before.



Gen II Trans4mer system, complete with all options.



Gen II Trans4mer Mounting Kit, with 16.5ti winch (Mounting Kit includes winch tray and mounting brackets).



GEN II TRANS4MER COMPONENTS (sold separately):

① Mounting Kit

- Required part
- Allows you to mount a WARN winch
- Includes mounting brackets
- Available for mid-frame or large-frame winches
- Includes tow hooks
- Black or stainless steel finish

② Grille Guard Kit

- Gives you extra protection to your vehicle's grille area
- Allows you to mount other optional parts
- Vehicle-specific application
- Available in black or stainless steel finish
- Choose from short* or tall version
- Optional part to kit

③ Light Bar Kit

- Lets you use up to four WARN lights with a WARN winch
- Attaches to the Grille Guard; has two different mounting positions
- Available in black or stainless steel finish
- Optional part (lights not included)

④ Headlamp Guard Kit

- Protects the area around your vehicle's headlamps
- Vehicle-specific application
- Attaches to Grille Guard
- Available in black or stainless steel finish
- Optional part to kit

⑤ Receiver Bracket Kit

- 2" receiver for the front of a vehicle.
- For use with WARN Multi-Mount system or receiver shackle
- Universal fit
- Black finish only
- Optional part to kit

* Light Bar and Headlamp Guards not compatible with short Grille Guard Kit



2009 Ford F-150 equipped with stainless steel Gen II Trans4mer Mounting Kit, Grille Guard Tube (tall version), Headlamp Guards, and Light Bar



2011 Chevy Silverado 2500 equipped with WARN Gen II Trans4mer Mounting Kit and Grille Guard Tube (short version)



2011 Ram HD equipped with WARN Gen II Trans4mer Mounting Kit (stainless)



2011 Ford Super Duty equipped with WARN Gen II Trans4mer Mounting Kit, Grille Guard Tube (tall version), Headlamp Guards, and Light Bar



2011 Ford Super Duty equipped with WARN Gen II Trans4mer Mounting Kit, Grille Guard Tube (tall version), Headlamp Guards, and Light Bar




2010 Dodge HD equipped with WARN Gen II Trans4mer Mounting Kit, Grille Guard Tube (tall version), Headlamp Guards, and Light Bar



WARN TRANS4MER® MOUNTING SYSTEM

The original WARN Trans4mer can be configured in several ways to match your needs. This system is engineered so the Grille Guard uprights bolt directly to the vehicle's frame, and the Winch Carrier then bolts to the Grille Guard uprights. All components are sold separately, so you can configure the system to meet your needs.



TRANS4MER COMPONENTS (sold separately):

- A Grille Guard**

The foundation of the Trans4mer system. The Grille Guard comes with two uprights and two crossbars, and bolts directly to the vehicle's frame. It is a required component because it provides the base for all other options.
- B Brush Guards**

Add style and protection with brush guards that compliment your vehicle's lines.
- C Winch Carrier**

For a fixed winch mount, you'll need to add the Winch Carrier. Made of black powder-coated steel. Bolts to grille guard.
- D SST Carrier Cover**

Bolts over the carrier to give a smooth, contoured, and integrated look to the Trans4mer. Includes fairlead cover.
- E Front Receiver Bar**

For a portable winch mount, choose the 2" front receiver. Designed to hold the Multi-Mount winch. Bolts to Grille Guard.
- F Light Mounting Brackets**

"L" shaped brackets are designed to mount lights from the sides of the Grille Guard.
- G Light Mounting Bar**

Light bar with two mounting tabs can be easily added to the Trans4mer system. Bolts to Grille Guard
- Choice Of Finish:**
Polished Stainless Or Black Powder Coat

See the WARN application guide for part numbers and application listings



Ford Super Duty equipped with Stainless Steel Trans4mer Grille Guard, Brush Guards, Winch Carrier, M15000 Winch, SST Carrier Cover.



Ford F-150 equipped with Stainless Steel Trans4mer Grille Guard, Brush Guards, Winch Carrier, PowerPlant winch, SST Carrier Cover, Angled Light Bar.



GMC Sierra HD equipped with Stainless Steel Trans4mer Grille Guard, Brush Guards, Winch Carrier, M15000 Winch, and SST Carrier Cover.



Dodge Ram HD equipped with Stainless Steel Trans4mer Grille Guard, Brush Guards, Winch Carrier, M15000 Winch, SST Carrier Cover.



Chevrolet Suburban equipped with black powder-coat finish Trans4mer Grille Guard, Brush Guards, Winch Carrier, and 9.5cti Winch.



Toyota Tundra equipped with Stainless Steel Trans4mer Grille Guard, Brush Guards, Winch Carrier, PowerPlant Winch, SST Carrier Cover.

MULTI-MOUNT WINCH MOUNTING SYSTEM

For those looking for added versatility with their winch, the WARN Multi-Mount system allows you to have a winch on the front or rear of the vehicle for maximum flexibility. Simply add the receiver to the front of the vehicle, and the Quick Connect wiring to the rear, and you're ready to go.



WARN FRONT RECEIVER

One of the simplest ways to mount your portable winch is with the WARN 2" front receiver. Installation is easy. The receiver mounts directly on most vehicle frames without drilling.

For part numbers, see app guide or go to www.warn.com

QUICK CONNECT POWER ACCESSORIES

A). Dust Cover (for Quick Connect plug) **PN 69847**

B). Quick Connector and 28"/71cm power lead. Connects to winch **PN 36080**

C). Quick Connect plugs only, no power lead **PN 22680**

D). Quick Connector and 7.5'/2.2m power lead, for front mounting of portable winch **PN 26405**

E). Quick Connect booster cable kit **PN 26769**



QUICK CONNECTOR WIRING KITS FOR REAR OF VEHICLE

20'/6m connection for rear of vehicle. Includes Power Interrupt kit and dust cover **PN 32963**

24'/8m connection for rear of vehicle. Includes Power Interrupt kit and dust cover **PN 32966**



WINCH CARRIER

Mount your WARN winch to this carrier for a portable winch configuration. Constructed of black coated steel. Pre-drilled to mount the 9.5xp, XD9000i, XD9000, M8000, VR8000 and M6000 winches. Carrier kit includes Quick Connect wiring for front of vehicle (winch and rear wiring is sold separately).

PN 26370 Winch carrier and wiring for front of vehicle. Winch sold separately. Note: to mount the 9.5ti/cti you must purchase as a complete kit.

PN 75330 Multi-Mount Winch Carrier for PowerPlant HP. PowerPlant sold separately. Includes wiring for front of vehicle.

PORTABLE WINCH KITS Complete packages include winch, carrier and wiring for front of vehicle.



9.5cti MULTI-MOUNT KIT

This kit includes the winch, remote, carrier, 7.5' power lead with Quick Connect plug for front of vehicle and hawse fairlead.

PN 85760 9.5cti Multi-Mount Kit

PN 85757 9.5cti Multi-Mount for the H2 Hummer

XD9000i MULTI-MOUNT KIT

Includes winch, remote, carrier, 7.5' power lead with Quick Connect plug for front of vehicle and hawse fairlead.

PN 37441 XD9000i Multi-Mount Kit

M6000 SDP

Winch comes complete with handle/mounting system, hawse fairlead, and power lead with Quick Connect plug for the front of the vehicle.

PN 39116 M6000 SDP Short Drum Portable



PIKE CREEK, ALVORD DESERT. We've got two words for those who want to live the camping life off-road: Do it. With able assists from a WARN Trans4mer mounting system, 9.5cti winch, and SDB-210 lights.



HIDDEN KIT WINCH MOUNTING SYSTEM

Some vehicle owners want the functionality of a winch, but without the winch visible on the front of the vehicle. For these folks, WARN offers the Hidden Kit Mounting System. With this kit, you can mount a WARN winch using factory frame holes while retaining the factory bumper. Available for select Chevrolet, GMC, Dodge, and Ford full-size trucks.



'99-'12 FORD SUPER DUTY The WARN Hidden Kit for the Ford Super Duty will accommodate large-frame WARN winches (including the 16.5ti) behind the original bumper. Once installed, the bumper extends out only 6" more than stock, and any gaps can be filled in with the Skirting Kit (sold separately). The factory tow hooks remain intact and functional. Access to the winch controls is from the top.



'02-'05 DODGE 1500 PICKUP The kit for the Ram 1500 mounts the winch completely behind the existing factory bumper, and will accommodate any WARN low-profile winch up to the 9.5xp. Access to controls is cleanly hidden behind the front grille.



'97-'03 FORD 4X4 F-150, F-250 AND EXPEDITION The winch mounts inside the factory bumper, and access to controls is gained through the large air intake. The wire rope is fed through a roller fairlead mounted beneath the bumper.



CHEVY AND GMC 1/2 TON PICKUPS AND SPORT UTILITIES

This kit will handle your WARN winch, including the 9.5xp. While the winch is hidden and protected from the elements, the remote control extension (included with kit) allows you to plug the remote into your choice of several convenient locations.



HEAVY DUTY CHEVROLET AND GMC TRUCKS

This hidden kit comes with a special XD9000 short-drum winch that fits the unique requirements of this mounting system. The kit bolts directly to the truck frame so the only visible feature is the bumper and the integrated roller fairlead.



'04-'05 FORD F-150

This kit includes a special 9,000-lb. short-drum winch that fits precisely behind the factory bumper. An all-steel WARN carrier plate supports a space-efficient hawse fairlead bracket in the front and the winch on the reverse side while still providing easy clutch lever access.

SANTIAM SIDE OF MUD FEST: WARN SDB-210 lights cut through the mud. WARN winches cut through the mud. WARN HD Bumpers cut through the mud. Guess mud's no obstacle for WARN gear.



WARN HD BUMPERS FOR CHEVY, DODGE, AND FORD TRUCKS

When you want the ultimate front bumper for your truck, you want the WARN Heavy Duty Bumper. These units are contoured to the shape of the vehicle's grille and body and have that custom-made look. They offer excellent protection thanks to a one-piece welded design that incorporates round light ports and a concealed winch mount. The WARN Heavy Duty Bumper is for the larger capacity WARN winches, including the 16.5ti.



NEW



2011 Chevy Silverado HD 2500/3500

WARN HD BUMPERS FOR THE NEWEST FULL SIZE FORD, CHEVY AND DODGE TRUCKS. KEY FEATURES INCLUDE:

- Welded, one-piece construction uses heavy 1/4" and 3/16" thick steel
- Integrated winch mounting structure provides maximum strength. Rated for use with all WARN Heavyweight Series winches, including the 16.5ti
- Bumpers available with or without tubular grille/brush guard
- Brush guards constructed of large diameter, welded steel tubing
- Welded eyelets for D-shackles (shackles sold separately)
- Bumper design provides generous tire clearance and accommodates oversize tires
- Bumper features integrated light ports, and includes a set of two WARN W350F Fog Lights with wireless remote. Additional light mounting holes on top of the bumper
- Black powder coat finish with undercoat delivers maximum durability. Light texture finish blends perfectly with factory plastic accents
- Commercial duty rated and fleet approved

NEW



2010-11 Dodge Ram HD 2500/3500 and 2011 Dodge Ram 4500/5500

NEW



2011 Ford Super Duty F-250, F-350, F-450, F-550



Warn HD Bumper With Grille/Brush Guard for Ford Super Duty Models '99-10



Warn HD Bumper With Grille/Brush Guard for Chevy Silverado HD Models '03-10



Warn HD Bumper (without tubes) for Ford Super Duty Models '99-10

WARN HD BUMPERS FOR OLDER FULL SIZE FORD, CHEVY AND DODGE TRUCKS. KEY FEATURES INCLUDE:

- Bumpers available with or without tubular grille/brush guard
- All steel construction and textured black powder-coated finish
- Additional light mounting holes on top of the bumper
- Reuses factory tow hooks or comes with welded eyelets for D-shackles depending on application (shackles sold separately)
- Accommodates diesel applications and oversize tires
- Commercial duty rated and fleet approved
- Rated for use with all WARN large-frame winches including the 16.5ti
- Bumpers with integrated tubular grille/brush guard includes WARN W350F Fog Lights
- Bumpers without grille/brush guard, lights sold separately



Warn HD Bumper With Grille/Brush Guard for Dodge Models '02-09

ROCK CRAWLER FRONT BUMPER FOR JEEP WRANGLER JK, TJ, YJ, AND CJ

These bumpers have tapered ends for increased approach angles, welded eyelets to mount D-shackles, and pre-drilled holes to mount lights. Available for Jeep CJs, YJs, TJs, and JKs, these WARN bumpers are laser-cut from 3/16" steel, then CNC formed and robotically welded for precise fit. The bumpers wear a black powder-coated finish for durability and good looks.



JK WRANGLER
Shown equipped with front Rock Crawler Bumper, shackles, grille guard tube, front skid plate for factory blocker beam, winch mounting plate and PowerPlant Dual Force HP winch, 5" flood lights and SDB-160 spot/flood lights.



TJ WRANGLER
Shown equipped with front Rock Crawler Bumper, shackles, winch mounting plate, PowerPlant Dual Force HP winch and SDB-160 spot/flood lights. Grille guard is not pictured, but is available.

YJ WRANGLER
Shown equipped with front Rock Crawler Bumper, shackles, grille guard tube, winch mounting plate, XD9000i, and SDB-160 spot/flood lights.

'76-'86 CJ SCRAMBLER
Front Rock Crawler Bumper.





ROCK CRAWLER STUBBY BUMPER FOR JEEP WRANGLER JK AND TJ **NEW**

For those looking to equip their vehicle for serious rock crawling, WARN now offers a narrower version of the popular Rock Crawler Bumper. Laser-cut and CNC-formed for durability, these bumpers have eyelets for D-shackles and recessed mounting hardware for a clean finish and reduced fastener corrosion. All bumpers includes a winch mount that accepts all WARN mid-frame winches 12,000 lbs. capacity and under (excluding M8274-50 winch*).

The bumper for the Jeep JK also features recessed jack points for increased recovery options. There are also recessed ports and mounts for auxiliary lights – including factory lights. An available version with a welded-on CNC-formed grille tube provides increased front-end protection (JK only).

* Winch mounting plate PN 87675 required for mounting M8274-50 to JK Stubby Bumper without grille guard tube. M8274-50 winch is not compatible with TJ Stubby Bumper and JK Stubby Bumper with grille guard tube.



WARN Rock Crawler Stubby Bumper for the Jeep JK, without grille guard tube



WARN Rock Crawler Stubby Bumper for the Jeep JK, with welded-on grille guard tube

WARN Rock Crawler Stubby Bumper for the Jeep TJ



WARN ELITE SERIES™ FRONT BUMPER FOR THE JEEP WRANGLER JK

Whether you're planning an overland expedition or just out exploring, these bumpers are designed for life off road. Features include a low, recessed winch mount for the ultimate winch protection, and a wrap-around design that offers strength and style. There are recessed ports and mounts for auxiliary lights, and a welded-on CNC-formed grille tube for increased protection

(optional). There are recessed jack points for increased recovery options, and eyelets for D-shackles. Mounting fasteners are hidden inside the bumper for a clean finish and reduced corrosion. This is the ultimate bumper for those who are looking for versatility, capability, and protection.



WARN Elite Series Front Bumper, with welded-on grille guard tube

FEATURES

- Recessed winch mount accepts all WARN mid-frame winches 12,000 lbs. capacity and under (excluding M8274-50)
- Recessed light ports and mounts for auxiliary lights (lights sold separately)
- Laser cut and CNC-formed steel construction
- Available with and without welded-on, CNC-formed grille tube
- Recessed jack points for more stable jack positioning
- Sand blasted prior to powder-coat for increased coating durability
- Mounting fasteners hidden inside for clean finish and reduced fastener corrosion



WARN Elite Series Front Bumper, without grille guard tube

ROCK CRAWLER REAR BUMPER FOR JEEP WRANGLER JK, TJ, YJ, AND CJ

This tough, durable bumper gives maximum off-road performance, thanks to its tapered ends for increased approach angles. For increased recovery options on Jeep TJ, YJ, and CJ, there's an integrated 2" receiver hitch to mount your portable winch or shackle bracket (not rated for towing). The JK Rear Rock Crawler Bumper features welded eyelets for D-shackles and a cutout for the factory receiver hitch.



TIRE CARRIER The WARN Tire Carrier for the Rear Rock Crawler Bumper is designed to carry a heavier wheel and tire, up to 37" in diameter. The carrier pivots on a robust 1-1/2" solid steel shaft pin that comes up through the bumper into the frame carrier. The shaft itself is welded – not bolted. Structural T-joint welds (vs. corner welds) will make this unit stand the test of time. A polyurethane pad reduces rattling. Includes frame reinforcing brackets.



MIDDLE OF MUD FEST. If this driver could see, he might be a little worried. Then again, the fun is burying this Suzuki-based buggy in the deep stuff and letting WARN winch you out.





SAND LAKE OHV AREA, OR. More and more Jeep Wrangler YJs are showing up with the WARN VR8000 winch. Hauling out of deep sand might look easy; it's anything but.



WINCH MOUNTING PLATES FOR JEEP WRANGLER VEHICLES

Off-roaders have two options for mounting a WARN winch on their Jeep JK, TJ, YJ, or CJ. The first option is a plate that mounts the PowerPlant Dual Force, 9.5cti and most other WARN winches to the WARN Rock Crawler bumper, standard factory bumper, or optional factory tube bumper.

The second option is a mounting plate that marries the WARN M8274-50 to the WARN Rock Crawler or factory bumper. An optional grille guard tube is available for this kit, too.

GRILLE GUARD TUBE FOR JEEP TJ STOCK BUMPER

Black, powder-coated steel tube for the Jeep Wrangler TJ factory bumper. Accommodates all current WARN winches (except M8274-50).



Note: WARN winch plate is required



Winch mounting plate kit for **JEEP JK WRANGLER**
For mounting M8274-50 Winch



Winch mounting plate for **JEEP TJ WRANGLER**
For mounting M8274-50 Winch



Winch mounting plate for **JEEP CJ WRANGLER**
For all current WARN mid-frame winches, except M8274-50



Winch mounting plate for **JEEP YJ WRANGLER**
For all current WARN mid-frame winches, except M8274-50

Note: not all available kits are pictured above. See the WARN app guide for part numbers and more information. Or go to www.warn.com

UNIVERSAL FLATBED WINCH MOUNTING PLATES

FOOT DOWN WINCH MOUNT

Kit includes winch mounting plate, solenoid mounting bracket and nuts and bolts kit. Pre-drilled to mount the PowerPlant, Endurance 12.0, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, and M6 winches

PN 13942 Foot down winch mount kit **PN 60368** Plate only

FOOT FORWARD WINCH MOUNT

Kit includes winch mounting plate with nuts and bolts kit. Pre-drilled to mount the M12, 9.5xp, XD9, M8274-50, M8, VR8, and M6 winches. (Not pictured).

PN 11078 Foot forward winch mount kit (not pictured)

FOOT DOWN WINCH MOUNT FOR TRAILERS

Designed to be mounted to a trailer. The ends of the mounting plate are cut at an angle to accommodate the shape of a trailer tongue (other plates are square on the ends). Pre-drilled to mount the 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6, and the WARN 1700 and 4700 winches. Kit includes mounting plate and filler plate (filler plate is designed to mount WARN utility winch fairlead).

PN 63885 Foot down winch mount kit **PN 68782** Filler plate only



See the [WARN application guide](#) for part numbers and application listings

WARN CUSTOMER SERVICE: (800) 543-9276



WARN ROCK CRAWLER BUMPERS FOR THE TOYOTA PICKUP AND JEEP XJ CHEROKEE



FRONT

This bumper replaces the factory front bumper for increased off-road performance, durability, and style. These units showcase sloped vertical surfaces, which are tapered and welded. This is to maintain approach angles and not act like a plow in deep mud or snow. The bumper's sides continue around to match up with the vehicle's flares and style lines. Welded eyelets are ready for D-shackles and the winch mounting system is integrated and pull-tested for mid-frame winches up to 12,000 lbs. Made from 3/16" and 1/4" steel, and covered in a black powder-coated finish. (Not rated for tow-bar use).

REAR

The WARN Rock Crawler Rear Bumper for the Jeep XJ Cherokee and Toyota Pickup is designed with off-road performance in mind. The bumper sits high and tight, and is sloped to maintain approach angles and ground clearance. Welded eyelets will mount D-shackles, creating anchor points to increase your vehicle's recovery options.

Both bumpers are built from 3/16" and 1/4" laser-cut steel, which is CNC formed, and robotically welded for excellent fit and durability. These units come finished in a black powder coating, and are compatible with factory and aftermarket rear receivers.

TIRE CARRIER FOR THE CHEROKEE XJ

The Cherokee bumper is available in a version that's designed to accept the WARN Tire Carrier. Built to carry heavier tires (up to 37"), this robust carrier has all the heavy duty features needed to make it hold up over the long run.



OFF-ROAD BUMPERS FOR THE TOYOTA FJ CRUISER

Warn Industries offers front and rear Off-Road Bumpers for the Toyota FJ Cruiser to allow greater off-road recovery options. The Front Bumper accepts all current WARN mid-frame winches up to 12,000 lbs., including the PowerPlant Dual Force, and features an integrated grille guard, light brackets, and fog lamp mounts.

The Rear Bumper fits around the factory receiver hitch and accommodates the factory back-up sensors if so equipped. It has welded eyelets for D-shackles, and there's a recessed area allowing up to a 33" tire to be transported on the factory tire carrier.

Both bumpers wear a black powder-coated wrinkle finish for good looks and outstanding durability.



BORNEO EQUATOR EXPEDITION: Ok, this is where hard-core gets its definition. It's 1,200 miles of jungle, jungle, and more jungle. Even the Camel Trophy pulled out of this one—true story.

WARN ROCK SLIDERS FOR THE JEEP WRANGLER JK, TJ, YJ, CJ, AND CHEROKEE XJ

Take on the toughest trails with WARN Rock Sliders. These rugged parts are designed to guard against damage from rocks and boulders, keeping your vehicle looking and performing at its best. Thick steel construction and black powder-coated finish ensure durability and good

looks. For the TJ, YJ, and CJ, the steel plate bolts right to the Jeep's body. For Wrangler JK and Cherokee XJ, tube-style sliders use support brackets to bolt to the frame/subframe. Mounting hardware is included. The JK sliders are covered in a black powder-coated wrinkle finish.

Tube style rock sliders **PN 74580** '07-11 JK, two door for the Wrangler JK **PN 74575** '07-11 JK, four door



Plate style rock sliders for the Wrangler TJ, YJ and CJ

PN 69875 '04-05 TJ Unlimited
PN 71500 '03-06 TJ
PN 63002 '97-02 TJ
PN 63003 '87-96 YJ
PN 63004 '76-86 CJ7



Tube style rock sliders for the Cherokee XJ

PN 67930 '84-01 XJ Cherokee

WARN BODY ARMOR FOR JEEP VEHICLES



WARN OIL PAN SKID PLATE FOR THE JEEP TJ WRANGLER

The unique design virtually eliminates rust-creating welds. The skid plate is a bolt-on design with a frame attachment bracket that allows drive shaft travel. It also means easy conversion from a stock to lifted vehicle. Made from 1/8" 11-gauge steel and black powder coated.

PN 65152 Jeep '97-03 TJ (4-cylinder)
PN 65020 Jeep '97-03 TJ (6-cylinder. Excludes Rubicon and Unlimited models)



WARN DIFFERENTIAL SKID PLATE

Angled for a tight fit and structural rigidity, the Differential Skid Plate fits both high and standard pinion covers to give full protective coverage. Since it is a closed system, it slides over objects and won't snag or hang up. Made from 3/16" steel. Available in black powder coat.

PN 65443 (Dana 30, black)
PN 65445 (Dana 35, black)
PN 65447 (Dana 44, black)
PN 65449 (Dana 60, black)
PN 65637 (Ford 8.8, black)



WARN STEERING BOX SKID PLATE FOR THE JEEP WRANGLER

The full enclosure design has a tight, 1/4" clearance between the skid plate and steering box to keep excellent clearance from the big rocks. It also means full structural rigidity when the rocks hit. Large holes allow for debris clearance without sacrificing structural support. Made from 3/16" steel and black powder coated.

PN 64650 Jeep YJ '87-96
PN 64250 Jeep TJ '97-06 (includes Rubicon)



WARN FUEL TANK SKID PLATE FOR THE JEEP WRANGLER

Put some thick, 3/16" steel between your fuel tank and the rough terrain your Jeep will conquer. The WARN Fuel Tank Skid Plate for the Jeep Wrangler not only adds extreme protection over the stock setup, it bolts directly onto the frame using the existing factory attachment points. On the Jeep Wrangler TJ model, the WARN Fuel Tank Skid Plate has a dropped center relief for proper fuel pump clearance and protection. Both skid plates feature drain holes to keep the plate free of debris. Durable black powder coat finish fights off rust.

PN 67820 Fuel tank skid plate for the Jeep TJ Wrangler
PN 66550 Fuel tank skid plate for the Jeep YJ Wrangler



WARN TRANSFER CASE SKID PLATE FOR THE JEEP XJ CHEROKEE

Save your innards with bolt-on ease. The WARN Transfer Case Skid Plate is designed to give you maximum protection for your costly transfer case components. Made from 1/8" and 3/8" steel. Black powder coat finish.

PN 68930 '84-01 Cherokee XJ (Fits vehicles equipped with NP231 transfer cases only)

SAND LAKE, PACIFIC COASTAL AREA.
You can call the WARN VR8000 an entry-level winch,
but the owner of this Cherokee calls it a rig saver.

WINCH ACCESSORIES:

THE ACCESSORIES YOU NEED, THE VERSATILITY YOU WANT

To Go Prepared means not only having the right winch and mounting system, but the accessories to go along with it. It could be a snatch block to help with angled pulls, or a tree protector to tread lightly. Whatever your need, combining your WARN winch with the correct accessory kit makes it an even more versatile and productive tool.



Medium-Duty Winching Accessory Kit

Designed for winch capacities to 9,500 lbs. (4310 kgs) with 5/16" (8mm) wire rope.

KIT INCLUDES:

- 19,000 lbs/8618 kgs maximum capacity snatch block, with grease port
- 2" x 8' (5cm x 2.4m) tree trunk protector. Rated to 14,400 lbs/6531 kgs
- 3/4" (20mm) clevis/D-shackle
- 10' of 5/16" (3m of 8mm) grade 7 choker chain
- Red or camouflage nylon soft case
- WARN gloves

PN 25300 Winching Accessory Kit with red bag

PN 37880 Winching Accessory Kit with camo bag

PN 26081 Nylon soft case (bag only)



Medium-Duty Winching Accessory Kit, Camo

Designed for winch capacities to 9,500 lbs. (4310 kgs) with 5/16" (8mm) wire rope.

KIT INCLUDES:

- 19,000 lbs/8618 kgs maximum capacity snatch block, with grease port
- 4" x 8' (10cm x 2.4m) tree trunk protector. Rated to 30,000 lbs breaking strength
- 3" x 30' (8cm x 9m) standard recovery strap. Rated to 21,600 lbs/9797 kgs.
- Two 3/4" (20mm) clevis/D-shackles
- Camo nylon soft case
- WARN gloves

PN 62858 Winching Accessory Kit with camo bag



Heavy-Duty Winching Accessory Kit

Designed for winch capacities to 12,000 lbs. (5440 kgs) with 3/8" (9.5mm) wire rope.

KIT INCLUDES:

- Heavy-duty snatch block. 24,000 lbs/10886 kgs maximum capacity
- Tree trunk protector, 4" x 8' (10cm x 2.4m) Rated to 30,000 lbs breaking strength
- 3/4" (20mm) clevis/D-shackle
- Standard recovery strap, 3" x 30' (8cm x 9m). Rated to 21,600 lbs/9797 kgs.
- Camouflage nylon soft case
- 10' of 5/16" (3m of 8mm) grade 7 choker chain
- WARN gloves

PN 29460 Heavy-Duty Winching Accessory Kit

PN 37881 Nylon soft case (bag only)



WARN Snatch Blocks

Used properly, the multi-purpose snatch block can double the pulling power of any winch, or change your pulling direction without damaging the wire rope. They also help to reduce heat build up and amp draw.

PN 15640 24,000 lbs/10886 kgs maximum capacity heavy-duty snatch block, with grease port. For winch capacities to 12,000 lbs. (5440 kgs) with 3/8" (9.5mm) wire rope.

PN 61560 19,000 lbs/8618 kgs maximum capacity snatch block, with grease port and overload indicator. For winch capacities to 9,500 (4310 kgs) with 5/16" (8mm) wire rope.

PN 63490 33,000 lbs maximum capacity heavy-duty snatch block, with grease port. For winch capacities to 16,500 lbs. (7484 kgs) with 7/16" (11mm) wire rope.

Wireless Control System

The WARN Wireless Control System lets you operate your truck’s winch remotely from up to 50’ away. The system will work with any WARN winch with a 5-wire electrical system.

The system is easy to install and a cinch to use. For easy installation, the Wireless Control System comes with a receiver with an internal antenna, and all of the necessary mounting hardware. The receiver is potted for extreme resistance to water and the elements. The weather-proof transmitter has two large buttons that make it easy to operate, even while wearing gloves, and its two-color LED provides operator feedback.

PN 76080 Wireless Control System for WARN Truck/SUV winches



Receiver Shackle Bracket

Combines a heavy-duty receiver bracket with a 3/4" (20mm) shackle. Utilizes a standard Class III receiver hitch as a recovery point for off-road use. Fits all standard Class III hitches (hitch pin not included).

PN 29312 Receiver Shackle Bracket
PN 63063 Hitch pin kit 5/8" (15.9mm) diameter hitch pin and clip. Fits 2" class III receiver.



Shackle FOR RIGGING ATTACHMENT

The clevis D-shackle provides a means for connecting the looped ends of cables, straps and snatch blocks. The shackle’s pin is threaded to allow easy removal.

PN 13047 For M6000 and larger winches. 3/4" (20mm) shackle with 7/8" pin diameter.
PN 28884 For 4000 lbs./1814 kgs capacity winches and under. 5/8" (15.9mm) pin diameter.



Winch Remote Control

Redesigned remote control stands up to rough treatment off-road. Rubberized, ergonomic pistol-grip handle. Ultra-weather/mud resistant thanks to improved sealing. Simple, intuitive operation. 12' (3.7m) lead. Compatible with previous generation of WARN Truck winches.

PN 83665 Standard remote
PN 83653 Remote for PowerPlant
PN 83669 Remote for Endurance 12.0
PN 83658 Remote for 9.5ti, 9.5cti, and 16.5ti

Roller Fairlead

Reduces wire rope wear, especially on pulls at severe angles. Zinc plated finish.

PN 5742 For winches over 4000 lbs/1814 kgs capacity (except M15000 and 16.5ti).
PN 69394 For M15000 and 16.5ti winches.

Hawse Fairleads

WARN offers two hawse fairleads: standard black and polished aluminum. The black unit is good for use with wire or synthetic rope on winches with a 4,000 lb. pull capacity or greater. The new polished-aluminum fairleads are designed to be used with synthetic rope only, and decrease the possibility of fraying.

PN 73850 Standard Hawse Fairlead
PN 87914 Polished Aluminum Hawse Fairlead (standard drum)
PN 73852 Polished Aluminum Hawse Fairlead (short drum)

Fairlead Cover

Roller fairlead covers are made of high-strength ABS co-laminate and attach easily to a roller fairlead.

PN 60390 Fits the Trans4mer, Classic Bumper, Combo Kit, and Jeep mounting kits.
PN 25584 Fits Enforcer Bumper
PN 35363 Fits Semi-Hidden Kit (F150 & Silverado only—not Sierra)
PN 25580 Fits Semi-Hidden Kit (Sierra & Super Duty)
PN 63499 Replacement fairlead cover for SST carrier cover (with mid-frame winch)
PN 63500 Replacement fairlead cover for SST carrier cover (with large-frame winch)



Roller fairlead cover PN 60390 for Trans4mer winch mounting system



WARN Tree Trunk Protector

Use this rigging strap along with a clevis/D-shackle to secure the winch wire rope to a wide variety of anchor points and objects. This strap is designed to help protect a live tree from the kind of damage a choker chain or wire rope might cause. Constructed of tough, high quality nylon web encasing red warning marker to indicate damaged webbing. End loops are reinforced with abrasion-resistant wear pads.

PN 61415 4" x 8' (10cm x 2.4m) tree trunk protector. Rated to 30,000 lbs. (13,607 kgs) breaking strength.
PN 25322 2" x 8' (5cm x 2.4m) tree trunk protector. Rated to 14,400 lbs. (6531 kgs)
PN 28882 1" x 8' (2.5cm x 2.4m) tree trunk protector. Rated to 6400 lbs. (2900 kgs)

WARN Recovery Straps

Use a recovery strap to “snatch” or pull out a stuck vehicle. Nylon webbing absorbs the shock of heavy pulls, while the elastic rebound energy aids in quick recovery. Constructed of tough, high quality nylon web encasing a red warning marker to indicate damaged webbing. End loops are reinforced with abrasion-resistant wear pads. Note: you should never use a recovery strap in a winching operation. For winching operations use a tree trunk protector strap or choker chain.



All WARN recovery and tree trunk protector straps include a red warning marker encased in the strap to indicate damaged webbing

PN 29899 3" x 30' (8cm x 9m) premium recovery strap. Rated to 21,600 lbs/9797 kgs Features a 18"/457mm nylon sliding sleeve to help prevent excessive wear caused by exposure to sharp objects.
PN 29898 2" x 30' (5cm x 9m) premium recovery strap. Rated to 14,400 lbs. (8165 kgs). Features a 18" (457mm) nylon sliding sleeve to help prevent excessive wear caused by exposure to sharp objects.
PN 11392 3" x 30' (8cm x 9m) standard recovery strap. Rated to 21,600 lbs. (9797 kgs)
PN 11391 2" x 30' (5cm x 9m) standard recovery strap. Rated to 14,400 lbs. (6531 kgs)

Hook Strap

The WARN hook strap is essential for proper handling of the wire rope hook. Use it to hold the hook and keep fingers away from the fairlead as the wire rope is being spooled in.

PN 69645



Gloves

Wire rope, through use, will develop “barbs” which can slice skin. It is extremely important to wear protective gloves while operating the winch or handling the wire rope. Leather/ cotton construction.



PN 14042

Guide to Winching Techniques

Informative booklet helps you learn the important facts concerning the proper use of your winch. Also available for immediate download free of charge at www.warn.com



PN 62885

Tow Hooks

Secured properly to your vehicle’s frame, tow hooks provide an attachment point for wire hooks, straps and chains, increasing your recovery options. Mounting hardware is included. Rated to 8,000 lbs/3,629 kgs capacity. Sold individually.

PN 13230 Black
PN 13200 Chrome



Choker Chain

Can be used to hook up to another vehicle or sharp object for an anchor point. 10' of 5/16" (3m of 8mm) grade 7 choker chain with hooks.

PN 26083



WARN Spydura™ Synthetic Rope

WARN Spydura™ synthetic Rope is lighter and easier to handle than traditional wire rope, so it’s ideal for pushing the limits on the trail.

- 100’ of 3/8”-diameter synthetic rope
- Constructed of a unique ultra high molecular weight polyethylene material
- Delivers high abrasion resistance and excellent tensile strength
- Coated with black urethane for increased UV and chemical resistance
- Includes a high temperature resistant sleeve on the first layer, and a unique self-tightening rope attachment designed to hold the rope secure on the winch drum
- A ballistic nylon sliding sleeve provides extra protection against abrasion and wear
- For winches with 10,000 lb. (4535 kgs) pull rating or less




Note: rope must be used with polished aluminum hawse fairlead

PN 87915

Replacement Wire Rope

Damaged wire rope must be replaced to safely operate any winch. Constructed of aircraft wire rope and galvanized to help resist corrosion. Includes swaged loop on one end, and wire rope terminal on the other.



Wire Rope Extension

Galvanized aircraft wire rope with loop on both ends allows you to extend the reach of your winch.

- PN 25430** 5/16” x 50’ (8mm x 15m)
PN 25431 3/8” x 75’ (9.5mm x 23m)



Replacement wire rope part numbers:

WINCH MODEL AND PN	WIRE ROPE LENGTH/DIAMETER	PART NUMBER
16.5ti, PN 68801	90’, 7/16” (27m, 11mm)	PN 61950
M15000, PN 47801	90’, 7/16” (27m, 11mm)	PN 61950
M15000, PN 478022	90’, 7/16” (27m, 11mm)	PN 61950
M12000, PN 17801 ^A	125’, 3/8” (38m, 9.5mm)	PN 38423
M12000, PN 265072 ^A	125’, 3/8” (38m, 9.5mm)	PN 38423
POWERPLANT DUAL FORCE HP, CE, PN 71800 ^A	125’, 5/16” (38m, 8mm)	PN 38312
POWERPLANT DUAL FORCE, HD, CE PN 71801 ^A	80’, 3/8” (24m, 9.5mm)	PN 74313
Endurance 12.0, PN 73010 ^A	80’, 3/8” (24m, 9.5mm)	PN 74313
12.0 XE, CE, PN 78600 ^A	80’, 3/8” (24m, 9.5mm)	PN 74313
9.5xp, PN 68500 ^A	100’, 5/16” (30m, 8mm)	PN 38314
9.5xp, CE, PN 86500 ^A	100’, 5/16” (30m, 8mm)	PN 38314
9.5cti, PN 97550 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.5cti, Multi-Mount Kit, PN 85760 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.5cti, Multi-Mount Kit for H2 Hummer, PN 85757 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.5ti, PN 67550 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.5ti, CE, PN 87550 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.5ti, Multi-Mount Kit, PN 65735 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.5ti, Multi-Mount Kit for H2 Hummer, PN 67912 ^A	125’, 5/16” (38m, 8mm)	PN 38312
9.0RC, PN 71550 ^A	50’, 3/8” (15m, 9.5mm) <i>(synthetic)</i>	PN 71717
XD9000i, PN 27550 ^A	125’, 5/16” (38m, 8mm)	PN 38312
XD9000i, Multi-Mount Kit PN 37441 ^A	125’, 5/16” (38m, 8mm)	PN 38312
XD9000, PN 28500 ^A	100’, 5/16” (30m, 8mm)	PN 38314
XD9000, CE PN 88500 ^A	100’, 5/16” (30m, 8mm)	PN 38314
XD9000, PN 265012 ^A	100’, 5/16” (30m, 8mm)	PN 38314
M8274-50, PN 3863 ^A	150’, 5/16” (46m, 8mm)	PN 38311
M8274-50, CE, PN 88631 ^A	150’, 5/16” (46m, 8mm)	PN 38311
M8274-50, PN 375832 ^A	150’, 5/16” (46m, 8mm)	PN 38311
M8000, PN 26502 ^A	100’, 5/16” (30m, 8mm)	PN 38314
M8000, PN 88502 ^A	100’, 5/16” (30m, 8mm)	PN 38314
M8000, PN 265032 ^A	100’, 5/16” (30m, 8mm)	PN 38314
M6000, PN 45880 ^A	80’, 5/16” (24m, 8mm)	PN 38310
M6000, PN 465052 ^A	80’, 5/16” (24m, 8mm)	PN 38310
M6000 SDP, PN 39116	50’, 5/16” (15m, 8mm)	PN 61346
VR8000, PN 86245 ^A	94’, 5/16” (28.6m, 8mm)	PN 86514
VR10000, PN 86255 ^A	94’, 3/8” (28.6m, 9.5mm)	PN 86515
VR12000, PN 86260 ^A	94’, 3/8” (28.6m, 9.5mm)	PN 86515

FOOTNOTES: ^A Includes loop thimble.

Neoprene Winch Covers


These winch covers are made of durable, tight-fitting Neoprene that resist water and cracking. A great way to protect your investment.

- PN 81762** For PowerPlant Dual Force HP and HD
PN 81761 For 9.5cti and XD9000i winches




Soft Winch Covers


WARN soft winch covers are made of durable nylon-backed vinyl, and hold securely with elastic bungee cord fasteners.



PN 15639
Fits the 16.5ti, M15000 and M12000 winches mounted on the Trans4mer, Classic Bumper and Flatbed Mount




PN 8557
Fits the M8274-50 winch




PN 13917
Fits 9.5cti, 9.5ti, XD9000i, and winches mounted on the Trans4mer, Combo Kit, Multi-Mount and Flatbed Mount


Fits 9.5xp, XD9000, M8000, VR8000, VR10000, VR12000 and M6000 (with control pack mounted behind winch motor), mounted on the Trans4mer, Combo Kit, Multi-Mount and Flatbed Mount



PN 13918
Fits 9.5xp, XD9000, M8000 and M6000 winches mounted on the Classic Bumper (when winch control pack is mounted behind the motor)



PN 13916
For the 9.5xp, XD9000, M8000, VR8000, VR10000, VR12000 and M6000 winches, mounted the Trans4mer and Combo Kit



PN 18250
Fits 9.5ti and XD9000i mounted on the Classic Bumper

Hard Cover FOR XD9000i WINCH

Available for the XD9000i winch, the WARN hard winch covers are made from high impact co-laminate.

- PN 34035** For XD9i winch with a roller fairlead, mounted on the Trans4mer system only.
PN 34700 For XD9i winch with a roller fairlead, mounted on the Jeep YJ.





SOMEWHERE IN CALIFORNIA. The Poison Spider Jeep Wrangler JK is rigged up with a WARN 9.5cti winch and ready to compete in the King of the Hammers. It may be street legal, but it's modified to the hilt for rock racing.

ACCESSORIES



PN 26769

Quick Connect Booster Cables

This kit provides convenient power connections that utilize the WARN heavy-duty Quick Connect system. Features 4 gauge copper cable construction. Includes:

- 4'/1.2m battery connector cable with Quick Connect plug for easy access to battery power without opening the hood
- 16'/5m booster assembly with connector clamps allow stranded vehicles' battery to be reached from almost any position
- Quick Connect plug dust cover keeps connector clean and ready to use
- Installation hardware for easy installation to either top or side post batteries

PN 26769 Complete kit as described above

PN 26771 16'/5m booster assembly with connector clamps only.



Quick Connector and 28"/71cm power lead. Connects to winch. **PN 36080**

Dust Cover (for Quick Connect plug) **PN 69847**

Quick Connect plugs only, no power lead. **PN 22680**

Quick Connector and 7.5'/2.2m power lead, for front mounting of portable winch **PN 26405**

Quick Connect POWER ACCESSORIES

Quick Connect power accessories provide a safe and simple power source for portable winches and booster cables. Plugs allow convenient connection and disconnection to the battery power source. Power connections can be added to the front, rear or both ends of the vehicle.

Heavy-duty, for winches over 3,000 lbs. capacity:

PN 22680 Quick Connect plugs for 2-4 ga. cable, one pair.

PN 36080 28"/71cm Quick Connect power cable, for attachment to winch control pack.

PN 26405 90"/2.2m Quick Connect power cable, for front of vehicle.

PN 32963 20'/6m Quick Connect power cable, for rear of vehicle. Includes power interrupt kit.

PN 32966 24'/8m Quick Connect power cable, for rear of vehicle. Includes power interrupt kit.

PN 69847 Quick Connect plug dust covers



Dual Battery Isolator

Because of the increased demands a winch and other accessories place on the DC power supply, many vehicles have multiple batteries—one to start the engine, and another to power accessories.

The WARN battery isolator prevents the problem of multi-battery drain. So no matter how drained your accessory battery becomes, it will never drain power from the battery you're depending on to start your engine.

PN 28022 120 amp rated.

PN 22630 95 amp rated. ('86 and newer GM applications require connector kit. Will not fit '73-76 Jeep vehicles)

PN 36494 GM Isolator Connector Kit. Required item when installing the PN 22630 isolator on '86 and newer GM applications.




Power Interrupt Kit

Allows you to connect aftermarket accessories to a battery lead and then disconnect power from a dash mounted switch. Recommended for extra protection. **PN 62132**

BAJA, BABY. If you're gonna be a Baja 1000 chase vehicle like this Chevy Silverado, you better be able to see through clouds of dust: try racks of WARN W700-HID lights and a healthy appetite for grit.

WARN HIGH-PERFORMANCE AUXILIARY LIGHTS:
BECAUSE A DAY OF OFF-ROADING SOON BECOMES A NIGHT
OF GETTING HOME

When you're out on the trail time flies, and day can easily slip into night. You need lights that forego fancy styling for a rugged functionality that can light your way back to the pavement. WARN lights have the reliability and durability that come built into the WARN name. This year Warn Industries has raised the bar in performance and value. Leading the way is the new W-Series with wireless control. They're easy to install, and easy on the wallet.



W700D-HID DRIVING LIGHTS


At 7" (17.8 cm) in diameter, these HID lights deliver outstanding range and spread, and will blaze a trail of intense white light through the darkest off-road terrain. The Xenon HID bulb is 300% brighter—and lasts 10 times longer—than 55W halogens. Features include tempered clear glass lenses, vaporized aluminum over die-cast aluminum reflectors for outstanding light output, and impact- and corrosion-resistant polymer cases for great weather resistance. The integrated ballast and wireless control switch allow for a straightforward installation.

PN 82405 (kit)

PN 82583 (single light only—no remote)



Kit contains two lights, mounting hardware, wireless control, transmitter, wiring, rock guards and covers



W400D-HID DRIVING LIGHTS


These 4" (10.2 cm) diameter HID lights have the extra light output, beam spread and reach you need to drive off-road with confidence. They're 300% brighter than a 55W halogen lights, have lower amp draw and last 10 times longer. Features include durable tempered clear glass lenses, sturdy vaporized aluminum over die-cast aluminum reflectors for maximum light output, and sealed corrosion-resistant polymer outer cases for weather resistance. A self-contained ballast and a wireless control switch mean installation is easy.

PN 82400 (kit)

PN 82579 (single light only—no remote)



Kit contains two lights, mounting hardware, wireless control, transmitter, wiring, rock guards and covers



W650D DRIVING LIGHTS


These big 6.5" (16.5 cm) halogen lights deliver outstanding performance, great value, and are ideal for increased visibility on the trail. Features include 55W H3 halogen bulbs, hardened clear glass lenses, vaporized aluminum over steel reflectors for maximum output, steel cases with a powder-coated finish for great weather resistance, and a thin profile for increased mounting options. These lights also come with a wireless control switch for simple installation.

PN 82420 (kit)

PN 82573 (single light only—no remote)




Kit contains two lights, mounting hardware, wireless control, transmitter, wiring, rock guards and covers



W650F FOG BEAMS

Designed to light the way through foggy, rainy, dusty, or snowy conditions, these fog beams feature large 6.5" (16.5 cm) diameter lenses and broad 70-degree beam spread. The hardened clear glass lenses have a dichroic coating, for a low-glare yellow light. Features include 55W H3 halogen bulbs, vaporized aluminum over steel reflectors for great light output, thin-profile powder-coated steel cases for excellent water resistance, and a wireless control switch for hassle-free installation.

PN 82425 (kit)
PN 82574 (single light only—no remote)




W350F FOG BEAMS

At 3.5" (8.9 cm) in diameter, these lights are the optimal medium-sized fog lights. The 55W H3 halogen bulb and 66-degree bar-shaped light beam deliver great low-visibility performance. Features include hardened clear glass lenses; vaporized aluminum over steel compound curve reflectors for maximum light output; and impact-resistant polymer cases with O-ring seals for excellent water resistance. These lights also have a wireless control switch, so there's no need to run wires through the firewall.

PN 82410 (kit)
PN 82567 (single light only—no remote)



Kit contains two lights, mounting hardware, wireless control, transmitter, wiring, rock guards and covers



W2030F FOG BEAMS

These compact 2" x 3" (5.1 cm x 7.6 cm), 55W halogen lights provide 66-degree bar-shaped beams of light, perfect for use in fog, rain, dust, or snow. Features include impact-resistant hardened blue glass lenses; durable vaporized aluminum over die-cast aluminum compound curve reflectors for maximum light output; and lightweight, corrosion-resistant aluminum cases. The new wireless control switch allows for easy installation without having to drill through the firewall.

PN 82415



Kit contains two lights, mounting hardware, wireless control, transmitter, wiring, rock guards and covers

SDB-160HB

100,000 CANDLEPOWER DRIVING/SPOT LIGHT


The SDB-160 HB uses a Free Curve reflector. A Free Curve reflector is very efficient because it uses the whole reflector. This allows the spot beam to illuminate approximately 770 feet ahead and the driving beam illuminates the entire surface in front of the vehicle.

The SDB-160 HB has an internal light frame to protect the lamp from vibration and shock when running off-road, plus an impact resistant polycarbonate body protects the exterior. Heat and weather resistant EPT material helps protect lamp integrity.

The lens of the SDB-160 HB is protected by a stone guard in a "V"-shape to let air cool the lens surface, allowing for extended operation of the lamp. Hardened glass lens has excellent heat and thermal shock resistance, strength and translucency.

Easily adjustable illumination angle to 15° up or down. Dual beam control switch includes relay control feature and LED illumination when lamps are in use. Includes wiring and dash mounted control switch.


PN 37606



Note: recommended for off-road use only.



Specs:		Effective Range:
Bulb	H4	Driving beam
Rating	12V 100/90-Watt	Spot beam
Max. brightness	100,000CD	



Note: recommended for off-road use only.

SDB-210HB

200,000 CANDLEPOWER DRIVING/SPOT LIGHT

The SDB-210 HB uses a precision design Free Curve reflector that is outstandingly smooth and heat resistant. It reflects light efficiently due to the vaporized aluminum applied to the reflector surface. Aggressive off-road drivers will appreciate a lamp with a spot beam able to illuminate approximately 853 feet ahead, with a concentrated lighting pattern and a driving beam wide enough to supplement vehicle headlights by illuminating the entire surface in front of the vehicle. Hard off-road driving generates vibration and shock. The SDB-210 HB has an internal light frame to protect the lamp and a stone guard to protect the lens. The body is constructed of a polycarbonate resin which has excellent impact resistance. The SDB-210 HB has a weather resistant rubber seal to help protect the lamp integrity. The hardened glass lens gives excellent heat and thermal shock resistance, strength and translucency. The lamp illumination angle can be adjusted to 15° up or down to fine-tune the light pattern. Dual beam control switch includes relay control feature and LED illumination when lamps are in use. Includes wiring and dash mounted control switch.

PN 37609

Specs:		Effective Range:
Bulb	H4	Spot beam
Rating	12V 100/90-Watt	Driving beam
Max. brightness	200,000CD	



HARD COVERS FOR WARN SDB LIGHTS

Hard Cover for SDB-160 (Single)..... PN 38406

Hard Cover for SDB-210 (Single)..... PN 38409

SDB LIGHTS, replacement bulbs and mounting bracket

SDB-Series, replacement bulb, H2, 55 watt.....PN 38392

SDB-Series, replacement bulb, H3, 55 watt coated (dichroic).....PN 38393

SDB-Series, replacement bulb, H4, 60/55 watt.....PN 60777

SDB-Series, replacement bulb, H4, 90/100 watt.....PN 38394

SDB-Series "L" Mounting Brackets (pair)PN 38405

SDB-Series, replacement switch.....PN 38402



MOAB: A GNARLY RIM TRAIL. Navigating the steep Moab Rim Trail is old hat to this veteran WARN driver (aka the mayor of White-Knuckle City). Right about here, you gotta love those WARN Premium Hubs and Rocksliders.

4WD HUBS

For more than 60 years, WARN has been offering manual hub conversions—it’s how we started. Our hubs provide increased durability and fuel economy, and are easy to install. What else would you expect from the company that invented the locking hub?



Premium Manual Hubs

The WARN Premium Hub is a no-compromise hub designed for the hardcore off-roader or truck owner who will accept nothing less than the industry standard in performance.

The all metal construction and ZA Alloy dial ensure years of reliable functioning. This dial requires a full 9/10ths of a turn to ensure positive engagement of the inner drive gear to the clutch ring. To make sure they stay engaged, WARN Premium Hubs use a thick internal wave spring and heavy dial detents.

We know our Premium Hubs will be used hard, so we build them to last. We’re so confident, that all WARN hubs are covered by a lifetime limited warranty.


Standard Manual Hubs

WARN Standard Hubs are the ideal choice for factory hub replacement. These are the same basic hubs Warn Industries has supplied to OEMs around the world. WARN standard hubs share many features with our Premium Hubs such as a 4140 steel clutch ring and inner drive gear, and a precision cast hub body.

WARN Standard Hubs are available in three styles to fit most 4WD vehicles: Internal Mount, External Mount and Flange Mount.

All WARN® Premium Hubs feature:

- 9/10 turn dial for robust engagement/disengagement
- Heavy detents for positive engagement
- Wave spring technology increases reliability over standard coil springs
- All metal construction
- ZA Alloy dial with dual seals keep contaminants out



FOOTNOTES:

- A Very early vehicles may require that the threaded axle end be cut off.
- B Will not fit '87-early '88 model vehicles, flange mount. (Dealer item only. See Ford parts & service).
- C When replacing automatic hubs with manual hubs, you must also purchase Spindle Nut Conversion Kit #27988 for '83-'89 vehicles; Conversion Kit #32720 for '90-'97.
- D Very early '90 vehicles with 23 tooth axle spline require 1989 model hubs.
- E When replacing factory automatic hubs with manual hubs, you must also purchase Spindle Nut Conversion Kit #27988 for '83-'89 vehicles; Conversion Kit #32720 for '90-'97.
- F Will not fit vehicles with factory optional chrome wheels.
- G Vehicles with full-time 4WD will require a transfer case conversion kit.
- H When replacing automatic 3 hole cap screw hubs with manual hubs, you must purchase corresponding spindle nut conversion kit per application chart.
- I Hub Set includes Stud Kit (PN 38003)
- J Not for front axle disconnect systems.
- K Will not fit dual wheel application
- L International only; will not fit vehicle produced in North America

4WD HUBS APPLICATIONS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	HUB SERVICE KIT Std Prem	
CHEVROLET/GMC								
Blazer, Jimmy, Suburban.....	'69-91	G, H	19	9790	20990	32720	11967	20825
1/2 Ton Pickup	'69-87	G, H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup	'60-76	G	19		9072			7302
3/4 Ton Pickup	'77-87	G, H	19	9790	20990	32720	11967	20825
1 Ton Pickup	'76-87	H	30	11690	38826	32721	11714	
1 Ton Pickup, V-Series Crew Cab	'88-90	H	30	11690	38826	32721	11714	
Geo Tracker	'89-00	J	26	39198	34581			7309
DODGE								
1/2 Ton Pickup	'57-68		19		9072			7302
1/2 Ton Pickup & Ramcharger	'69-74		19	9790	20990		11967	20825
1/2, 3/4 Ton Pickup & Ramcharger.....	'80-93		19	9790	20990		11967	20825
3/4 Ton Pickup	'90-93		30	11690	38826		11714	
3/4 Ton Pickup	'57-74		19		9072			7302
1 Ton Pickup.....	'90-93		30	11690	38826		11714	
FORD								
Bronco II, Ranger	'83-89	E, D	23	29070		27988	39128	
Explorer	'90-94	D, E	27	29071		32720	39128	
Ranger	'90-97	E, D	27	29071		32720	39128	
Bronco	'66-96	B, G, H	19	9790	20990	32720	11967	20825
1/2 Ton Pickup	'59-96	B, G, H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup	'59-75		19	9790	20990		11967	20825
3/4 Ton Pickup, Light Duty	'77.5-97	H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup, Heavy Duty	'63-77	G	19		9072			7302
3/4 Ton Pickup, Crew Cab only	'76-77.5		19		29063			7302
3/4 Ton Pickup, Heavy Duty	'78-97	H	30	11690	38826	32721	11714	11714
1 Ton Pickup.....	'78-97	H	30	11690	38826	32721	11714	11714
Super Duty (F-250/350; Excursion)	'99-04	K	30	11690	38826		11714	11714
Courier, Ranger Int'l only	'99-04	L	26	61572				
INTERNATIONAL HARVESTER								
Scout	'61-70		10		29062			7300
Scout II, Terra, Traveler	'71-80		27		9062			7300
1/2 Ton Pickup, Travelall	'68-75		19	9790	20990		11967	20825
1/2 Ton, 3/4 Ton Pickup	'56-72		19		9072			7302
ISUZU								
Trooper I	'83-86		24		61424			61692
Trooper II	'87-93		17		61385			61693
Rodeo	'91-99		17		61385			61693
JEEP								
CJ, Universal, M38A1, Willys	'71 & Prior.....	A	10		29062			7300
CJ, Universal (6 bolt)	'72-80	G	27		9062			7300
CJ, Universal Scrambler (5 bolt)	'81-86	F	27	28751				
Jeepster C101 Commando	'66-71		10		29062			7300
Jeepster C104	'72-73		27		9062			7300
Gladiator, Wagoneer, Pickup	'73 & Prior.....		10		29062			7300
Full size Wagoneer, Cherokee, J-10 Pickup, Commander	'74-91	G	19	9790	20990		11967	20825
J-20 Pickup (heavy axle)	'72-76		19		9072			7302
J-20 Pickup	'77-87		19	9790	20990		11967	20825
J4800 Pickup, Camper Spl.	'69-74		10		6094			7302
Jeep Station Wagon, Pickup	'65 & Prior.....		10		29062			7300
Hilux Int'l with Torsion bar susp.....	'98-01	C			28761	29918		7309
KIA								
Sportage, Retona	'95-02		26	60247				
Sportage, Retona	'95-02		26			Automatic Locking Hubs 61918		
MAZDA								
Pickup	'94-97	E	27	29071		32720		
Navajo	'90-94	E	27	29071		32720		
B Series, Fighter, Int'l only	'99-01	L	26	61572				
NISSAN								
Pickup	'84-86.5	I	26		29087			29061
Pickup, Pathfinder	'86.5-89	I	27		28739			29061
Pickup, 4 cylinder	'90-93	I	27		28739			29061
Pickup (incl. Frontier), 4 cyl.	'94-01	I	28		29091			29061
Pickup (incl. Frontier), Pathfinder, 6 cyl.....	'90-01	I	28		29091			29061
Xterra	'00	I	28		29091			29061
SUZUKI								
Samurai, Sierra	'82-01	J	26		34581			7309
Sidekick, X-90, Vitara, Escudo	'89-01	J	26	39198	34581			7309
TOYOTA								
Pickup, Hilux, 4-Runner, with ADD	'86-95	C	26		28761	29918		7309
Landcruiser.....	'63-75		6		28781			7309
Landcruiser	'76-87	C	30		28771	29918		7309
Pickup, Hilux, 4-Runner	'76-85	C	30		28771	29918		7309
T100	'93-99	C	26		28761	29918		7309
T100, W/ADD	'93-99		26		28761	29918		7309
Van, Previa.....	'86-92	C	26		28761	29918		7309
Tacoma(w/factory man.hubs)	'95-01		26		60459			7309
Hilux Int'l with Torsion bar susp.....	'98-01	C			28761	29918		7309
CUSTOM APPLICATIONS								
Dana 60 axle with 35 spline outer shafts (front only)			35		62672			11714



Ford Super Duty

WARN 4X FLARES

4X Flares are ideal for just about every truck with larger tires or custom wheels. They mount inside the fender well with screws and are sealed to the fender rim with heavy-duty adhesive tape, keeping out moisture, dirt and road salt to help prevent rust. They are made of high impact ABS co-laminate, which exhibits maximum flexibility and durability. Standard 4X Flares come in a black finish, but are easily painted to match any color. Sold in pairs for either the front or rear of your vehicle, with sets of 4 manufactured for Jeep CJ, YJ and TJ.



'07 Chevy Suburban



'07 GMC Sierra



Chevrolet/GMC

MOUNTING SYSTEMS FOOTNOTES:

- V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (10) Includes a set of WARN W350F wireless fog lamps
- (16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print
- (29) Includes 50' of wire rope
- (31) Not compatible when installing M8274-50 winch

MOUNTING SYSTEMS

'07-11 SILVERADO 1500, 2WD & 4WD	
Trans4mer Grille Guard, Black	75230
Angled Light Bar, Black	73745
Brush Guard, Black	75590
Trans4mer Grille Guard, Stainless	76007
Angled Light Bar, Stainless	73753
Brush Guard, Stainless	75720
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M8274-50 only)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
'03-06, '07 "CLASSIC" SILVERADO 1500, '03-06 AVALANCHE 1500 WITHOUT CLADDING, 2WD & 4WD	
Trans4mer Grille Guard, Black	76139
Angled Light Bar, Black	73745
Brush Guard, Black (Three-Bar Wrap Around)	65340
Trans4mer Grille Guard, Stainless	76243
Angled Light Bar, Stainless	73753
Brush Guard, Stainless (Three-Bar Wrap Around)	65535
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M8274-50 only)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Hidden Mount, (9.5xp, XD9, M8, VR8, M6) (4WD only on '05+)	
	69015
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	66215
'03-06 SILVERADO 1500HD, 2500 (NON-HD) 2WD & 4WD	
Trans4mer Grille Guard, Black	68162
Angled Light Bar, Black	73745
Brush Guard, Black (Three-Bar Wrap Around)	65340
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Hidden Mount, includes special short drum XD9000 winch ('03-05 only) ⁽²⁹⁾	
	62510
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver (Must be Rev. B0 or later)	65150

'11-12 SILVERADO 2500HD & 3500HD, 2WD & 4WD	
Gen II Trans4mer	
Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	85315
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85310
Grille Guard Kit, Black	85495
Short Grille Guard Kit, Black ⁽³¹⁾	84785
Headlamp Guard Kit, Black	85505
Light Bar Kit, Black ⁽³¹⁾	80143
Receiver Kit, Black	80149
Mounting Kit, Large Frame, Stainless (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	85325
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85320
Grille Guard Kit, Stainless	85500
Short Grille Guard Kit, Stainless ⁽³¹⁾	84790
Headlamp Guard Kit, Stainless	85510
Light Bar Kit, Stainless ⁽³¹⁾	80148
Receiver Kit, Black	80149
Heavy Duty Bumper, With Grille/Brush Guard, Black ⁽¹⁰⁾ (16.5ti, M15, M12, Com'I Series 9 & 12) Note: fits 2012 model	
	85887
Heavy Duty Bumper, Without Grille/Brush Guard, Black ⁽¹⁰⁾ (16.5ti, M15, M12, Com'I Series 9 & 12)Note: fits 2012 model	
	85883
'07-10 SILVERADO 2500HD & 3500HD, 2WD & 4WD	
Gen II Trans4mer	
Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	80975
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80965
Grille Guard Kit, Black	80980
Short Grille Guard Kit, Black ⁽³¹⁾	84785
Headlamp Guard Kit, Black	81075
Light Bar Kit, Black ⁽³¹⁾	80143
Receiver Kit, Black	80149
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80970
Grille Guard Kit, Stainless	81090
Short Grille Guard Kit, Stainless	84790
Headlamp Guard Kit, Stainless	81080
Light Bar Kit, Stainless	80148
Receiver Kit, Black	80149
Trans4mer Grille Guard, Black	76110
Angled Light Bar, Black	73745
Brush Guard, Black	75590
Trans4mer Grille Guard, Stainless	76111
Angled Light Bar, Stainless	73753
Brush Guard, Stainless	75720
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420
Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12)	
	76401
Heavy Duty Bumper Without Grille/Brush Guard, Black (16.5ti, M15, M12)	
	76400

MOUNTING SYSTEMS (CONTINUED)

'03-06, '07 "CLASSIC" SILVERADO 2500HD & 3500, 2WD & 4WD	
Trans4mer Grille Guard, Black	76244
Angled Light Bar, Black	73745
Brush Guard, Black (Three-Bar Wrap Around)	65340
Trans4mer Grille Guard, Stainless	76245
Angled Light Bar, Stainless	73753
Brush Guard, Stainless (Three-Bar Wrap Around)	65535
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount, includes special short drum XD9000 winch ('03-05 only) ⁽²⁹⁾	
	62510
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	65150
Heavy Duty Bumper, With Grille/Brush Guard, Black ('03-05)(16.5ti, M15, M12)	
	66240
Heavy Duty Bumper, With Grille/Brush Guard, Black ('06, '07 "Classic")(16.5ti, M15, M12)	
	74760
Heavy Duty Bumper, Without Grille/Brush Guard, Black ('03-06; '07 "Classic")(16.5ti, M15, M12)	
	74690
'02-06 AVALANCHE 1500 WITH CLADDING	
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	66215
'01-02 SILVERADO 2500HD AND 3500, 2WD & 4WD	
Trans4mer Grille Guard, Black	61145
Angled Light Bar, Black	73745
Brush Guards, Black (Three-Bar Wrap Around)	39190
Receiver, Black only (use with Trans4mer only)	29397
Trans4mer Grille Guard, Stainless	63234
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Three-Bar Wrap Around)	60448
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount, includes special short drum XD9000 winch ⁽²⁹⁾	
	62510
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver (Must be Rev. B0 or later)	60268

'07-11 AVALANCHE, TAHOE, SUBURBAN, 1/2 TON ONLY, 2WD & 4WD	
Trans4mer Grille Guard, Black	74140
Angled Light Bar, Black	73745
Brush Guards, Black	74830
Trans4mer Grille Guard, Stainless	74141
Angled Light Bar, Stainless	73753
Brush Guards, Stainless	74820
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
'07-11 SUBURBAN, 3/4 TON ONLY, 2WD & 4WD	
Trans4mer Grille Guard, Black	76420
Angled Light Bar, Black	73745
Brush Guards, Black	74830
Trans4mer Grille Guard, Stainless	76425
Angled Light Bar, Stainless	73753
Brush Guards, Stainless	74820
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
'99-02 SILVERADO, '00-06 TAHOE, SUBURBAN, 1/2 TON ONLY, 2WD & 4WD	
Trans4mer Grille Guard, Black	39185
Angled Light Bar, Black	73745
Brush Guards, Black (Three-Bar Wrap Around)	39190
Trans4mer Grille Guard, Stainless	63672
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Three-Bar Wrap Around)	60448
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount, (9.5xp, XD9, M8, VR8, M6) ⁽²⁰⁾	
	61770
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	38490

MOUNTING SYSTEMS FOOTNOTES:

- V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print
- (20) Roller Fairlead Cover 35363 is highly recommended
- (29) Includes 50' of wire rope



MOUNTING SYSTEMS
FOOTNOTES:

- V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print
- (20) Roller Fairlead Cover 25580 is highly recommended
- (29) Includes 50' of wire rope

MOUNTING SYSTEMS (CONTINUED)

'99–02 SILVERADO, '00–06 SUBURBAN, 3/4 TON ONLY, 2WD & 4WD; '01–02 1500HD CREW CAB	
Trans4mer Grille Guard, Black	60036
Angled Light Bar, Black	73745
Brush Guards, Black (Three-Bar Wrap Around)	39190
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'l Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount, includes special short drum XD9000 winch ⁽²⁹⁾	62510
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	60268
'07–11 GMC SIERRA 1500 1/2 TON, 2WD & 4WD	
Trans4mer Grille Guard, Black	75230
Angled Light Bar, Black	73745
Brush Guard, Black	77675
Trans4mer Grille Guard, Stainless	76007
Angled Light Bar, Stainless	73753
Brush Guard, Stainless	77680
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M8274-50 only)	62027
SST Stainless Steel Carrier Cover (for carrier above)	63135
'03–06, '07 “CLASSIC” GMC 1500 SIERRA 1/2 TON 2WD & 4WD	
Trans4mer Grille Guard, Black	76246
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	67730
Trans4mer Grille Guard, Stainless	76261
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around)	67731
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M8274-50 only)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Hidden Mount (9.5xp, XD9, M8, VR8, M6)(4wd only 05+) ⁽²⁰⁾	69015
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	66215

'11–12 GMC 2500HD & 3500HD, 2WD & 4WD	
Gen II Trans4mer	
Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	85315
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85310
Grille Guard Kit, Black	85495
Short Grille Guard Kit, Black ⁽³¹⁾	84785
Headlamp Guard Kit, Black	85505
Light Bar Kit, Black ⁽³¹⁾	80143
Receiver Kit, Black	80149
Mounting Kit, Large Frame, Stainless (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	85325
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85320
Grille Guard Kit, Stainless	85500
Short Grille Guard Kit, Stainless ⁽³¹⁾	84790
Headlamp Guard Kit, Stainless	85510
Light Bar Kit, Stainless ⁽³¹⁾	80148
Receiver Kit, Black	80149
'07–10 GMC SIERRA 2500HD & 3500HD, 2WD & 4WD	
Trans4mer Grille Guard, Black	76110
Angled Light Bar, Black	73745
Brush Guard, Black	76450
Trans4mer Grille Guard, Stainless	76111
Angled Light Bar, Stainless	73753
Brush Guard, Stainless	76455
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'l Series 9 & 12 ⁽¹⁶⁾	60420
'03–06, '07 “CLASSIC” GMC SIERRA 2500HD & 3500, 2WD & 4WD	
Trans4mer Grille Guard, Black	76248
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	67730
Trans4mer Grille Guard, Stainless	76249
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around)	67731
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'l Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount, includes special short drum XD9000 winch ('03-05 only) ⁽²⁹⁾	62510
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	65150

MOUNTING SYSTEMS (CONTINUED)

'03–06 GMC SIERRA 1500HD, 2500 (NON-HD) 2WD & 4WD	
Hidden Mount, includes special short drum XD9000 winch ('03-05 only) ⁽²⁹⁾	62510
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver (must be Rev. B0 or later)	65150
'99–02 GMC SIERRA, '00–06 YUKON, YUKON XL, 1/2 TON ONLY, 2WD & 4WD (EXCLUDES DENALI)	
Trans4mer Grille Guard, Black	39477
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	67730
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'l Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount (9.5xp, XD9, M8, VR8, M6) ⁽²¹⁾	61770
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	38490
'99–02 GMC SIERRA, '00–06 YUKON XL, 3/4 TON ONLY, 2WD & 4WD; '01–02 1500HD CREW CAB	
Trans4mer Grille Guard, Black	60319
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	67730
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'l Series 9 & 12 ⁽¹⁶⁾	60420
Hidden Mount, includes special short drum XD9000 winch ⁽²⁹⁾	62510
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Front Receiver	60268

'88–99 CHEV/GMC K-SERIES 4WD PICKUP 1/2, 3/4, 1 TON, '92–99 4WD BLAZER, YUKON, SUBURBAN, TAHOE (EXCLUDES R/V 1 TON & 2WD C3500 HD, NEW DESIGN '99 SILVERADO)	
Trans4mer Grille Guard, Black ^S	29753
Light Bar, Black ^(*)	29169
Brush Guards, Black (Non-Wrap Around)	29768
Trans4mer Grille Guard, Stainless ^S	65654
Receiver, Black only (use with Trans4mer only)	29166
Winch Carrier (VR10, XD9i, XD9, M8, VR8, M6) ^J	29165
Winch Carrier (VR12, 9.5cti, 9.5xp)	39781
Winch Carrier (M8274-50)	30040
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver ^I	25897
'81–87 PICKUP 1/2, 3/4, 1 TON; '81–88 PICKUP 1 TON; '81–91 BLAZER, JIMMY, SUBURBAN, 1 TON R/V PICKUP	
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	25855
'98–04 S-10 4WD PICKUP, 4WD BLAZER (FITS MODELS WITH BUMPER RUB STRIP ONLY; DOES NOT FIT GMC SONOMA, JIMMY, HIGHRIDER)	
Trans4mer Grille Guard, Black	37175
Light Bar, Black ^(*)	29169
Brush Guards, Black (Non-Wrap Around)	30146
Receiver, Black only (use with Trans4mer only)	29166
Winch Carrier (VR10, XD9i, XD9, M8, VR8, M6) ^J	29165
Winch Carrier (9.5cti, 9.5xp)	39781
'98–04 ZR2 PICKUP, BLAZER, S-10 4WD PICKUP (FITS MODEL WITHOUT BUMPER RUB STRIP; DOES NOT FIT GMC SONOMA, JIMMY, HIGHRIDER)	
Trans4mer Grille Guard, Black	38475
Light Bar, Black ^(*)	29169
Brush Guards, Black (Non-Wrap Around)	30146
Receiver, Black only (use with Trans4mer only)	29166
Winch Carrier (VR10, XD9i, XD9, M8, VR8, M6) ^J	29165
Winch Carrier (9.5cti, 9.5xp)	39781
'94–97 S-SERIES & SONOMA 4WD PICKUP; '95–97 BLAZER, JIMMY, 4WD ONLY, INCLUDES ZR2 & HIGHRIDER	
Trans4mer Grille Guard, Black ⁽³⁾	30090
Light Bar, Black ^(*)	29169
Brush Guards, Black (Non-Wrap Around)	30146
Receiver, Black only (use with Trans4mer only)	29166
Winch Carrier (VR10, XD9i, XD9, M8, VR8, M6) ^J	29165
Winch Carrier (9.5cti, 9.5xp)	39781

MOUNTING SYSTEMS
FOOTNOTES:

- I Will not fit 2WD
- J Must be revision #B0 for 9000 winch PN 27550 or 28500
- S For 2WD trucks the bumper or grille guard will match the front-end styling of the truck. However, the frame brackets will not fit and will require significant rework
- V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (3) GMC SLE, SLS and SLT require slots to be cut into plastic bumper cover
- (16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print
- (21) Roller Fairlead Cover 25580 is highly recommended
- (29) Includes 50' of wire rope
- (*) Cannot be used with winch carrier when winch is mounted



4X FLARES
FOOTNOTES:

- B Flares do not fit boxes for dual wheel axles
- C Requires drilling door panel
- D Two door only
- K Does not fit LTZ model
- (*) Does not fit 'Quadra Steer' equipped vehicles

4X FLARES: CHEVROLET

C/K Pickup Front	'73–80	29871	Sportside Pickup Rear	'88–98	30746	K Blazer Rear	'92–94	26734
C/K Pickup Rear	'73–80	27996	Silverado Sportside Front	'99–06	64420	Tahoe 2 dr Front	'95–99	26548
C/K Pickup Front	'81–87	27993	Silverado Sportside Rear	'99–06	60785	Tahoe 2 dr Rear	'95–99	26734
C/K Pickup Rear	'81–87	27996	Suburban Front	'81–91	27993	Tahoe 4 dr Front	'95–99	26548
C/K Pickup Front	'88–00	26548	Suburban Rear	'81–91	27996	Tahoe 4 dr Rear	'95–99	34238
C/K Pickup Rear ^B	'88–00	26734	Suburban Front	'92–99	26548	Tahoe 4 dr Front	'00–06	64420
Silverado Pickup Front	'99–06	64420	Suburban Rear	'92–99	26734	Tahoe 4 dr Front W/OE boards	'00–06	60860
Silverado Pickup Front	'07 Classic	64420	Suburban Front	'00–06	64420	Tahoe 4 dr Rear	'00–06	61115
Silverado Pickup Rear ^(*)	'99–06	39025	Suburban Front W/OE boards	'00–06	60860	Tahoe 4 dr Front ^K	'07–11	74130
Silverado Pickup Rear ^(*)	'07 Classic	39025	Suburban Rear	'00–06	61095	Tahoe 4 dr Rear ^K	'07–11	74135
Silverado Pickup Front	'07–11	75190	Suburban Front ^K	'07–11	74130	S-10 Pickup Front	'82–93	26558
Silverado Pickup Rear ^B	'07–11	75195	Suburban Rear ^K	'07–11	74215	S-10 Pickup Rear	'82–93	26736
C/K Crew Cab Front	'81–91	27993	Avalanche Front	'07–11	74130	S-10 Pickup Front	'94–00	32956
C/K Crew Cab Rear ^B	'81–91	27996	Avalanche Rear	'07–11	74205	S-10 Pickup Rear	'94–00	32957
C/K Crew Cab Front	'92–00	26548	K Blazer Front	'81–91	27993	S-10 Blazer Front	'82–94	26558
C/K Crew Cab Rear ^B	'92–00	26734	K Blazer Rear	'81–91	27996	S-10 Blazer Rear ^D	'82–94	29894
Sportside Pickup Front	'88–98	26548	K Blazer Front	'92–94	26548			

4X FLARES: gmc

C/K Pickup Front	'73–80	29871	Sierra 1500 Rear (6'+8" Box Only)	'07–11	75965	Yukon 2 dr Rear	'95–99	26734
C/K Pickup Rear	'73–80	27996	Sierra 1500 Rear (69.2" Box)	'07–11	76405	Yukon 4 dr Front	'95–99	26548
C/K Pickup Front	'81–87	27993	Sierra HD Front	'07–11	76620	Yukon 4 dr Rear	'95–99	34238
C/K Pickup Rear	'81–87	27996	Sierra HD Rear (6'+8" Box Only)	'07–11	75965	Yukon 4 dr Front	'07–11	74130
C/K Pickup Front	'88–98	26548	Sierra Sportside Front	'99–06	64420	Yukon 4 dr Rear ^I	'07–11	74135
C/K Pickup Rear ^B	'88–98	26734	Sierra Sportside Rear	'99–06	60785	Yukon XL Front	'07–11	74130
Sierra Pickup Front	'99–06	64420	Suburban Front	'81–91	27993	Yukon XL Rear ^I	'07–11	74215
Sierra Pickup Front	'07 Classic	64420	Suburban Rear	'81–91	27996	S-15 Pickup Front	'82–93	26558
Sierra Pickup Rear ^(*)	'99–06	39025	Suburban Front	'92–99	26548	S-15 Pickup Rear	'82–93	26736
Sierra Pickup Rear ^(*)	'07 Classic	39025	Suburban Rear	'92–99	26734	S-15 Pickup Front	'94–00	32956
C/K Crew Cab Front	'81–91	27993	K Jimmy Front	'81–91	27993	S-15 Pickup Rear	'94–00	32957
C/K Crew Cab Rear ^B	'81–91	27996	K Jimmy Rear	'81–91	27996	S-15 Jimmy Front	'82–94	26558
C/K Crew Cab Front	'92–00	26548	K Jimmy Front	'92–94	26548	S-15 Jimmy Rear ^D	'82–94	29894
C/K Crew Cab Rear ^B	'92–00	26734	K Jimmy Rear	'92–94	26734			
Sierra 1500 Front	'07–11	75970	Yukon 2 dr Front	'95–99	26548			

4WD HUBS

4WD HUBS
FOOTNOTES:

- G Vehicles with full-time 4WD will require a transfer case conversion kit
- H When replacing automatic 3-hole cap screw hubs with manual hubs, you must purchase corresponding spindle nut conversion kit per application chart
- J Not for front axle disconnect systems

	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
Blazer, Jimmy, Suburban	'69–91	G, H	19	9790	20990	32720	11967	20825
1/2 Ton Pickup	'69–87	G, H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup	'60–76	G	19		9072			7302
3/4 Ton Pickup	'77–87	G, H	19	9790	20990	32720	11967	20825
1 Ton Pickup	'76–87	H	30	11690	38826	32721	11714	
1 Ton Pickup, V-Series Crew Cab	'88–90	H	30	11690	38826	32721	11714	
Geo/Chevrolet Tracker	'89–00	J	26	39198	34581			7309

MOUNTING SYSTEMS

'09–12 DODGE RAM 1500

Gen II Trans4mer

Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80715
Grille Guard Kit, Black	81610
Short Grille Guard Kit, Black	84785
Headlamp Guard Kit, Black	81620
Light Bar, Black	80143
Receiver Kit, Black	80149
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	81270
Grille Guard Kit, Stainless	81615
Short Grille Guard Kit, Stainless	84790
Headlamp Guard Kit, Stainless	81625
Light Bar, Stainless	80148
Receiver Kit, Black	80149

'06–08 DODGE 1500 2WD & 4WD INCLUDING "SPORT" PACKAGE (WILL NOT RETAIN FACTORY TOW HOOKS)

Trans4mer Grille Guard, Black ⁽³⁰⁾	75515
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	72470
Trans4mer Grille Guard, Stainless ⁽³⁰⁾	75520
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around)	72469
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M8274-50 only)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135

'02–05 DODGE 1500 2WD & 4WD INCLUDING "SPORT" PACKAGE (WILL NOT RETAIN FACTORY TOW HOOKS)

Trans4mer Grille Guard, Black ⁽³⁰⁾	76251
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	63653
Trans4mer Grille Guard, Stainless ⁽³⁰⁾	76252
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around)	63654
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M8274-50 only)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135

Hidden Mount Winch Kit (9.5xp, XD9, M8, VR8, M6)	63670
--	-------

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	63570

'11–12 DODGE RAM HD 4500 & 5500

Gen II Trans4mer

Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	85360
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85350
Grille Guard Kit, Black	81610
Short Grille Guard Kit, Black ⁽³¹⁾	84785
Headlamp Guard Kit, Black	82695
Light Bar, Black ⁽³¹⁾	80143
Receiver Kit, Black	80149

Mounting Kit, Large Frame, Stainless (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	85365
---	-------

Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85355
Grille Guard Kit, Stainless	81615
Short Grille Guard Kit, Stainless ⁽³¹⁾	84790
Headlamp Guard Kit, Stainless	82700
Light Bar, Stainless ⁽³¹⁾	80148
Receiver Kit, Black	80149

Heavy Duty Bumper, With Grille/Brush Guard, Black ⁽¹⁰⁾ (16.5ti, M15, M12, Com'l Series 9 & 12) Note: fits 2012 model	85886
---	-------

Heavy Duty Bumper, Without Grille/Brush Guard, Black ⁽¹⁰⁾ (16.5ti, M15, M12, Com'l Series 9 & 12) Note: fits 2012 model	85882
--	-------

'07–10 DODGE RAM HD 4500 & 5500, '07–10 STERLING BULLET 4500 & 5500

Gen II Trans4mer

Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	81260
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	81670
Grille Guard Kit, Black	81672
Short Grille Guard Kit, Black ⁽³¹⁾	85140
Headlamp Guard Kit, Black	81668
Light Bar, Black ⁽³¹⁾	80143
Receiver Kit, Black	80149

Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	81671
Grille Guard Kit, Stainless	81673
Short Grille Guard Kit, Stainless ⁽³¹⁾	85145
Headlamp Guard Kit, Stainless	81669
Light Bar, Stainless ⁽³¹⁾	80148
Receiver Kit, Black	80149

MOUNTING SYSTEMS
FOOTNOTES:

- V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (10) Includes a set of WARN W350F wireless fog lamps
- (30) Additional drilling/ grinding required for factory tow hook equipped vehicles
- (31) Not compatible when installing M8274-50 winch



MOUNTING SYSTEMS
FOOTNOTES:

- V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (10) Includes a set of WARN W350F wireless fog lamps
- (16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print
- (25) Must be Revision B0 for 2001 and later models
- (31) Not compatible when installing M8274-50 winch

MOUNTING SYSTEMS (CONTINUED)

'10-12 DODGE RAM HD 2500 & 3500 2WD & 4WD

Gen II Trans4mer	
Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	82760
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	
Grille Guard Kit, Black	82750
Short Grille Guard Kit, Black	81610
Headlamp Guard Kit, Black	84785
Light Bar, Black	82695
Receiver Kit, Black.....	80143
Receiver Kit, Black.....	80149
Mounting Kit, Large Frame, Stainless (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	
82755	86535
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	
82755	81615
84790	82700
82700	80148
80148	80149

Heavy Duty Bumper, With Grille/Brush Guard, Black⁽¹⁰⁾
(16.5ti, M15, M12, Com'l Series 9 & 12) Note: fits 2012 models..... 85886

Heavy Duty Bumper, Without Grille/Brush Guard, Black⁽¹⁰⁾
(16.5ti, M15, M12, Com'l Series 9 & 12) Note: fits 2012 models..... 85882

'06-09 DODGE RAM HD 2500 & 3500 2WD & 4WD; INCLUDING MEGACAB & MEGACAB 1500 (WILL NOT RETAIN FACTORY TOW HOOKS, EXCLUDES "SPORT" PACKAGE)

Trans4mer Grille Guard, Black	75525
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	72470
Trans4mer Grille Guard, Stainless	75530
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	72469
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier).....	63130
Winch Carrier (16.5ti, M15, M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135

Heavy Duty Bumper
With Grille/Brush Guard, Black (16.5ti, M15, M12)..... 72374

Heavy Duty Bumper
Without Grille/Brush Guard, Black (16.5ti, M15, M12) 74120

'06-09 DODGE RAM HD 2500 & 3500 2WD & 4WD; INCLUDING MEGACAB & MEGACAB 1500*LARAMIE ONLY* (WILL NOT RETAIN FACTORY TOW HOOKS, EXCLUDES "SPORT" PACKAGE)

Trans4mer Grille Guard, Black	75790
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	72470
Trans4mer Grille Guard, Stainless	75795
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	72469
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135

Heavy Duty Bumper
With Grille/Brush Guard, Black (16.5ti, M15, M12) 72374

Heavy Duty Bumper
Without Grille/Brush Guard, Black (16.5ti, M15, M12) 74120

'03-05 DODGE RAM HD 2500 & 3500 2WD & 4WD (WILL NOT RETAIN FACTORY TOW HOOKS, EXCLUDES "SPORT" PACKAGE)

Trans4mer Grille Guard, Black	76253
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	63653
Trans4mer Grille Guard, Stainless	76254
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	63654
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135

Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12)..... 65880

Heavy Duty Bumper Without Grille/Brush Guard, Black (16.5ti, M15, M12) 74120

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6)^V 26370

Multi-Mount Winch Frame (PowerPlant HP)^V 75330

Front Receiver (factory tow hooks can be used) 65370

'94-02 DODGE RAM PICKUP 3/4, 1 TON 2WD & 4WD; '94-01 RAM PICKUP 1/2 TON 2WD & 4WD (EXCLUDES '02 RAM 1/2 TON NEW BODY STYLE; EXCLUDES '99-02 "SPORT" PACKAGE)

Trans4mer Grille Guard, Black	30092
Angled Light Bar, Black	73745
Brush Guards, Black (Non-Wrap Around)	30106
Trans4mer Grille Guard, Stainless	65656
Angled Light Bar, Stainless	73753
Brush Guards, Stainless	65878
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027carrier)	63135
Winch Carrier, Com'l Series 9 & 12 ⁽¹⁶⁾	60420

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6)^V 26370

Multi-Mount Winch Frame (PowerPlant HP)^V 75330

Front Receiver (will not work with factory tow hooks) 31727

'97-04 DAKOTA '97-03 DURANGO 4WD, INCLUDING "SPORT" PACKAGE

Trans4mer Grille Guard, Black ⁽²⁵⁾	35095
Brush Guards, Black (Non-Wrap Around)	35097
Receiver, Black only (use with Trans4mer only).....	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for carrier above).....	63130

4WD HUBS

	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
1/2 Ton Pickup	'57-68		19		9072			7302
1/2 Ton Pickup & Ramcharger	'69-74		19	9790	20990		11967	20825
1/2, 3/4 Ton Pickup & Ramcharger	'80-93		19	9790	20990		11967	20825
3/4 Ton Pickup	'90-93		30	11690	38826		11714	11714
3/4 Ton Pickup	'57-74		19		9072			7302
1 Ton Pickup.....	'90-93		30	11690	38826		11714	11714

4X FLARES

	Year	PN
Ram Front ^A	'94-01	30210
Ram Rear ^B	'94-01	30211
Ram 2500, 3500 Front	'02	30210
Ram 2500, 3500 Rear ^B	'02	30211
Ram 2500, 3500 Front	'03-09	63860
Ram 2500, 3500 Rear (short box) ^B	'03-09	63865
Ram 2500, 3500 Rear (long box) ^B	'03-09	64545
Ram 1500 Front	'02-08	63860
Ram 1500 Rear (short box)	'02-08	63865
Ram 1500 Rear (long box).....	'02-08	64545

4X FLARES
FOOTNOTES:

- A Front Flares partially cover door opening
- B Flares do not fit boxes for dual wheel axles



MOUNTING SYSTEMS
FOOTNOTES:

(4) Moves factory bumper forward five inches

(5) Intended to be sold with PN 38772

(10)Includes a set of WARN W350F wireless fog lamps

(13) Will not fit 2WD models with coil springs. Will not fit Excursion. Will not fit trucks built after mid-Sept. '00 with blocker beam

(16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print

(22) Roller Fairlead Cover 25580 recommended

(24) Cannot be used with optional factory driving lights

(26) Carrier will block the factory fog/ driving lights on vehicles so equipped

(27) All Excursions, most Super Dutys built 10/00 and later

(29) For '04 model receiver applications, use the Trans4mer Grille Guard in combination with the receiver option 29397

(31) Not compatible when installing M8274-50 winch

V 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear

(*) Moves factory bumper forward five and a half inches

(*) Intended to be sold with PN 70490

(*) F-450/550 will require trimming of factory front flare to clear brush guard tubes

(*) Note: SST requires trimming when used with Brush Guards

MOUNTING SYSTEMS

'11-12 SUPER DUTY, F-250, F-350, F-450, F-550, 2WD & 4WD

Gen II Trans4mer	
Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	84275
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	84265
Grille Guard Kit, Black.....	85055
Short Grille Guard Kit, Black ⁽³¹⁾	84785
Headlamp Guard Kit, Black.....	84795
Light Bar Kit, Black ⁽³¹⁾	80143
Receiver Kit, Black.....	80149
Mounting Kit, Large Frame, Stainless (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	84745
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	84270
Grille Guard Kit, Stainless	85060
Short Grille Guard Kit, Stainless ⁽³¹⁾	84790
Headlamp Guard Kit, Stainless.....	84980
Light Bar Kit, Stainless ⁽³¹⁾	80148
Receiver Kit, Black.....	80149
Semi-Hidden Mount (16.5ti, M15, M12) ⁽⁴⁾	84515
Skirting Kit (required for above kit)	84520

Heavy Duty Bumper , With Grille/Brush Guard, Black ⁽¹⁰⁾ (16.5ti, M15, M12, Com'I Series 9 & 12) Note: fits 2012 models.....	85885
Heavy Duty Bumper , Without Grille/Brush Guard, Black ⁽¹⁰⁾ (16.5ti, M15, M12, Com'I Series 9 & 12) Note: fits 2012 models.....	85881

'08-10 SUPER DUTY, F-250, F-350, F-450, F-550, 2WD & 4WD

Gen II Trans4mer	
Mounting Kit, Large Frame, Black (Incl. Winch Carrier) (16.5ti, M15, M12, M8274-50)	80140
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80150
Grille Guard Kit, Black.....	80141
Short Grille Guard Kit, Black ⁽³¹⁾	85140
Headlamp Guard Kit, Black.....	80142
Light Bar Kit, Black ⁽³¹⁾	80143
Receiver Kit, Black.....	80149
Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80155
Grille Guard Kit, Stainless	80146
Short Grille Guard Kit, Stainless.....	85145
Headlamp Guard Kit, Stainless.....	80147
Light Bar Kit, Stainless.....	80148
Receiver Kit, Black.....	80149

Trans4mer Grille Guard, Black	75810
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	75850
Trans4mer Grille Guard, Stainless	75815
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	75849
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier) ^(*)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50) ⁽²⁶⁾	62027
SST Stainless Steel Carrier Cover (for 62027 carrier) ^(*)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420

'08-10 SUPER DUTY, F-250, F-350, F-450, F-550, 2WD & 4WD (CONTINUED)

Semi-Hidden Mount (16.5ti, M15, M12) ^{(4)(*)}	78105
Skirting Kit (required for above kit)	78319

Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12)	74777
Heavy Duty Bumper Without Grille/Brush Guard, Black (16.5ti, M15, M12)	76250

Front Skid Plate	76585
Transmission Skid Plate	76590

'05-07 SUPER DUTY, F-250, F-350, F-450, F-550, 2WD & 4WD; EXCLUDES EXCURSION

Trans4mer Grille Guard, Black	76256
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	69685
Trans4mer Grille Guard, Stainless	76255
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	70017
Receiver, Black only (use with Trans4mer only).....	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274-50) ⁽²⁶⁾	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver	70480

Semi-Hidden Mount (16.5ti, M15, M12) ^(*) (*) ⁽²⁴⁾	70005
Skirting Kit (required for above kit)	70490

Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12) ^(*) ⁽³⁾	70650
Heavy Duty Bumper Without Grille/Brush Guard, Black (16.5ti, M15, M12)	73990

'99-04 SUPER DUTY, F-250, F-350, F-450, F-550, 2WD & 4WD; '00-04 EXCURSION

Trans4mer Grille Guard, Black	76258
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	38060
Trans4mer Grille Guard, Stainless	76257
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	60450
Receiver, Black only (use with Trans4mer only).....	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (16.5ti, M15, M12, M8274) ⁽²⁶⁾	62027
SST Stainless Steel Carrier Cover (for 62027 carrier).....	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver ('99-01) ⁽¹³⁾	38450
Front Receiver, for '01-03 vehicles equipped with blocker beam ⁽²⁷⁾	
Will not fit '04 models ⁽²⁹⁾	62524

Semi-Hidden Mount (16.5ti, M15, M12) ⁽⁴⁾⁽⁵⁾⁽²²⁾⁽²⁴⁾	62289
Skirting Kit (required for above kit)	38772

Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12)	63600
--	-------

MOUNTING SYSTEMS (CONTINUED)

'09-12 F-150 4WD

Gen II Trans4mer	
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80160
Grille Guard Kit, Black.....	80161
Short Grille Gaurd Kit, Black.....	85140
Headlamp Guard Kit, Black	80162
Light Bar Kit, Black	80143
Receiver Kit, Black.....	80149

Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	80156
Grille Guard Kit, Stainless	80157
Short Grille Gaurd Kit, Stainless	85145
Headlamp Guard Kit, Stainless.....	80158
Light Bar Kit, Stainless.....	80148
Receiver Kit, Black.....	80149

'11-12 F-150 4WD ECOBOOST

Gen II Trans4mer	
Mounting Kit, Mid Frame, Black (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	87374
Grille Guard Kit, Black	80161
Short Grille Gaurd Kit, Black.....	85140
Headlamp Guard Kit, Black	80162
Light Bar Kit, Black	80143
Receiver Kit, Black.....	80149

Mounting Kit, Mid Frame, Stainless (Incl. Winch Carrier) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	87376
Grille Guard Kit, Stainless	80157
Short Grille Gaurd Kit, Stainless.....	85145
Headlamp Guard Kit, Stainless.....	80158
Light Bar Kit, Stainless.....	80148
Receiver Kit, Black.....	80149

'06-08 F-150 4WD

Trans4mer Grille Guard, Black (requires 29394 winch carrier).....	75505
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	66405
Trans4mer Grille Guard, Stainless (requires 29394 winch carrier).....	75510
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	66404
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

'04-05 F-150 4WD

Trans4mer Grille Guard, Black	76259
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	66405
Trans4mer Grille Guard, Stainless	76260
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	66404
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Receiver, Black only (use with Trans4mer only)	29397

Hidden Kit , includes special XD9000 short drum winch.....	69110
---	-------

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver.....	68680

MOUNTING SYSTEMS
FOOTNOTES:

(J) Must be revision #B0 for 9000 winch PN 27550 or 28500

(K) Except models with far forward mounted stabilizer bar

(V) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear

(14) Must be Rev. B0 for '99-00 models

(16) Fits Series 9 or 12 commercial winch with 12"/304.8mm wide foot print

(17) Must be Rev. B0 for HS9000 winch PN 47550, 48500

(19) Requires factory tow hooks or Adapter Kit PN 37174

(23) Roller Fairlead Cover 35363 recommended

(*) Cannot be used with winch carrier when winch is mounted

'03-04 EXPEDITION 4WD

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver.....	69594

'99-03 F-150 & F-250 LIGHT DUTY 4WD ONLY, '99-02 EXPEDITION 4WD, '01-03 SUPER CREW 4WD

Trans4mer Grille Guard, Black	39680
Angled Light Bar, Black.....	73745
Brush Guards, Black (Two-Bar Wrap Around)	39900
Trans4mer Grille Guard, Stainless	63470
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around).....	64705
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420

Semi-Hidden Mount (9.5cti, 9.5xp, XD9i, XD9, M8, VR 8, M6) ⁽¹⁴⁾⁽¹⁹⁾	34701
---	-------

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver ⁽¹⁴⁾⁽¹⁹⁾	33088

'97-98 F-150 & F-250 LIGHT DUTY 4WD ONLY, EXPEDITION 4WD (REQUIRES FACTORY TOW HOOKS OR ADAPTER KIT SHOWN BELOW)

Trans4mer Grille Guard, Black	33086
Light Bar, Black ^(*)	29169
Brush Guards, Black (Non-Wrap Around)	33602
Receiver, Black only (use with Trans4mer only)	29166
Winch Carrier (VR10, XD9i, XD9, M8, VR8, M6) ^J	29165
Winch Carrier (VR12, 9.5cti, 9.5xp).....	39781
Winch Carrier (M8274-50).....	30040

Semi-Hidden Mount (9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) ⁽¹⁷⁾⁽²³⁾	34701
--	-------

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver.....	33088

Adapter Kit (use on vehicles without factory tow hooks)	37174
--	-------

'92-96 F-SERIES PICKUP 1/2, 3/4, 1 TON; BRONCO (INCLUDES COMMERCIAL F-350 & SUPER DUTY), '97 F-250 HEAVY DUTY & F-350

Trans4mer Grille Guard, Black	29757
Angled Light Bar, Black	73745
Brush Guards, Black (Non-Wrap Around)	29781
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Winch Carrier (M12, M8274-50)	62027
SST Stainless Steel Carrier Cover (for 62027 carrier)	63135
Winch Carrier, Com'I Series 9 & 12 ⁽¹⁶⁾	60420

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver ^K	28070



MOUNTING SYSTEMS (CONTINUED)

- MOUNTING SYSTEMS FOOTNOTES:
- (J) Must be revision #B0 for 9000 winch PN 27550 or 28500
- (V) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (6) Front Receiver applications (does not fit diesels) '80-91 Pickup 1/2 Ton (2 & 4WD) and 3/4 Ton 2WD is PN 25862. '80-91 Pickup 3/4 Ton 4WD with leaf springs is PN 25852
- (25) Must be Revision B0 for 2001 and later models
- (*) Cannot be used with winch carrier when winch is mounted

- 4WD HUBS FOOTNOTES:
- B Will not fit '87-early '88 model vehicles, flange mount. (Dealer item only. See Ford parts & service)
- D Very early '90 vehicles with 23 tooth axle spline require 1989 model hubs
- E When replacing factory automatic hubs with manual hubs, you must also purchase Spindle Nut Conversion Kit #27988 for '83-89 vehicles; Conversion Kit #32720 for '90-97
- G Vehicles with full-time 4WD will require a transfer case conversion kit
- H When replacing automatic 3 hole cap screw hubs with manual hubs, you must purchase corresponding spindle nut conversion kit per application chart
- K Will not fit dual wheel application

- 4X FLARES FOOTNOTES:
- B Flares do not fit boxes for dual wheel axles

'87-91 F-SERIES PICKUP 1/2, 3/4, 1 TON; BRONCO	
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver.....	(6)
'80-86 F-SERIES PICKUP 1/2, 3/4, 1 TON; BRONCO	
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (PowerPlant HP) ^V	75330
Front Receiver.....	(6)
'98-03 RANGER 4WD	
Trans4mer Grille Guard, Black ⁽²⁵⁾	37133
Light Bar, Black ^(*)	29169
Brush Guards, Black (Non-Wrap Around)	30146
Receiver, Black only (use with Trans4mer only)	29166
Winch Carrier (VR10, XD9i, XD9, M8, VR8, M6) ^J	29165
Winch Carrier (9.5cti, 9.5xp)	39781

4WD HUBS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit	
							Std	Prem
Bronco II, Ranger	'83-89	E, D	23	29070		27988	39128	
Explorer	'90-94	D, E	27	29071		32720	39128	
Ranger	'90-97	E, D	27	29071		32720	39128	
Bronco	'66-96	B, G, H	19	9790	20990	32720	11967	20825
1/2 Ton Pickup	'59-96	B, G, H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup	'59-75		19	9790	20990		11967	20825
3/4 Ton Pickup, Light Duty	'77½-97	H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup, Heavy Duty	'63-77	G	19		9072			7302
3/4 Ton Pickup, Crew Cab only	'76-77½		19		29063			7302
3/4 Ton Pickup, Heavy Duty	'78-97	H	30	11690	38826	32721	11714	11714
1 Ton Pickup	'78-97	H	30	11690	38826	32721	11714	11714
Super Duty (F-250/350; Excursion)	'99-04	K	30	11690	38826		11714	11714
Courier, Ranger Int'l only	'99-01		26	61572				

4X FLARES	Year	PN	Year	PN
F-Series Pickup Front	'80-86	29878	F-250/350 Super-Duty Pickup Rear ^B	'99-10 37215
F-Series Pickup Rear	'80-86	29879	F-150 Pickup Front	'04-11 72990
F-Series Pickup Front	'87-91	26543	F-150 Pickup Rear	'04-11 72985
F-Series Pickup Rear ^B	'87-91	26733	F-Bronco Front	'80-86 29878
F-Series Pickup Front	'92-96	27808	F-Bronco Rear	'80-86 29879
F-Series Pickup Rear	'92-96	26733	F-Bronco Front	'87-91 26543
Flare Side Front	'94-96	27808	F-Bronco Rear	'87-91 26733
F-250/350 Heavy-Duty Pickup Front	'97	27808	F-Bronco Front	'92-96 27808
F-250/350 Heavy-Duty Pickup Rear ^B	'97	26733	F-Bronco Rear	'92-96 26733
F-250/350 Super-Duty Pickup Front	'08-10	75860	Ranger Front	'89-92 26553
F-250/350 Super-Duty Pickup Front	'99-07	37060	Ranger Rear	'89-92 26735

LIGHT BAR

H2 Hummer. Bolts to factory grille guard.
Will accommodate up to four Warn SDB160 lights.^(*)..... 68499

MULTI-MOUNT

9.5cti Multi-Mount Kit for the H2
(winch, carrier and wiring for front of vehicle)^V..... 85757

WARN WINCH BUMPER FOR THE H2 HUMMER

Bumper Kit for H2 Hummer
(requires winch PN 69502, sold separately)..... 69501
Winch for WARN Bumper for H2,
special 9.5xp configuration.....69502

LIGHT BAR NOTE:
(*) Will not work with WARN Winch Bumper for the H2 Hummer

MULTI-MOUNT NOTE
V 20'/6m Power Lead (PN 32963) or 24'/8m (PN 32966)required for winching from rear

International Harvester

4WD HUBS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit	
							Std	Prem
Scout	'61-70		10		29062			7300
Scout II, Terra, Travelall	'71-80		27		9062			7300
1/2 Ton Pickup, Travelall	'68-75		19	9790	20990		11967	20825
1/2 Ton, 3/4 Ton Pickup	'56-72		19		9072			7302

Isuzu

4WD HUBS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit	
							Std	Prem
Trooper I	'83-86		24		61424			61692
Trooper II	'87-99		17		61385			61693
Rodeo	'91-99		17		61385			61693

MOUNTING SYSTEMS FOOTNOTES:

- (O) Will fit standard bumper and factory optional Jeep tube bumper
- (8) Hard Winch Cover not compatible with Grille Guard
- (9) Will not mount to Mopar accessory tube bumper
- (10) Not compatible with M8274-50 winch plate 21395
- (11) Requires winch plate 37170
- (12) Requires winch plate 13910 or 11310
- (13) Requires Rock Crawler front bumper 61856
- (14) Requires winch plate 87675
- (15) Not compatible with M8274-50 winch
- (V) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear

MOUNTING SYSTEMS/ FRONT BUMPERS

'07-12 JEEP WRANGLER JK (INCLUDES RUBICON,UNLIMITED, UNLIMITED RUBICON, 2 DOOR/4 DOOR; 2WD/4WD)

Rock Crawler Front Bumper
Bumper only (order mounting plate below to mount winch, fits with factory lights) 74255

Rock Crawler Stubby Front Bumper
Bumper with grille guard tube (includes mounting plate to mount PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6. Fits with factory lights) 87600

Rock Crawler Stubby Front Bumper
Bumper without grille guard tube (includes mounting plate to mount PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6. Fits with factory lights) 87650
(order mounting plate below to mount M8274-50) ⁽¹⁴⁾

Elite Series Front Bumper
Bumper with grille guard tube (includes mounting plate to mount PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6. Fits with factory lights) 87750

Elite Series Front Bumper
Bumper without grille guard tube (includes mounting plate to mount PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6. Fits with factory lights) 87755

Mounting Plate Kit for Rock Crawler front bumper (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 74950
--

Mounting Plate Kit for Rock Crawler front bumper (M8274-50) ... 74955
--

Mounting Plate Kit for Rock Crawler Stubby front bumper without tube (M8274-50) 87675
--

Grille Guard Tube (requires 74255 WARN Rock Crawler front bumper; not compatible with 74955, 74247, 74249 winch plates)..... 74256

Blocker Beam Skid Plate (requires 74255 WARN Rock Crawler front bumper)..... 74570
--

'07-11 JEEP WRANGLER JK (INCLUDES RUBICON,UNLIMITED, UNLIMITED RUBICON, 2 DOOR/4 DOOR; 2WD/4WD)

Mounting Plate Kit for factory front bumper (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 74247

Mounting Plate Kit for factory front bumper (M8274-50) 74249

'97-06 WRANGLER TJ

Rock Crawler Stubby Front Bumper
Bumper without grille guard tubes (includes mounting plate to mount PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) ⁽¹⁵⁾ 87700

Rock Crawler Front Bumper
Bumper only (order mounting plate below to mount winch) 61853

Mounting Plate Kit for factory bumper or WARN Rock Crawler Bumper (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) ^(O) 37170
(M8274-50) ⁽⁹⁾ 38671

Grille Guard Tube
For factory front bumper ^{(8),(11)} 37171
For WARN Rock Crawler Bumper ^{(8),(11)} 61855

'87-96 WRANGLER YJ; '91 RENEGADE

Rock Crawler Front Bumper
Bumper only (order mounting plate below to mount winch) 61856

Mounting Plate Kit for factory bumper or WARN Rock Crawler Bumper (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 21390
(M8274-50) 21395

Grille Guard Tube
For WARN Rock Crawler Bumper ^{(10), (13)} 61858

'76-86 CJ, SCRAMBLER

Rock Crawler Front Bumper
Bumper only (order mounting plate below to mount winch) 61859

Mounting Plate Kit for factory bumper or WARN Rock Crawler bumper (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)..... 13910
(M8274-50) 11310

Grille Guard Tube
For WARN Rock Crawler Bumper ⁽¹²⁾ 61861

'99-02 GRAND CHEROKEE

Multi-Mount Winch Frame (M6000) ^(V) 26370
Front Receiver (rated for use with the M6000 and M6000 SDP only) 61768

'97-01 CHEROKEE (WILL NOT FIT GRAND CHEROKEE, WILL NOT WORK WITH FACTORY TOW HOOKS)

Trans4mer Grille Guard, Black 39637
Brush Guards, Black (Non-Wrap Around) 39563
Winch Carrier (VR12, VR10, XD9i, XD9, M8, VR8, M6) 29394
SST Stainless Steel Carrier Cover (for 29394 carrier) 63130
Receiver, Black only (use with Trans4mer only) 29397

XJ Front Bumper & Winch Mount (with grille guard tubes) (Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 64535
Bumper Extension kit (required for above bumper)..... 65852

XJ Front Bumper & Winch Mount (without grille guard tubes) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 64737
Bumper Extension kit (required for above bumper)..... 65852

'84-96 WAGONEER, CHEROKEE, COMMANCHE (DOWN SIZE)

Trans4mer Grille Guard, Black 60766
Brush Guards, Black (Non-Wrap Around) 39563
Receiver, Black only (use with Trans4mer only) 29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 29394
SST Stainless Steel Carrier Cover (for 29394 carrier) 63130

XJ Front Bumper & Winch Mount (with grille guard tubes) (Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 64535

XJ Front Bumper & Winch Mount (without grille guard tubes) (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6) 64737
--

ROCK CRAWLER REAR BUMPERS

'07-12 JEEP WRANGLER JK (INCLUDES RUBICON,UNLIMITED, UNLIMITED RUBICON, 2 DOOR/4 DOOR; 2WD/4WD)

Rear Bumper —designed to accept tire carrier (sold separately)..... 74300
Tire Carrier (for use with PN 74300)..... 74299

'97-06 TJ WRANGLER (INCLUDES RUBICON AND UNLIMITED)

Rear Bumper —will not accept tire carrier 61854
Rear Bumper —designed to accept tire carrier (sold separately) 65508
Tire carrier (for use with PN 65508) 64337

'87-96 YJ WRANGLER

Rear Bumper —will not accept tire carrier 61857
Rear Bumper —designed to accept tire carrier (sold separately) 65509
Tire carrier (for use with PN 65509) 64337

4X FLARES

	Year	Width	PN
Jeep CJ	'72-86	3½"	30754
Jeep YJ Wrangler	'87-96	7"	30203
Jeep TJ Wrangler.....	'97-06	7"	34699

Note: sold in complete sets of four.

ROCK CRAWLER FOOTNOTES:

- (30) Some vehicles may require additional spacers to fit bumper. Contact Warn Customer Service if needed.

'76-86 CJ7, CJ8

Rear Bumper —will not accept tire carrier 61860
--

Rear Bumper —designed to accept tire carrier (sold separately) ⁽³⁰⁾ 62947
Tire carrier (for use with PN 62947) 63253

'84-96 XJ CHEROKEE

Rear Bumper —will not accept tire carrier 65801
Rear Bumper —designed to accept tire carrier (sold separately) 65800
Tire carrier (for use with PN 65800) 66355

'97-01 XJ CHEROKEE

Rear Bumper —will not accept tire carrier 69251
Rear Bumper —designed to accept tire carrier (sold separately) 69250
Tire carrier (for use with PN 69250) 66355

JEEP BODY ARMOR

	Year / Model	PN
Rock Sliders	'07-11 JK - 2 Door.....	74580
Rock Sliders	'07-11 JK - 4 Door.....	74575
Rock Sliders	'04-06 TJ Unlimited.....	69875
Rock Sliders	'03-06 TJ	71500
Rock Sliders	'97-02 TJ	63002
Rock Sliders	'87-96 YJ	63003
Rock Sliders	'76-86 CJ7.....	63004
Rock Sliders	'84-01 XJ	67930
Oil Pan Skid Plate ^A	'97-03 TJ (4-cylinder)	65152
Oil Pan Skid Plate ^A	'97-03 TJ (6-cylinder)	65020
Fuel Tank Skid Plate.....	'97-06 TJ	67820
Fuel Tank Skid Plate.....	'87-96 YJ	66550
Steering Box Skid Plate.....	'97-06 TJ	64250
Steering Box Skid Plate.....	'87-96 YJ	64650
Transfer Case Skid Plate ^B	'84-01 XJ	68930

	Year / Model	PN
Differential Skid Plate (Black).....	Dana 30	65443
Differential Skid Plate (Black)	Dana 35	65445
Differential Skid Plate (Black)	Dana 44	65447
Differential Skid Plate (Black)	Dana 60	65459
Differential Skid Plate (Black)	Ford 8.8.....	65637

JEEP BODY ARMOR FOOTNOTE:

- A Excludes Rubicon model
- B Fits vehicles equipped with NP231 transfer case only.

Jeep

JEEP HUBS FOOTNOTES:
A Very early vehicles may require that the threaded axle end be cut off
F Will not fit vehicles with factory optional chrome wheels
G Vehicles with full-time 4WD will require a transfer case conversion kit

4WD HUBS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
CJ, Universal, M38A1, Willys	'71 & Prior	A	10		29062			7300
CJ, Universal (6 bolt)	'72–80	G	27		9062			7300
CJ, Universal Scrambler (5 bolt)	'81–86	F	27	28751				
Jeepster C101 Commando	'66–71		10		29062			7300
Jeepster C104	'72–73		27		9062			7300
Gladiator, Wagoneer, Pickup	'73 & Prior		10		29062			7300
Full size Wagoneer, Cherokee, J-10 Pickup, Commander	'74–91	G	19	9790	20990		11967	20825
J-20 Pickup (heavy axle)	'72–76		19		9072			7302
J-20 Pickup	'77–87		19	9790	20990		11967	20825
J4800 Pickup, Camper Spl	'69–74		10		6094			7302
Jeep Station Wagon, Pickup	'65 & Prior		10		29062			7300

Kia

4WD HUBS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
Sportage, Retona	'95–02		26	60247				
Sportage, Retona	'95–02		26					Automatic Locking Hubs 61918

Land Rover

FRONT WINCH BUMPER

WARN Winch Bumper for the Defender 90/110, air conditioned and non air conditioned models. Winch sold separately.
(Fits: 9.5cti, 9.5xp, XD9i, XD9, M8, M6).....PN 69465

Mazda

4WD HUBS FOOTNOTES:
E When replacing factory automatic hubs with manual hubs, you must also purchase Spindle Nut Conversion Kit #27988 for '83–89 vehicles; Conversion Kit #32720 for '90–97

4WD HUBS	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
Pickup	'94–97	E	27	29071		32720	39128	
Navajo	'90–94	E	27	29071		32720	39128	
B Series, Fighter, Int'l only	'99–01		26	61572				

Nissan

4X FLARES

	Year	PN
4WD Pickup Front	'86½–97	26568
4WD Pickup Rear	'86½–97	26738

4WD HUBS

	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
Pickup	'84–86½	I	26		29087			29061
Pickup, Pathfinder	'86½–89	I	27		28739			29061
Pickup, 4 cylinder	'90–93	I	27		28739			29061
Pickup (incl. Frontier), 4 cyl	'94–01	I	28		29091			29061
Pickup (incl. Frontier), Pathfinder, 6 cyl	'90–01	I	28		29091			29061
Xterra	'00	I	28		29091			29061

4WD HUBS FOOTNOTES:
I Hub Set includes Stud Kit (PN 38003)

Suzuki

4WD HUBS

	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
Samurai, Sierra	'82–01	J	26		34581			7309
Sidekick, X-90, Vitara, Escudo	'89–01	J	26	39198	34581			7309

4WD HUBS FOOTNOTES:
J Not for front axle disconnect systems

Toyota

MOUNTING SYSTEMS AND BUMPERS

'10–11 FJ CRUISER

Front Off-Road Winch Bumper (accepts PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	85740
Rear Off-Road Bumper	73961

'06–09 FJ CRUISER

Front Off-Road Winch Bumper (accepts PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	73040
Rear Off-Road Bumper	73961

'07–11 TUNDRA 2WD & 4WD

Trans4mer Grille Guard, Black	76380
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	76378
Trans4mer Grille Guard, Stainless	76381
Angled Light Bar, Stainless	73753
Brush Guards, Stainless (Two-Bar Wrap Around)	76379
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

'03–06 TUNDRA 2WD & 4WD

Trans4mer Grille Guard, Black ⁽³¹⁾	68505
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around) ^Z	68550
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

'00–02 TUNDRA 2WD & 4WD

Trans4mer Grille Guard, Black	60097
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	39900
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

Multi-Mount Winch Frame (for PowerPlant HP only) ^V	75330
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Front Receiver	60760

'05–11 TACOMA 4WD PICKUP

Trans4mer Grille Guard, Black	71250
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	71754
Receiver, Black only (use with Trans4mer only) ^G	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

'01–04 TACOMA 4WD PICKUP

Trans4mer Grille Guard, Black	63065
Angled Light Bar, Black	73745
Brush Guards, Black (Two-Bar Wrap Around)	63062
Receiver, Black only (use with Trans4mer only) ^G	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

'01–04 TACOMA 4WD PICKUP (CONTINUED)

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (for PowerPlant HP only) ^V	75330
Front Receiver	63058

MOUNTING SYSTEMS FOOTNOTES:

- (G) For Tacoma, 29397 must be revision #DØ (or later)
- (V) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear
- (Z) Brush guard not compatible with crew cab models
- (31) Must be revision #BØ for Double Cab



MOUNTING SYSTEMS
FOOTNOTES:(G) For Tacoma, 29397
must be revision
#DØ (or later)(V) 20'/6m Power Lead
(PN 32963) or 24'/8m
Power Lead (PN
32966) required for
winching from rear

(11) Must be revision #BØ

MOUNTING SYSTEMS (CONTINUED)

'98-00 TACOMA 4WD PICKUP, '98-00 PRERUNNER

Trans4mer Grille Guard, Black	37172
Angled Light Bar, Black	73745
Brush Guards, Black (Non-Wrap Around)	37195
Receiver, Black only (use with Trans4mer only) ^G	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (for PowerPlant HP only) ^V	75330
Front Receiver ⁽¹¹⁾	33025

'95-97 TACOMA 4WD PICKUP

Trans4mer Grille Guard, Black	32522
Angled Light Bar, Black	73745
Brush Guards, Black (Non-Wrap Around)	32525
Receiver, Black only (use with Trans4mer only) ^G	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130
Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (for PowerPlant HP only) ^V	75330
Front Receiver	33025

'93-98 T-100 4WD PICKUP

Trans4mer Grille Guard, Black	29400
Angled Light Bar, Black	73745
Receiver, Black only (use with Trans4mer only)	29397
Winch Carrier (PowerPlant HP & HD, Endurance 12.0, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	29394
SST Stainless Steel Carrier Cover (for 29394 carrier)	63130

'92-95 4WD PICKUP, HILUX (EXCLUDES TACOMA)

Rock Crawler Front Bumper (9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	68450
Grille Guard Tube (for bumper PN 68450)	68451

Rock Crawler Rear Bumper	68490
---------------------------------------	-------

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (for PowerPlant HP only)	75330
Front Receiver	25873

'89-91 4WD PICKUP, HILUX

Rock Crawler Front Bumper (9.5cti, 9.5xp, XD9i, XD9, M8, VR8, M6)	68450
Grille Guard Tube (for bumper PN 68450)	68451

Rock Crawler Rear Bumper	68490
---------------------------------------	-------

'86-89 4-RUNNER; '86-88 4WD PICKUP, HILUX

Multi-Mount Winch Frame (9.5xp, XD9i, XD9, M8, VR8, M6) ^V	26370
Multi-Mount Winch Frame (for PowerPlant HP only) ^V	75330
Frame Front Receiver	25873

4WD HUBS

	Year	Cautionary Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Hub Service Kit Std	Prem
Pickup, Hilux, 4-Runner, with ADD	'86-95	^C	26		28761	29918		7309
Landcruiser	'63-75		6		28781			7309
Landcruiser	'76-87	^C	30		28771	29918		7309
Pickup, Hilux, 4-Runner	'76-85	^C	30		28771	29918		7309
T100	'93-99	^C	26		28761	29918		7309
T100, W/ADD	'93-99		26		28761	29918		7309
Van, Previa	'86-92	^C	26		28761	29918		7309
Tacoma (w/factory man.hubs)	'95-01		26		60459			7309
Hilux Int'l with Torsion bar susp	'98-01	^C			28761	29918		7309

4X FLARES

	Year	PN
4WD Pickup Front	'84-88	29872
4WD Pickup Rear	'84-88	29873
4WD Pickup Front	'89-94	26563
4WD Pickup Rear	'89-94	26737
Tacoma, 4x4, Front	'95-02	32950
Tacoma, 4x4, Rear	'95-02	32951
Dual Cab Hilux Front	'89-95	26563
Dual Cab Hilux Front	'98-00	39030
Dual Cab Hilux Rear	'98-00	39015

4WD HUBS
FOOTNOTES:^C When replacing
factory automatic
hubs with manual
hubs, you must also
purchase Spindle
Nut Conversion
Kit #29918 (except
for ADD)