



VALUE WITHOUT COMPROMISE



www.warriorwinch.co.uk

ABOUT US

PRODUCT RANGE



EXTRAS AS STANDARD

Specify Warrior Winches and the one thing you won't be doing is writing an extras list. That's because many eXtras are all-inclusive. Wireless remote is standard on some models. We use water-resistant solenoids, so you can take the worst weather in your stride. 3-stage planetary gears mean there's always the right ratio to hand. And with the latest motor technology, there's power to spare. Factor in the No Quibble Lifetime Warranty and you have an unbeatable all-inclusive package that leaves the competition standing.



FULL RANGE OF ACCESSORIES AVAILABLE

Winch Solutions Ltd UK is Europe's Premier Winch supplier. In partnership with our distributors we supply internationally the complete range of Warrior electric and hydraulic winches. In the most extreme conditions, when lesser products might be found wanting, Warrior Winches will deliver what your customer demands and our service levels will raise the bar in the process. Whatever the requirement, for all applications and whatever the vehicle, we can supply a Warrior Winch to fulfil their need. Exceptional product performance, will be ably supported, by the highest levels of after sales support.

Our aim is to offer value without compromise.

VALUE FOR MONEY SPECIFICATION

At Winch Solutions Ltd we have long recognised that our customers want all-inclusive prices and not a long expensive extras list. So every one of our winches is supplied, as standard, with a specification that represents exceptional value.

Highest quality motors are the powerhouse, 3-stage Planetary Gears provide the right ratios for virtually any task, Water-resistant Solenoids & fully sealed housings deliver reliability in the worst of conditions and Wireless Remote Controls (selected models) mean total in-cab control.

You are supported from your initial enquiry through to spec selection, delivery and beyond. A Lifetime Warranty provides total confidence. Warrior Winches provide so much more for your hard-earned money.

LIFETIME WARRANTY

Unbelievably - every Warrior Winch is backed by a no-quibble Limited Lifetime Warranty. We deliver the message, that in the unlikely event of things going wrong - there will be an open, simple and direct commitment to rectify any misfortunes, an approach, of considerable integrity that has won customers and plaudits across the world. This translates into creating the opportunity for you, to specify Warrior Winches in total confidence, knowing that our service and reputation delivers!!



A SERIES

A frontline General Purpose ATV winch range. Exceptional durability and rugged performance, with sealed motors and contactors as standard.



A-PRO SERIES

Professional ATV winch range with complete range of accessories. Rugged performance, with sealed motors and contactors as standard.



XT SERIES

Ideal for ATV, UTV and small trailers. Huge motors, heavy duty clutches and steel gearing provide the ultimate in performance and reliability.



C4500EWX

One of the quietest winches on the market. Silky smooth performance & a full load holding brake make it the perfect solution for high spec applications.



EWX SERIES

Total performance in extreme environments. Features include full sealing for ultimate water resistance, stainless steel fittings and integrated Wireless Remote.



C9500HS

The ultimate winch for Extreme Terrain. Fully sealed with a huge 6.5 hp motor and unbeatable line speed of 65 ft/min.



SD SERIES

Arguably the highest specification Rock Crawler. Features include full sealing for ultimate water resistance, s/steel fittings & integrated Wireless Remote.



C17500EWX

The best £ for lb winch on the market. Outstanding features includes a huge 7.0 hp high quality double sealed motor and waterproof contactors.



TDS RANGE 9500 / 12000

The TDS is able to provide the ultimate combination of speed and raw power whilst offering the lowest amp draw of any like for like winch on the market.



TDS RANGE 16500 / 20000

The biggest electric winch on the market today. An incredible 9 tonnes of pulling power and powerful load holding external brake.



A SERIES

12V/24V PROFESSIONAL ATV WINCHES

Heavy duty ATV and utility winches. High torque motor, Unique clutch , heavy duty steel gearing and heavy duty waterproof contactors ensure maximum performance in all conditions. Extensive Seals ensure maximum water resistance. Comes complete with hand remote, pulley block, flat mount plate and all fittings.



**Comes with contactor fitted.

STANDARD ACCESSORIES

- Galvanised Steel cable
- 10ft Remote Handset
- Pulley Block
- Battery leads
- Solenoid Leads
- Flat Mount Plate
- 1/4 hook

OUTSTANDING FEATURES

- Power in and Power out
- High Quality Sealed Motor
- Heavy Duty Waterproof Contactors
- Full Steel Planetary Gearing
- Heavy Duty Clutch
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

2000LBS

RATED LINE PULL: 2000lbs(907kg)
MOTOR: 12v : 1.0hp / 0.7kw
GEARING: 153:1
BRAKING ACTION: Dynamic
DRUM SIZE Dia x L: 31.5 x 73mm
CABLE Dia x L: 4mm x 15m
MOUNTING PATTERN: 79.5mm
DIMENSIONS: 308 x 113 x 150mm

2500LBS

RATED LINE PULL: 2500lbs(1134kg)
MOTOR: 12v : 1.35hp / 0.95kw
GEARING: 170:1
BRAKING ACTION: Dynamic
DRUM SIZE Dia x L: 37 x 80mm
CABLE Dia x L: 4.8mm x 14mm
MOUNTING PATTERN: 79.5mm
DIMENSIONS: 335 x 113 x 165mm

3500LBS

RATED LINE PULL: 3500lbs (1588kg)
MOTOR: 12v : 1.95hp / 1.37kw
GEARING: 170:1
BRAKING ACTION: Dynamic
DRUM SIZE Dia x L: 37 x 80mm
CABLE Dia x L: 5.4mm x 12.8m
MOUNTING PATTERN: 79.5mm
DIMENSIONS: 348 x 116 x 165mm

www.warriorwinch.co.uk



A-PRO SERIES

12V/24V PROFESSIONAL ATV WINCHES

Ideal for large ATV's and small trailers. A huge high power motor, heavy duty clutch, heavy duty steel gearing and heavy duty waterproof contactors ensure the ultimate in performance and reliability. Comes complete with hand remote, atv remote, pulley block, strop, shackle, winch guard, flat mount plate and all fittings.



STANDARD ACCESSORIES

- 45ft x 15/64inch synthetic cable*
- Aluminium Fairlead
- 10ft Remote Handset
- ATV Remote
- Winching Strop
- Pulley Block
- 1/4 Shackle
- Flat Mount Plate
- 1/4 hook

OUTSTANDING FEATURES

- Power in and Power out
- High Quality Sealed Motor
- Heavy Duty Waterproof Contactors
- Full Steel Planetary Gearing
- Heavy Duty Clutch
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

2000LBS

RATED LINE PULL: 2000lbs
MOTOR: 12v : 1.0 hp / 0.7kw
GEARING: 153:1
BRAKING ACTION: Dynamic
DRUM SIZE Dia x L: 1.43 x 3.31 inch
CABLE Dia x L: 15/64th inch x 50 ft*
MOUNTING PATTERN: 3.61 inch
DIMENSIONS: 14 x 5.13 x 6.81 inch

2500LBS

RATED LINE PULL: 2500lbs
MOTOR: 12v : 1.35hp / 1.0kw
GEARING: 170:1
BRAKING ACTION: Dynamic
DRUM SIZE Dia x L: 1.68 x 3.31 inch
CABLE Dia x L: 15/64th inch x 45 ft
MOUNTING PATTERN: 3.6 inch
DIMENSIONS: 15 x 5.13 x 6.81 inch

3500LBS

RATED LINE PULL: 3500lbs
MOTOR: 12v : 1.95hp / 1.35kw
GEARING: 170:1
BRAKING ACTION: Dynamic
DRUM SIZE Dia x L: 1.68 x 3.31 inch
CABLE Dia x L: 15/64th inch x 45 ft
MOUNTING PATTERN: 3.6 inch
DIMENSIONS: 15.8 x 5.13 x 6.81 inch

*C2000A Pro is supplied with a steel cable.

www.warriorwinch.co.uk



XT SERIES

EXTREME TERRAIN ATV/UTV WINCHES

Ideal for large ATV's, UTV's and small trailers. A huge high power motor, heavy duty clutch, heavy duty steel gearing and heavy duty waterproof contactors ensure the ultimate in performance and reliability. Comes complete with hand remote, atv remote, pulley block, winch guard, flat mount plate and all fittings.



STANDARD ACCESSORIES

- High Quality Synthetic Cable
- Aluminium Fairlead
- 10ft Remote Handset
- ATV Remote
- Pulley Block
- Flat Mount Plate
- Hook

OUTSTANDING FEATURES

- Fully Sealed Permanent Magnet Motor
- Heavy Duty Waterproof Contactors
- Double Sealed Drum (Gearbox/Motor)
- Sealed 3 Stage Planetary Metal Drivetrain
- Heavy Duty Clutch
- Automatic Mechanical Brake
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

2500LBS

RATED LINE PULL: 2500lbs (1134kg)
MOTOR: 12v : 1.35hp / 1.0kw
GEARING: 136:1
BRAKING ACTION: Mechanical
DRUM SIZE Dia x L: 51 x 84mm
CABLE Dia x L: 6mm x 13.7m
MOUNTING PATTERN: 76 x 124mm
DIMENSIONS: 338 x 124 x 119mm

3500LBS

RATED LINE PULL: 3500lbs (1588kg)
MOTOR: 12v : 1.95hp / 1.35kw
GEARING: 166:1
BRAKING ACTION: Mechanical
DRUM SIZE Dia x L: 51 x 84mm
CABLE Dia x L: 6mm x 13.7m
MOUNTING PATTERN: 76 x 124mm
DIMENSIONS: 338 x 124 x 119mm

4500LBS

RATED LINE PULL: 4500lbs (2041kg)
MOTOR: 12v : 2.2hp / 1.54kw
GEARING: 198:1
BRAKING ACTION: Mechanical
DRUM SIZE Dia x L: 51 x 84mm
CABLE Dia x L: 6mm x 14.5m
MOUNTING PATTERN: 76 x 124mm
DIMENSIONS: 338 x 124 x 119mm



C4500 EWX

4500LB 12V/24V ELECTRIC WINCH

Latest addition to the Warrior Range. High quality three stage planetary gearing ensure this is one of the quietest and smoothest winches on the market. The silky smooth performance and the full load holding brake make it the perfect solution for high spec applications.



STANDARD ACCESSORIES

- 6.4mm x 14.5m Steel Cable
- 3m Remote Handset
- Heavy Duty Roller Fairlead
- Heavy Duty Battery Leads
- Mounting plate
- Mounting hardware
- 3/8 hook
- *ATV remote available

OUTSTANDING FEATURES

- Power in and Power out
- High Torque 1.95hp Motor
- H D Waterproof Contactors
- Full Steel Planetary Gearing
- Mount Plate as Standard
- Full Load Holding Break
- Can fit tow ball mount
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

SPECIFICATION

RATED LINE PULL: 4500lbs (2041kg)
MOTOR: 12v : 1.95hp / 1.37kw
GEARING: 172:1
BRAKING ACTION: Automatic in the drum
DRUM SIZE Dia x L: 45 x 97mm
CABLE Dia x L: 6.4mm x 14.5m
MOUNTING PATTERN: 129 x 96mm
DIMENSIONS: 360 x 126 x 165mm
WEIGHT: 13kg

TECHNICAL PERFORMANCE

Layer of	Line pull	Line speed		Amp draw		
wire rope	lbs (kg)	lbs (kg)	ft/min	m/min	12v	24v
1	4500 (2401)	0	11.6	3.6	20	15
2	3642 (1652)	1500 (680)	9.2	2.8	70	40
3	3060 (1388)	2500 (1134)	7.8	2.4	100	65
4	2638 (1196)	3500 (1587)	6.6	2.0	140	80
		4500 (2041)	4.9	1.5	200	130



EWX SERIES

12V/24V EXTREME TERRAIN ELECTRIC WINCHES

Warrior EWX extreme Terrain winches deliver maximum pull in the toughest environments. Outstanding features includes high quality double sealed motor with brass fittings, heavy duty waterproof contactors, double sealed drum on maintenance free bearings, quiet, efficient, full steel planetary gearing. Stainless steel roller fairlead and fittings as standard. Complete with heavy duty integrated wireless remote. This winch is the ultimate for extreme environments.

**WIRELESS
CONTROL**



**FULLY
SEALED**



STANDARD ACCESSORIES

- Galvanised Steel Cable
- 10ft Remote Handset
- Heavy Duty Stainless Steel Fairlead
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting Hardware
- Built In Wireless Remote
- Clevis Hook
- Synthetic Rope / Aluminum Fairlead Option

OUTSTANDING FEATURES

- All Brass (no corrosion) Series Wound Motor
- Double Sealed Motor
- Sealed Waterproof Contactor
- Steel Contactor Cover for Added Protection
- Double Sealed Drum (Gearbox/Motor)
- Sealed 3 Stage Planetary Drivetrain
- Stainless Steel 4 Way fairleads
- Integrated Wireless Remote
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

C12000EWX

RATED LINE PULL: 12 000lbs (5400kg)
MOTOR: 12v : 6.5hp / 4.6kw
GEARING: 230:1
BRAKING ACTION: Auto in the drum
DRUM SIZE Dia x L: 63 x 223mm
CABLE Dia x L: 10.2mm x 26m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 580 x 160 x 219mm

C9500EWX

RATED LINE PULL: 9500lbs (4500kg)
MOTOR: 12v : 4.6hp / 3.2kw
GEARING: 230:1
BRAKING ACTION: Auto in the drum
DRUM SIZE Dia x L: 63 x 223mm
CABLE Dia x L: 9.2mm x 26m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 540 x 160 x 219mm

C8000EWX

RATED LINE PULL: 8000lbs (3629kg)
MOTOR: 12v : 4.6hp / 3.2kw
GEARING: 210:1
BRAKING ACTION: Auto in the drum
DRUM SIZE Dia x L: 63 x 223mm
CABLE Dia x L: 8.3mm x 29m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 540 x 160 x 219mm



C9500 HS

PERFORMANCE - HIGH SPEED ELECTRIC WINCH

The ultimate winch for Extreme Terrain. Fully sealed with an unbeatable line speed of 65 ft/min. Outstanding features includes huge 6.5 hp high quality double sealed motor with brass fittings, heavy duty waterproof contactors, double sealed drum on maintenance free bearings, quiet, fully sealed efficient full steel planetary gearing. Complete with heavy duty integrated wireless remote.

**FULLY
SEALED**



NO LOAD SPEED OF 65FT/MIN



**WIRELESS
CONTROL**



STANDARD ACCESSORIES

- Dyneema Synthetic rope 9.5mm X 30m
- 3m Remote Handset
- Aluminium Fairlead
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Built In Wireless remote
- 5/16 hook

OUTSTANDING FEATURES

- All Brass (no corrosion) Series Wound Motor
- Double Sealed Motor
- Sealed Waterproof Contactor
- Steel Contactor Cover for Added Protection
- Double Sealed Drum (Gearbox/Motor)
- Sealed 3 Stage Planetary Gears
- Integrated Wireless Remote
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

The fairlead does not attach direct to the winch

SPECIFICATION

RATED LINE PULL: 9500lbs (4500kg)
MOTOR: 12v : 6.5hp / 4.5kw
GEARING: 110:1
BRAKING ACTION: Automatic in the drum
DRUM SIZE Dia x L: 63 x 224mm
CABLE Dia x L: 9.5mm x 30m rope
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 577 x 160 x 215mm

TECHNICAL PERFORMANCE

Layer of wire rope	Line pull lbs (kg)	Line speed		Amp draw	
		lbs (kg)	ft/min m/min	12v	24v
1	9500 (4309)	0	65 19.8	80	45
2	7706 (3495)	4000 (1818)	12.5 3.8	300	175
3	6482 (2940)	6000 (2722)	11.81 3.6	400	230
4	5400 (2400)	9500 (4309)	8.86 1.9	530	335



C9500 SD

9500LB 12V/24V SHORT DRUM WINCH

The narrow drum version of the best selling 9500EWX. A total width of 437 mm ensures this is the perfect product for limited space. The 5.0hp motor delivers 9500lb of pulling power in space normally designed for winches with half the power. The Short Drum winch is the preferred choice of the British Military on specialist vehicles currently serving in action. Available with synthetic rope and aluminium fairlead, to give a total weight of 20kg.

WATERPROOF

**WIRELESS
CONTROL**



STANDARD ACCESSORIES

- 14m x 9.2mm steel cable
- 3m Remote Handset
- Heavy Duty Stainless Steel Fairlead
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Built In Wireless remote
- 5/16 hook

OUTSTANDING FEATURES

- Power in and Power out
- High Quality 5.0hp Series wound motor
- Heavy Duty Waterproof Contactors
- Full Steel Planetary Gearing
- Double sealed motor and drum
- Full Load Holding Brake
- Integrated Wireless remote
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

SPECIFICATION

RATED LINE PULL: 9500lbs (4500kg)
MOTOR: 12v : 5.0hp / 3.5kw
GEARING: 230:1
BRAKING ACTION: Automatic in the drum
DRUM SIZE Dia x L: 63 x 120mm
CABLE Dia x L: 9.2mm x 14m
MOUNTING PATTERN: 151 x 114.3mm
DIMENSIONS: 437 x 160 x 272mm

TECHNICAL PERFORMANCE

Layer of wire rope	Line pull lbs (kg)	Line pull		Line speed		Amp draw	
		lbs (kg)	ft/min	m/min	12v	24v	
1	9500 (4309)	0	23	7	80	70	
2	7706 (3495)	3000 (1361)	12.5	3.8	170	140	
3	6482 (2940)	6000 (2722)	9.8	3	260	210	
4	5593 (2537)	9500 (4309)	6.4	1.9	380	270	



C17500 EWX

17500LB 12V/24V ELECTRIC WINCH

The best £ for lb winch on the market. Outstanding features includes huge 7.0 hp high quality double sealed motor with brass fittings, heavy duty waterproof contactors, double sealed drum on maintenance free bearings, quiet, fully sealed efficient full steel planetary gearing. Stainless steel roller fairlead and fittings as standard. Complete with heavy duty integrated wireless remote.

**WIRELESS
CONTROL**



STANDARD ACCESSORIES

- 3m Remote Handset
- Heavy Duty Stainless Steel Fairlead
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Built In Wireless remote

OUTSTANDING FEATURES

- All Brass (no corrosion) Series Wound Motor
- Double Sealed Motor
- Sealed Waterproof Contactor
- Steel Contactor Cover for Added Protection
- Double Sealed Drum (Gearbox/Motor)
- Sealed 3 Stage Planetary Gears
- Stainless Steel 4 Way fairleads
- Integrated Wireless Remote
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

SPECIFICATION

RATED LINE PULL: 17 500lbs (7938kg)
MOTOR: 12v : 7.0hp / 4.9kw
GEARING: 430:1
BRAKING ACTION: Automatic in the drum
DRUM SIZE Dia x L: 89 x 219mm
CABLE Dia x L: 12mm x 26m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 610 x 216 x 254mm

TECHNICAL PERFORMANCE

Layer of wire rope	Line pull lbs (kg)	Line pull		Line speed		Amp draw	
		lbs (kg)	ft/min	m/min	12v	24v	
1	17500 (7938)	0	22.3	6.8	100	60	
2	14000 (6364)	6000 (2728)	9.84	3.0	220	130	
3	12500 (5682)	10000 (4545)	9.8	2.0	320	170	
4	10000 (4545)	12500 (5682)	5.8	1.7	350	220	
5	6000 (2728)	17500 (7938)	5.8	1.2	450	290	



TDSC/TDSi

9500LB/12000LB 12V/24V ELECTRIC WINCHES

Widely considered the best £ for lb winch on the market. The TDS is able to provide the ultimate combination of speed and raw power whilst offering the lowest amp draw of any like for like winch on the market. The double tapered external brake delivers efficient load holding with no heat build up. The preferred choice of professional recovery operators and high level 4x4 competitors. Also available in the TDSi "bridge type".



*TDSi bridge type.

STANDARD ACCESSORIES

- 30m x 8.7/9mm steel cable
- 3m Remote Handset
- Heavy Duty Steel Fairlead
- Heavy Duty Battery Leads
- Pulley Block
- Mounting hardware
- 5/16 hook

OUTSTANDING FEATURES

- Power in and Power out
- High Quality 5.0hp Series wound motor
- Heavy Duty Waterproof Contactors
- Full Steel Planetary Gearing
- Double sealed motor and drum
- Full Load Holding Brake
- 60FT/MIN LINE SPEED
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

9500TDS

RATED LINE PULL: 9500lbs (4500kg)
MOTOR: 12v : 5.0hp / 3.5kw
GEARING: 173:1
BRAKING ACTION: Double Cone Brake
DRUM SIZE Dia x L: 63 x 223mm
CABLE Dia x L: 8.7mm x 30m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 612 x 165 x 226mm

12000TDS

RATED LINE PULL: 12 000lbs (5400kg)
MOTOR: 12v : 6.0hp / 4.2kw
GEARING: 254:1
BRAKING ACTION: Auto double tapered
DRUM SIZE Dia x L: 63.5 x 229mm
CABLE Dia x L: 9mm x 30m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 670 x 215 x 294mm



TDSC SERIES

16500LB/20000LB 12V/24V ELECTRIC WINCHES

The biggest electric winches on the market today. The 20000TDSC has an incredible 9 tonnes of pulling power , powerful load holding external break, specially treated full steel planetary gears and specially designed heavy duty cast body. Ideal for extreme applications including large trailers, low loaders and commercial applications. The ultimate winch for the ultimate professional.



STANDARD ACCESSORIES

- 5m Remote Handset
- Heavy Duty Roller Fairlead
- Heavy Duty Battery Leads
- 8 Tonne Pulley Block (20000TDSC)
- Mounting hardware
- 5/16 hook

OUTSTANDING FEATURES

- Power in and Power out
- High Quality 6.0/6.2hp Series Wound Motor
- H D Waterproof Contactors
- Full Steel Planetary Gearing
- Double sealed motor and drum
- Double Tapered Holding Brake
- Lifetime Mechanical Warranty
- 3 Year Electrical Warranty

16500 TDSC

RATED LINE PULL: 16 500lbs (7500kg)
MOTOR: 12v : 6.0hp / 4.2kw
GEARING: 315:1
BRAKING ACTION: Automatic double tapered
DRUM SIZE Dia x L: 89 x 206mm
CABLE Dia x L: 11mm x 27m
MOUNTING PATTERN: 254 x 114.3mm
DIMENSIONS: 669.6 x 215 x 293.7mm
WEIGHT: 56kg

20000 TDSC - 24V ONLY

RATED LINE PULL: 20 000lbs (9072kg)
MOTOR: 24v : 6.2hp / 4.2kw
GEARING: 315:1
BRAKING ACTION: Automatic double tapered
DRUM SIZE Dia x L: 206 x 89mm
CABLE Dia x L: 12mm x 26m
MOUNTING PATTERN: 254 x 114.3mm (254 x 165.1mm)
DIMENSIONS: 669.6 x 215 x 232.9mm
WEIGHT: 50kg

Armortek synthetic winch rope is made with high strength HMPE light weight fibre.

It undergoes a unique pre stretching process and is coated with the special Armortek abrasion resistant coating to enable maximum pull and the ultimate endurance. UV Stabilisation gives the rope long and safe working life. Not affected by oil or water

and is just as strong whether used in dry, wet, cold or humid conditions. Armortek stretches very little (3 - 4 % at break) and very safe to use. It stores little energy and hence no lash backs in the unlikely event of breaking.



THERE ARE NUMEROUS BENEFITS FOR USING ARMORTEK OVER WIRE ROPE:

- Armortek weighs 6 times less than wire.
- Armortek is rated at 70 percent stronger than wire.
- Armortek floats, wire doesn't.
- Armortek is coated to prevent abrasion.
- You don't have to worry about wire splinters.
- No strength loss when overlapped on winch drum.
- Unlike wire, Armortek will not whiplash if broken.
- Armortek comes pre-stretched and heat set.
- Armortek is available in a number of lengths.

Diameter	9.5mm	11mm	12mm
Breaking Load	7500Kg	10500kg	12500kg

ACCESSORIES AVAILABLE:



Aluminium Fairleads



Logo Fairleads



Tube Thimble



G80 Hook



VALUE WITHOUT COMPROMISE



ARMORTEK SYNTHETIC ROPE



ALUMINIUM FAIRLEADS



WINCH BLANKET



WIRELESS REMOTE A



WIRELESS REMOTE B



WIRELESS REMOTE C



ROLLER FAIRLEADS



PULLY BOCKS



WINCH COVER



SHACKLES



STAINLESS RECOVERY EYES



TREE STROPS



MOTORS



CONTACTOR



GENERAL PURPOSE WINCH KIT



REMOVABLE MOUNT



TOWBALL MOUNT



FLAT MOUNT PLATE



VALUE WITHOUT COMPROMISE

**For all enquires please
contact your local stockist**

www.warriorwinch.co.uk