



RHINO-RACK®



**TRADE CATALOGUE
2026/2027**



CONTENTS

MAKE SPACE FOR TRADE

LEADING THE WAY	05
OUR COMMITMENTS	06
CITY CRASH TESTING	06
VEHICLE LOAD RATING	07
OUR STORY	08

TRADE SOLUTIONS & EQUIPMENT

ACCESSORIES	12
CROSSBARS, TRAYS & RECONN RANGE	20
PIONEER & BACKBONE	23
ZWIFLOC	24
STOW IT	25
LADDER RACKS	26
AWNINGS	32

MAXTRAX	34
---------	----

SPECIFICATIONS	36
----------------	----

LEADING THE WAY

FOCUS ON TESTING AND INNOVATION

**AS A PIONEERING BUSINESS, OUR VISION IS TO REDEFINE
THE FUTURE OF 'RACKS.'**

Embracing innovation and pushing boundaries, we are determined to challenge the conventional norms and introduce cutting-edge products that revolutionise cargo transportation for tough worksites and weekend adventures.

For customers who rely on their vehicles every day, we create reliable, practical cargo solutions that work as hard as they do. From tools and ladders to jobsite gear, our products help keep equipment secure, organised and ready for the next job.



OUR COMMITMENTS

UNWAVERING COMMITMENT TO SAFETY AND QUALITY

At Rhino-Rack, we are committed to educating our customers on the safe use and enjoyment of our products. Our products undergo rigorous crash testing and vehicle load rating, ensuring durability and reliability. We take the safety of our customers, and others on the road, as our number one priority.

CRASH CITY TESTING

AT RHINO-RACK, OUR TOP PRIORITY IS TO ENGINEER PRODUCTS OF THE UTMOST QUALITY TO GUARANTEE YOUR SAFETY AND SATISFACTION.

We subject all Rhino-Rack products to rigorous safety standards testing, adhering to the ISO standard. This includes comprehensive City Crash Testing to ISO11154 and Static Load Testing to ISO11154.

We also put our prototypes to the test in real-world Aussie conditions, experimenting with functions that enhance the safety, ease of use, and overall enjoyment of our equipment.

Rest assured, we go the extra mile to ensure that our products meet and exceed your expectations.



VEHICLE LOAD RATING

IT IS VITAL FOR YOU TO UNDERSTAND THE CAPACITY OF YOUR VEHICLE'S ROOF, TUB, AND STORAGE SOLUTIONS.

We have developed a comprehensive load rating calculator to help you understand your load rating.

THERE ARE THREE LOAD RATINGS THAT APPLY IN DIFFERENT SITUATIONS. THESE ARE:

- On-road refers to the load rating of a vehicle when traveling on a sealed road
- A static rating is the load rating of a stationary vehicle and is necessary if you're using, for example, a rooftop tent
- The off-road load rating refers to a vehicle traveling on an unsealed road that does not contain a surface protection layer. Sometimes manufacturers will list the load ratings in the vehicle owner's manual, however, you can calculate the off-road load rating yourself using the formula provided in your product fitting instructions.

It is important to remember the on-road rating does not take into consideration the weight of the roof racks. According to our instructions, the on-road rating + weight of the racks is called roof allowance. But remember, if you buy an accessory or holder and attach it to your rack or tray, you must also include the weight of these items in the load.

It is very unsafe to overload your vehicle. Failure to follow the load ratings in each circumstance could result in damage to your vehicle, potential loss of your load, voiding warranty or insurance, or cause traffic accidents. It's illegal to overload your vehicle.

To get started calculating your load rating, you'll need to make note of your vehicle's load rating from your vehicle owner's manual as well as the Rhino-Rack roof rack system you have installed on your vehicle. Once you have this information you can begin by entering your vehicle details into the load rating page at our <https://www.rhinorack.com/load-rating-calculator>



STATIC

When the vehicle is parked or stationary



ON-ROAD

Driving on paved or sealed roads




OFF-ROAD

Driving on unsealed or dirt roads

OUR STORY


RHINO-RACK CELEBRATES 30 YEARS OF INNOVATION AND HELPING COUNTLESS PEOPLE MAKE SPACE FOR ADVENTURE.



TRADE SOLUTIONS

DISCOVER A COORDINATING ECOSYSTEM OF TRADE PRODUCTS, DESIGNED TO ADAPT WITH MORE SPACE, STRENGTH AND VERSATILITY THAN EVER BEFORE.

With dedicated brands, customised products and the use of the latest technologies, you can rely on Rhino-Rack to transform your vehicle for work, play or anything in between.




ACCESSORIES


EXTEND & SECURE



CONDUIT CARRIER
P30-100, P46-100




CONDUIT END CAP - 150MM
BC150



CONDUIT CLAMP SET - 100MM
BC2, BC3



CONDUIT CLAMP SET - 150MM
BC2-150, BC3-150



CONDUIT END CAP - 100MM
BCW



CONDUIT END CAP & SLEEVE
BEC, BEC150



CONDUIT LOCKING END CAPS
LSE100, LSE101



CSL LADDER RACK
CSL26M, CSL30M, CSL35M,
CSL40M




MULTI-SLIDE LADDER RACK
MS26M, MS30M,
MS35M, MS40M



INTERNAL LADDER RACK
ILRRACK, **HIACE** ILRH6GK1,
iLOAD ILRHILK1



WORK LIGHT BRACKET
RWLB



LADDER PEG/LOAD HOLDER
S602, RLH



LADDER CABLE LOCK
RLLB, RLLR



LADDER STRAP
RLS5




LADDER ROLLERS
470MM LR470
680MM LR680





LOAD HOLDERS
RLH1, RLH2



RATCHET GRAB WITH 2.0M STRAP
RRG



EYE BOLT KIT FOR HD BAR
REB



VERSATILE SOLUTIONS FOR ALL KINDS OF FITS

RHINO-RACK EQUIPS COMMERCIAL VEHICLES WITH THE RIGHT ACCESSORIES, ENSURING RELIABILITY AND PERFORMANCE ACROSS EVERY JOB.


Achieved through relentless innovation, user-centred design, flexibility and simplicity, rugged aesthetics, and enduring quality.

**RHINO-RACK FITS MORE THAN 8000 VEHICLES
FITS FOR ALL ROOF TYPES ON THE MARKET**


BARE ROOF



RAISED RAIL



FLUSH RAIL



FIXED POINT MOUNT




GUTTER MOUNT




MAXIMISE VEHICLE SPACE


ROOF




CANOPY




VAN



**LID/ROLLER
SHUTTER**



UTE TUB






CROSSBARS

PRACTICAL, VERSATILE CARRYING SOLUTIONS DESIGNED TO SUIT EVERY VEHICLE AND SETUP.


Whether you choose Sportz, Heavy Duty or Reconn Bars, there's a crossbar system built to support your vehicle, your gear and every adventure ahead. Our crossbars seamlessly accommodate a diverse range of accessories, ensuring you're well-equipped for any adventure.



**SPORTZ
BARS**



**HEAVY DUTY
BARS**




**RECONN-DECK
BARS**


TRAYS

BUILT FOR DEMANDING WORKSITES, WEEKEND PROJECTS AND EVERYTHING IN BETWEEN.

Whether it's ladders, conduit, tools or bulky equipment, Pioneer Platforms provide a strong and versatile foundation to help tradies carry more with confidence.



**PIONEER 6
PLATFORM**



**PIONEER 6 TRADIE
PLATFORM**





YOUR ULTIMATE RIG

RHINO-RACK BACKBONE

For unbeatable performance and looks, the Pioneer™ platform with a Backbone mounting system is the go-to for your ultimate rig! Backbone™ mounting systems are a vehicle specific solution.

PIONEER MOUNTING SYSTEMS

A Pioneer™ mounting system generally consists of a platform and Backbone™ combination tailored to suit your vehicle's make and model. Depending on your roof type and your specific needs, you will be able to identify the mounting system options available.

To ensure we continue to offer our users the best solution on the market, Pioneer™ continues its legacy through its compatibility with our industry leading mounting systems. The integrated underbars on Pioneer platforms now mount directly with our RX Legs. Please check your vehicle user manual for your vehicle's load carrying capacity.

BACKBONE



RX FLUSH RAIL LEG



RX300H & RX300L



RX RAISED RAIL LEG



RL GUTTERMOUNT LEG



TECHNOLOGY


ZWIFLOC™

EASY & FLEXIBLE


TO ALLOW ALL THE VERSATILITY YOU NEED

Our innovative Zwifloc™ fastening system allows compatible accessories to be placed anywhere on the channels without the need to move other accessories around.


The patented Zwifloc™ hardware simply drops into the channel, so there is no need to position via a traditional channel aperture. Compatible with all Pioneer™ systems and Recon-Deck™ bars.



Zwifloc™ simply drops into your Recon-Deck bar or Pioneer, and sits flush within the channel.



Tighten the bolt to engage.



High tensile M6 nut rotates within the housing cage to lock in under the channel lip.

EYE BOLTS WITH ZWIFLOC™

DROP IN ANYWHERE

The Eye Bolts with Zwifloc™ are designed to provide versatile tie down points for your Pioneer platform, Recon-Deck or Vortex crossbars. The kit includes 4 Eye Bolts, each with the patented Zwifloc™ channel nut, which allows quick and easy installation anywhere without moving other accessories.

SIMPLY TWIST IN AND TWIST OUT

The patented Zwifloc™ channel nut gives you the flexibility to add, remove or reposition the eye bolts anywhere on a Pioneer platform or Recon-Deck system.

Personalise your accessory layout. No need to slide the eye bolts into position or move other accessories around - simply place them wherever you need them to be.



SCAN HERE

Or visit rhinorack.com/zwifloc to find all the products that include Zwifloc channel nuts.

TECHNOLOGY


STOW IT™

MULTI-FUNCTIONAL

TO SUIT EVERY ADVENTURE

Start your journey with the STOW IT Base Bracket, which includes two Base Brackets and all mounting hardware, including Zwifloc™ channel nuts.

The STOW IT Base Bracket mounts directly to your Pioneer Platform or crossbar and is the core of this mounting system, allowing you to easily change the adaptor to suit your accessory needs.



STOW IT UTILITY HOLDER (REGULAR) | RSIT2



STOW IT AWNING ADAPTOR | BSIT



STOW IT LIGHT BAR ADAPTOR | ISIT



STOW IT ROLLER ADAPTOR | OSIT




STOW IT UNIVERSAL ADAPTOR | USIT



EYE BOLTS WITH ZWIFLOC™ (4) | PEB4



STOW IT BASE BRACKET | SSIT2



STOW IT UTILITY HOLDER (LARGE) | LSIT



SCAN HERE

Or visit rhinorack.com/stow-it to learn more.

THE STRONGEST, MOST VERSATILE LADDER RACKS

FROM ELECTRICIAN, PLUMBER, BUILDER OR HANDYMAN, RHINO-RACK HAS WORLD CLASS LADDER CARRYING SOLUTIONS FOR VANS, 4WDS, SUVs AND UTES. BUILT TOUGH FOR EXTREME CONDITIONS, OUR LADDER RACKS ALLOW YOU TO LOAD AND UNLOAD QUICKLY, EASILY AND SAFELY.

FEATURES

- Constructed from non-corrosive materials capable of withstanding all manner of extreme environments and weather conditions
- PVC guide strips on inside of rails to protect ladder from damage
- RLS5 ladder strap included to secure ladder to crossbars
- Versatile fit to a wide variety of vans, wagons, utes and 4WD's
- Includes ladder hoop
- Australian designed and built
- City Crash Tested - ISO/PA11154:2006 (E)
- Frontal Impact Tested - ADR69/00 20g
- Vibration Tested - IEC68-2-64



SCAN HERE

Or visit
rhinorack.com/en-au/products/work-solutions/work-solutions/ladder-rack-rails
to find which ladder rack best suits your set-up.





COMPACT SLIDE LOADER

FIXED RAILS WITH REAR ROLLER

This versatile system fits a wide variety of vans, wagons, utes and 4WD's. Mounted to Rhino-Rack's Heavy Duty Crossbars, the CSL ladder rack system is available in a variety of widths to allow for both extension and step ladders.

CONTINUOUS CONTACT SURFACE

For easier loading and unloading minimising movement and damage.



CSL LADDER RACKS

CSL26M, CSL30M,
CSL35M, CSL40M


MULTI-SLIDE SYSTEM

SLIDING SUPPORTS

The Multi-Slide systems have a rear roller that allows for stress free loading and unloading to help guide the ladder on to the ladder rails which have several polypropylene plastic guides to protect the ladder. Also installed on Heavy Duty Crossbars, a RLS5 strap is included to safely secure the ladder.

LADDER PADS

Guides made from UV stabilised polypropylene help protect ladders on the rails and provide level contact.



MULTI-SLIDE LADDER RACKS

MS26M, MS30M,
MS35M, MS40M

INTERNAL LADDER RACK

MOUNTED INSIDE VAN

Internal Ladder Racks provide secure transportation without taking up valuable floor space and reducing the risk of ladder theft. They are height adjustable, storing a ladder up to a height of 1.8m. When not being used hanging sections pivot upwards to increase head clearance in the van.

INTERNAL LADDER RACK ILRRACK

BRACKET KITS:
TOYOTA HIACE (GEN 6) ILRH6GK1,
HYUNDAI iLOAD (08) ILRHILK1

SECURE STORAGE

Reduces risk of theft and exposure to elements. Mounts ladders above load space for improved organisation and cargo capacity.



ADJUSTABLE

Ladder supports can be rotated when not in use to increase clearance and cargo space.

SLIDE OUT LADDER LOADER

SLIDING MECHANISM FOR SAFER & EASIER ACCESS

Similar to the Multi-Slide ladder rack with the added feature of a slide out mechanism at the rear. Combining ergonomic design with structural-grade materials, it provides a fast, simple, one-person solution for lifting ladders. It allows ladders to be loaded and unloaded from high-roof vehicles quickly, easily, and safely, reducing the risk of back strain and lifting-related injuries.

SLIDE OUT LADDER LOADER T7-SLRS



SLIDE OUT MECHANISM

Extending rail allows easy sliding of ladder on and off away from the back of the vehicle.



AWNING RANGE

OUR RANGE OF AWNINGS AND ACCESSORIES ARE BUILT FOR TOUGH CONDITIONS, DELIVERING DEPENDABLE PROTECTION FROM THE ELEMENTS WHILE ON SITE AT WORK OR ON A BREAK.

With seamless compatibility across Rhino-Rack systems, one person operation, and no ropes or tripping hazards – it's the easy way to roll out and reset.

- Coverage options from 2m² to 12.3m² (43ft² to 132ft²)
- Premium 280 gsm ripstop polycotton fabric with 2000 mm waterhead pressure and UV50+ protection
- Compact, lightweight options including integrated storage pockets and roll-back roof access (Shower Tent)
- PVC or polyester storage bags for protection when stowed
- Easy to install. All awnings come with mounting brackets, guy ropes, pegs, and optional poles
- Side walls available separately for added shade and privacy
- Compatible with Zwifloc™ for seamless integration



FREESTANDING BATWING 270° | 32145 (Left), 32146 (Right)

Extends up to 2m/78" from edge of vehicle and wraps around the side (left or right options) and rear of the vehicle providing 12.3m²/132ft² coverage



FREESTANDING BATWING 180° | 32147

Extends up to 2m/78" from edge of vehicle providing 8.4m²/90ft² coverage



SUNSEEKER 2.0M AWNING | 32143

Extends 2m/78" from edge of vehicle providing quick and easy 4m²/43ft² coverage whenever you need it



SUNSEEKER 2.5M AWNING | 32144

Extends 2.5m/98" from the edge of the vehicle providing quick and easy 5m²/53ft² coverage whenever you need it



FREESTANDING SUNSEEKER 2M | 32148

Extends 2m/78" from edge of vehicle when opened, providing 4m²/43ft² coverage



SCAN HERE

Or visit rhinorack.com/en-au/products/sport-awnings/awnings for more details on our range of awnings and accessories.

MAXTRAX

SAFE & SIMPLE RECOVERY SYSTEM

Maxtrax has designed the ultimate recovery system with safety as the top priority. After decades of offroading in all Aussie conditions, we've created the safest recovery gear, perfect for both work and weekends.



**RECOVERY TRACK MOUNTING KIT
WITH UNIVERSAL PINS** | MTXFRMUMPU

Built tough for off-road conditions the brackets mount easily to your roof platform, crossbars, canopy or camper trailer, to lock your boards in tight — keeping your gear secure, organised, and always within reach.



CROSSOVER RECOVERY KIT | MTXRKCO

Designed specifically for smaller GVM vehicles, this has everything you need to handle off-road and beach recoveries with confidence. The kit includes the key components to get you out of sticky situations safely.



BUSH RECOVERY KIT | MTXKCBBD

Designed for use on bush tracks where winching with the use of trees may be common. Tackle challenging recoveries with a variety of connectable ropes neatly stored in a Maxtrax Recovery Kit Bag.



MKII



XTREME



SPECIFICATIONS TRADE

ITEM CODE	DESCRIPTION	BARCODE	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	GROSS (KG)
43196	PIONEER FOLDING AERIAL MOUNT	9321911218119	150	100	70	0.940
BC150	END CAP 150MM (1EA)	9321911012427	300	210	50	0.600
BC2	K & C BAZOOKA CLAMP (2PCS)	9321911011086	150	60	300	0.850
BC2-150	150MM K & C BRACKET CLAMPS (2PCS)	9321911108328	270	170	60	1.160
BC3	BAZ CLAMP SET (3PCS) K & C	9321911011093	250	170	60	1.110
BC3-150	150MM K & C BRACKET CLAMPS (3PCS)	9321911108335	295	220	70	1.740
BCW	100MM BAZ END CAP - INCL WIRE (1EA)	9321911012434	250	150	80	0.200
BEC	100MM END CAP SETS (2*BCW, 2*P005)	9321911015343	300	240	250	0.870
BEC150	150MM END CAP SETS (2*BC150, 2*P008)	9321911012441	410	200	180	2.350
CSL26M	CSL 2.6M LADDER RAIL SET	9321911295929	3280	230	160	16.500
CSL30M	CSL 3.0M LADDER RAIL SET	9321911295936	3280	230	160	18.000
CSL35M	CSL 3.5M LADDER RAIL SET	9321911295943	4340	230	160	23.000
CSL40M	CSL 4.0M LADDER RAIL SET	9321911295950	4340	230	160	25.000
LSE100	LOCK SAFE ENDCAP (100MM CONDUIT) PR	9321911171292	175	150	130	1.100
LSE101	LOCK SAFE ENDCAP ORG (100MM CONDUIT) PR	9321911215408	270	150	125	1.120
MS26M	MULTISLIDE 2.6M LADDER RAIL SET	9321911295882	3280	230	160	16.000
MS30M	MULTISLIDE 3.0M LADDER RAIL SET	9321911295899	3280	230	160	16.160
MS35M	MULTISLIDE 3.5M LADDER RAIL SET	9321911295905	3800	230	160	17.000
MS40M	MULTISLIDE 4.0M LADDER RAIL SET	9321911295912	4340	230	160	20.650
P30-100	3.0M X 100MM W\ - BLACK LOCKING END CAPS	9321911017897	3200	200	200	5.000
P30-150	3MTR X 150MM CONDUIT WITH 2 X BC150	9321911017903	3200	150	150	9.350
P46-100	4.6M X 100MM W\ - BLACK LOCKING END CAPS	9321911017873	4680	120	120	6.300
P46-150	4.6M X 150MM CONDUIT WITH 2 X BC150	9321911017880	4800	150	150	13.300
REB	EYE BOLT (PR)	9321911000516	100	50	70	0.358
RLH	LOAD HOLDER 125MM (PR)	9321911000523	190	100	50	0.394
RLH1	LOAD HOLDER ADJUSTABLE HD (PR)	9321911111526	165	90	69	0.440
RLH2	LOAD HOLDER ADJUSTABLE VORTEX (PR)	9321911111533	160	65	85	1.000
RLLB	CABLE LADDER LOCK TO SUIT CROSSBAR	9321911010577	200	150	50	0.900
RLLR	CABLE LADDER LOCK TO SUIT RAIL	9321911010560	238	150	73	0.986
RLS5-15	STRAP TYPE 5 WITH Z BRKT (1EA)	9321911118969	220	150	170	0.720
RRG	RATCHET GRAB WITH 2.0M STRAP(1EA)	9321911001759	305	155	65	0.830
RWLB	RHINO CROSSBAR WORK LIGHT BRKT	9321911014100	204	155	52	0.380
S602	LADDER PEG/LOAD HOLDER (2PCS)	9321911003340	220	60	150	0.200
S604	TIEDOWN EYE NUTS (2PCS)	9321911003364	95	65	50	0.170
SRG	SPORTZ RATCHET GRAB	9321911007942	300	150	60	0.000

SPECIFICATIONS

TRAYS

ITEM CODE	NAME	FORM	BARCODE	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	WEIGHT (KG)	WARRANTY (YRS)
62109	PIONEER 6 PLATFORM 1300 X 1240	Assembled	9321911309671	1300	1240	45	14.8	5
62110	PIONEER 6 PLATFORM 1300 X 1380	Assembled	9321911309855	1300	1380	45	16.9	5
62111	PIONEER 6 PLATFORM 1300 X 1430	Assembled	9321911309862	1300	1430	45	17.1	5
62100	PIONEER 6 PLATFORM 1500 X 1240	Assembled	9321911309589	1500	1240	45	16.2	5
62101	PIONEER 6 PLATFORM 1500 X 1380	Assembled	9321911309596	1500	1380	45	18.6	5
62113	PIONEER 6 PLATFORM 1500 X 1430	Assembled	9321911309886	1500	1430	45	18.8	5
62108	PIONEER 6 PLATFORM 1800 X 1430	Assembled	9321911309664	1800	1430	45	23.9	5
62102	PIONEER 6 PLATFORM 1900 X 1240	Assembled	9321911309602	1900	1240	45	21.4	5
62103	PIONEER 6 PLATFORM 1900 X 1380	Assembled	9321911309619	1900	1380	45	24.5	5
62107	PIONEER 6 PLATFORM 2100 X 1240	Assembled	9321911309657	2100	1240	45	22.8	5
62104	PIONEER 6 PLATFORM 2100 X 1430	Assembled	9321911309626	2100	1430	45	26.5	5
62105	PIONEER 6 PLATFORM 2700 X 1472	Assembled	9321911309633	2700	1472	45	34.5	5
62112	PIONEER 6 PLATFORM 900 X 1430	Assembled	9321911309879	900	1430	45	12.5	5
65100	PIONEER 6 TRADIE PLATFORM 1500MM X 1240MM	Assembled	9321911313050	1500	1240	115	18.3	5
65101	PIONEER 6 TRADIE PLATFORM 1500MM X 1380MM	Assembled	9321911313067	1500	1380	115	20.7	5
65102	PIONEER 6 TRADIE PLATFORM 1900MM X 1240MM	Assembled	9321911313074	1900	1240	115	24.1	5
65104	PIONEER 6 TRADIE PLATFORM 2100MM X 1430MM	Assembled	9321911313081	2100	1430	115	29.6	5
65107	PIONEER 6 TRADIE PLATFORM 2100MM X 1240MM	Assembled	9321911313098	2100	1240	115	25.9	5
65109	PIONEER 6 TRADIE PLATFORM 1300MM X 1240MM	Assembled	9321911313104	1300	1240	115	16.5	5
62100F	PIONEER 6 PLATFORM 1500 X 1240 F/P	Flat Pack	9321911309688	1500	1240	45	35.6	5
62101F	PIONEER 6 PLATFORM 1500 X 1380 F/P	Flat Pack	9321911309695	1500	1380	45	40.9	5
62102F	PIONEER 6 PLATFORM 1900 X 1240 F/P	Flat Pack	9321911309701	1900	1240	45	47.1	5
62103F	PIONEER 6 PLATFORM 1900 X 1380 F/P	Flat Pack	9321911309718	1900	1380	45	53.9	5
62104F	PIONEER 6 PLATFORM 2100 X 1430 F/P	Flat Pack	9321911309725	2100	1430	45	58.3	5
62105F	PIONEER 6 PLATFORM 2700 X 1472 F/P	Flat Pack	9321911309732	2700	1472	45	75.9	5
62106F	PIONEER 6 PLATFORM 2500 X 1590 F/P	Flat Pack	9321911309749	2500	1590	45	32.3	5
62107F	PIONEER 6 PLATFORM 2100 X 1240 F/P	Flat Pack	9321911309756	2100	1240	45	50.2	5
62108F	PIONEER 6 PLATFORM 1800 X 1430 F/P	Flat Pack	9321911309763	1800	1430	45	52.6	5
62109F	PIONEER 6 PLATFORM 1300 X 1240 F/P	Flat Pack	9321911309770	1300	1240	45	32.6	5
62110F	PIONEER 6 PLATFORM 1300 X 1380 F/P	Flat Pack	9321911309893	1300	1380	45	37.2	5
62111F	PIONEER 6 PLATFORM 1300 X 1430 F/P	Flat Pack	9321911309909	1300	1430	45	37.6	5
62112F	PIONEER 6 PLATFORM 900 X 1430 F/P	Flat Pack	9321911309916	900	1430	45	27.5	5
62113F	PIONEER 6 PLATFORM 1500 X 1430 F/P	Flat Pack	9321911309923	1500	1430	45	41.4	5
62114F	PIONEER 6 PLATFORM 1500 X 1590 F/P	Flat Pack	9321911309930	1500	1590	45	20.8	5
62115F	PIONEER PLATFORM 1100 X 1430 F/P	Flat Pack	9321911310509	1100	1430	45	15.6	5

SPECIFICATIONS

BACKBONES

ITEM CODE	VEHICLE	BARCODE	WARRANTY (YRS)	NET WEIGHT (KG)
RR5B1	CHEVROLET SILVERADO 1500 GEN4 4DR UTE CREW CAB & RAM 1500 GEN5, DT UTE CREW CAB	9321911293949	5	6.13
RR1B1	DODGE RAM 1500/2500/3500 GEN 4, DS 4DR UTE CREW CAB	9321911275655	5	6
RFEB1	FORD EVEREST UA 5DR SUV WITH FLUSH RAILS	9321911244521	5	8.4
RFRB3	FORD RANGER GEN 2 (P703) 4DR UTE DOUBLE CAB & VW AMAROK GEN2 DOUBLE CAB	9321911304034	5	5
RFRB1	FORD RANGER PX/PX2/PX3 4DR UTE DOUBLE CAB & MAZDA BT-50 GEN 1 DUAL CAB	9321911232412	5	5.32
RFRB2	FORD RANGER WILDTRAK PX/PX2/PX3 4DR UTE DOUBLE CAB (WITH ROOF RAILS)	9321911252359	5	6.1
RIDB1	HOLDEN COLORADO 4DR UTE CREW CAB & ISUZU D-MAX GEN2 4DR CREW CAB	9321911232399	5	5
RIDB2	ISUZU D-MAX GEN3, (X-TERRAIN) 4DR UTE CREW CAB (WITH FLUSH RAILS) & BARE ROOF MAZDA BT-50 GEN2 DUAL CAB	9321911296469	5	6.5
RIMB1	ISUZU MU-X GEN1, LS-T, LS-U, LS-M 5DR SUV	9321911252236	5	8.8
RIMB2	ISUZU MU-X GEN2, LS-M, LS-T & LS-U 5DR SUV	9321911300432	5	5.78
RJKB2	JEEP WRANGLER JK 2DR 4WD HARD TOP	9321911170684	5	6.5
RJKB1	JEEP WRANGLER JK 4DR 4WD HARD TOP	9321911108342	5	16
RJLB1	JEEP WRANGLER JL 4DR 4WD HARD TOP	9321911248680	5	11.3
RLDB1	LAND ROVER DEFENDER 110 L663 5DR SUV WITH FACTORY TRACK & LR DEFENDER 130 L663 5DR SUV WITH FACTORY TRACK	9321911297312	5	7.8
RMPB1	MINI COOPER S R55 4DR 4WD LWB (WITH ROOF RAILS)	9321911275921	5	7.5
RMTB1	MINI COOPER S R55 4DR 4WD LWB (WITH ROOF RAILS)	9321911240325	5	4.8
RNNB2	NISSAN NAVARA NP300 4DR UTE DUAL CAB	9321911288556	5	5.2
RGMB2	NISSAN PATROL GU, Y61 4DR 4WD LWB & TOYOTA LANDCRUISER 80 SERIES 4DR 4WD	9321911298654	5	11.7
RNPB1	NISSAN PATROL Y62 5DR 4WD BARE ROOF AND WITH ROOF RAILS	9321911219154	5	8.7
RFJB1	TOYOTA FJ CRUISER XJ10 2DR SUV 1	9321911190798	5	7.1
RTFB1	TOYOTA FORTUNER AN150/AN160 5DR SUV WITH FLUSH RAILS	9321911246891	5	7
RTHB3	TOYOTA HIACE GEN 6 2DR VAN LWB	9321911292225	5	12.8
RTHB1	TOYOTA HILUX GEN 7 4DR UTE DUAL CAB & GEN 8 HILUX DUAL CAB	9321911250256	5	5
RTLB2	TOYOTA LANDCRUISER 100 SERIES 4DR 4WD	9321911248635	5	7.2
RTLB3	TOYOTA LANDCRUISER 200 SERIES 4DR 4WD BARE ROOF & ROOF RAILS	9321911258634	5	6.8
RTLB1	TOYOTA LANDCRUISER 200 SERIES 5DR 4WD BARE ROOF & ROOF RAILS	9321911219123	5	9.2
RTLB5	TOYOTA LANDCRUISER 300 SERIES 5DR 4WD BARE ROOF & ROOF RAILS	9321911303495	5	6.92
RGMB1	TOYOTA LANDCRUISER 76 SERIES 4DR 4WD	9321911298647	5	11.2
RTLB4	TOYOTA LANDCRUISER 79 SERIES 4DR 4WD DOUBLE CAB	9321911295424	5	8.84
RTPB2	TOYOTA PRADO 120 SERIES 5DR 4WD WITH BARE ROOF & ROOF RAILS	9321911235901	5	7.6
RTPB1	TOYOTA PRADO 150 SERIES 5DR 4WD BARE ROOF & BARE RAILS	9321911219130	5	7.9
RVAB1	VOLKSWAGEN AMAROK GEN 1 4DR UTE DUAL CAB	9321911219147	5	5.2

SPECIFICATIONS

CROSSBARS

ITEM CODE	COMPATIBILITY	BARCODE	LENGTH	WARRANTY (YRS)	ADDED HEIGHT	WEIGHT (INCLUDES 2 BARS AND 4 LEGS)
SZ118B	ALL LEGS	9321911313401	1180MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
SZ126B	ALL LEGS	9321911313418	1260MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
SZ137B	ALL LEGS	9321911313425	1370MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
SZ150B	ALL LEGS	9321911313432	1500MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
SZ165B	ALL LEGS	9321911313449	1650MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
SZ180B	ALL LEGS	9321911313456	1800MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB1120B	ALL LEGS	9321911119287	1120MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB1250B	ALL LEGS	9321911000103	1250MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB1375B	ALL LEGS	9321911000110	1375MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB1500B	ALL LEGS	9321911000134	1500MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB1650B	ALL LEGS	9321911008703	1650MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB1800B	ALL LEGS	9321911000158	1800MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RB2000B	ALL LEGS	9321911007188	2000MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RDB126	RCH / RCL / RLT600	9321911299873	1260MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RDB150	RCH / RCL / RLT600	9321911299880	1500MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg
RDB165	RCH / RCL / RLT600	9321911299897	1650MM	5	Vehicle dependant	Average weight throughout our crossbar range 4 to 6kg

SPECIFICATIONS

LEGS

ITEM CODE	VEHICLE	WARRANTY (YRS)	ADDED HEIGHT	WEIGHT (INCLUDES 2 BARS AND 4 LEGS)
2500	WITH BARE ROOF	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
ROC25	WITH BARE ROOF	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RCH/RCL	WITH FIXED MOUNT POINTS OR TRACKS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RLTF/RLTP	WITH FIXED MOUNT POINTS OR TRACKS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RV	WITH FIXED MOUNT POINTS OR TRACKS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
SG	WITH GUTTER	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RL	WITH GUTTER	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
SX100	WITH RAISED RAILS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RX100	WITH RAISED RAILS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RX200	WITH FLUSH RAILS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
RX300	WITH FIXED MOUNT POINTS OR TRACKS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg
Stealthbar	WITH RAISED RAILS	5	Vehicle dependent	Average weight throughout our crossbar range 4 to 6kg

SPECIFICATIONS

LADDER PACKS

PACK CODE	DESCRIPTION	FITS	PACK ITEMS:	
710-RSL-00001	TECH LADDER PACK	TOYOTA RAV4 Gen 5 (XA50) 5dr SUV With Flush Rail 19 to 25	RCP LOCKING LEG LOW (4PCS) BASE KIT RAV4 GEN5 (4PCS) STRAP TYPE 5 WITH Z BRACKET (1EA) BULK	SUB ASSEMBLY M8 CAST LOCKING TAB KIT 2.2M SLIDE OUT LADDER RACK SYSTEM SPORTZ BAR 1260MM BLACK
710-RSL-00002	TECH LADDER PACK	KIA SPORTAGE Gen 4 (QL) 5dr SUV With Flush Rail 16 to 21	RCP LOCKING LEG LOW (4PCS) BASE KIT GENERIC SWIVEL M6 (4PCS) STRAP TYPE 5 WITH Z BRACKET (1EA) BULK SUB ASSEMBLY FRONT OR REAR WEDGES	SUB ASSEMBLY M8 CAST LOCKING TAB KIT 2.2M SLIDE OUT LADDER RACK SYSTEM SPORTZ BAR 1260MM BLACK
710-RSL-00004	TECH TWIN EXT LADDER PACK W/ CONDUIT	TOYOTA HIACE Gen 6 (H300) 2dr Van LWB 19 On	SPACER KIT BAZ CLAMP SET (3PCS) K & C LADDER ROLLER 470MM MULTISLIDE 3.5M LADDER RAIL SET 4.6M X 100MM WITH ORANGE LOCKING END CAPS QUICK MOUNT 5MM HD SPACER	ALLOY BAR 1650MM SIL (1EA) RCP LOCKING LEG HIGH M8 (6PCS) BASE KIT HIACE GEN6 LWB (6PCS) PAIR OF CABLE LADDER LOCKS STRAP ASSEMBLY HIACE
710-RSL-00005	TECH EXT AND STEP LADDER PACK W/ CONDUIT	TOYOTA HIACE Gen 6 (H300) 2dr Van LWB 19 On	SPACER KIT BAZ CLAMP SET (3PCS) K & C LADDER ROLLER 470MM LADDER ROLLER 680MM MULTISLIDE 3.5M LADDER RAIL SET 4.6M X 100MM WITH ORANGE LOCKING END CAPS	QUICK MOUNT 5MM HD SPACER ALLOY BAR 1650MM SIL (1EA) RCP LOCKING LEG HIGH M8 (6PCS) BASE KIT HIACE GEN6 LWB (6PCS) PAIR OF CABLE LADDER LOCKS STRAP ASSEMBLY HIACE
710-RSL-00006	TECH TWIN EXT LADDER PACK	TOYOTA HIACE Gen 6 (H300) 2dr Van LWB 19 On	SPACER KIT LADDER ROLLER 470MM MULTISLIDE 3.5M LADDER RAIL SET QUICK MOUNT 5MM HD SPACER ALLOY BAR 1650MM SIL (1EA)	RCP LOCKING LEG HIGH M8 (6PCS) BASE KIT HIACE GEN6 LWB (6PCS) PAIR OF CABLE LADDER LOCKS STRAP ASSEMBLY HIACE
710-RSL-00007	TECH EXT AND STEP LADDER PACK	TOYOTA HIACE Gen 6 (H300) 2dr Van LWB 19 On	SPACER KIT LADDER ROLLER 470MM LADDER ROLLER 680MM MULTISLIDE 3.5M LADDER RAIL SET QUICK MOUNT 5MM HD SPACER	ALLOY BAR 1650MM SIL (1EA) RCP LOCKING LEG HIGH M8 (6PCS) BASE KIT HIACE GEN6 LWB (6PCS) PAIR OF CABLE LADDER LOCKS STRAP ASSEMBLY HIACE
710-RSL-00008	TECH EXT LADDER PACK W/ CONDUIT	FORD RANGER Gen 3 (PX/PX2/PX3) 4dr Ute Double Cab 11 to 22	ARB ADAPTOR FOR AERO (2PCS) PAD & CLAMP KIT FOR RHINO 2500 MULTI FIT FOREST RIVER CARTON 158X21X19 LADDER ROLLER 470MM MULTISLIDE 2.6M LADDER RAIL SET 2500 SPACERS (2 ADAPTORS & 8 SPACERS) 42MM	2500 LEG KIT VA BAR (2PCS) HALF CABLE LADDER LOCKS SPORTZ PIPE CLAMPS 100MM (PR) CONDUIT KIT 3M ORANGE SUB ASSEMBLY M8 CAST LOCKING TAB KIT SPORTZ BAR 1370MM BLACK
710-RSL-00009	TECH EXT LADDER PACK W/ CONDUIT EXCL BAR LEG	TOYOTA HILUX Gen 8 (N80) 4dr Ute Double Cab 15 to 25 TOYOTA HILUX Gen 9 (N90) 4dr Ute Double Cab 26 On	M8 X 20 STEEL T BOLT MECH GALV (BP 4) LADDER ROLLER 470MM MULTISLIDE 2.6M LADDER RAIL SET 2500 SPACERS (2 ADAPTORS & 8 SPACERS) 42MM	CABLE LADDER LOCKS SPORTZ PIPE CLAMPS 100MM (PR) CONDUIT KIT 3M ORANGE SUB ASSEMBLY M8 CAST LOCKING TAB KIT
710-RSL-00010	TECH LADDER PACK W/ CONDUIT EXCL BAR LEG	FORD RANGER Gen 3 (PX/PX2/PX3) 4dr Ute Double Cab 11 to 22 FORD RANGER Gen 4 (P703) 4dr Ute Double Cab 22 On	M8 X 20 STEEL T BOLT MECH GALV (BP 4) K & C BAZOOKA CLAMP (2PCS) FOREST RIVER CARTON 158X21X19 LADDER ROLLER 470MM MULTISLIDE 2.6M LADDER RAIL SET	CABLE LADDER LOCKS CONDUIT KIT 3M ORANGE SUB ASSEMBLY M8 CAST LOCKING TAB KIT VA FIT KIT FOR 1 X A127 CONDUIT BRACKET
710-RSL-00011	TECH LADDER PACK	FORD EVEREST Gen 3 (U704) 5dr SUV With Flush Rail 22 On	M8 X 20 STEEL T BOLT MECH GALV (BP 4) RX200 RAIL MOUNT LEG KIT - OVERHANG (4PCS) RX2FK FIT KIT - FORD EVEREST U704 FLUSH RAIL SPORTZ RLS5	SUB ASSEMBLY M8 CAST LOCKING TAB KIT SPORTZ BAR 1370MM BLACK 2.2M SLIDE OUT LADDER RACK SYSTEM

SPECIFICATIONS

LADDER PACKS

PACK CODE	DESCRIPTION	FITS	PACK ITEMS:	
710-RSL-00012	TECH LADDER PACK	KIA SPORTAGE Gen 5 (NQ5) 5dr SUV With Flush Rail 22 On	RX200 RAIL MOUNT LEG KIT - OVERHANG (4PCS) RX2FK FIT KIT - HYUNDAI TUCSON NX4 FLUSH RAIL STRAP TYPE 5 WITH Z BRACKET (1EA) BULK	SUB ASSEMBLY M8 CAST LOCKING TAB KIT 2.2M SLIDE OUT LADDER RACK SYSTEM SPORTZ BAR 1260MM BLACK
		HYUNDAI TUCSON Gen 4 (NX4) 5dr SUV With Flush Rail 21 On		
710-RSL-00013	TECH LADDER PACK	TOYOTA RAV4 Gen 6 (XA60) 5dr SUV With Flush Rail 26 On	RX200 RAIL MOUNT LEG KIT - OVERHANG (4PCS) RX2FK018 FITMENT KIT RX200 FLUSH RAILS STRAP TYPE 5 WITH Z BRACKET (1EA) BULK	SUB ASSEMBLY M8 CAST LOCKING TAB KIT 2.2M SLIDE OUT LADDER RACK SYSTEM SPORTZ BAR 1260MM BLACK



MAKE SPACE FOR ADVENTURE

RHINORACK.COM

© 2026 Rhino Rack Australia Pty Limited, ABN 63 122 680 639
22a Hanson Place, Eastern Creek NSW 2766, Australia

Rhino-Rack has made reasonable efforts to ensure that the information within this publication is correct at the time of printing. Although Rhino-Rack monitors the quality of the information and updates the information regularly, human or mechanical error, or changes in circumstances after the time of publication may be possible and may impact the accuracy of the information. Rhino-Rack does not warrant that any information or data in this publication is accurate, complete, current or suitable for any purpose. To the maximum extent permitted by law, Rhino-Rack disclaims all liability for any loss, damage, expense and costs incurred by any person arising out of accessing, downloading, using or relying on any materials in this publication.